## **TIER 2 REPORT CHECKLIST**

	d from the RBC							
Report Cover Sheet. Signed by certified groundwater								
Tier 2 Report Checklist								2-3
Summary Sheets:								
☐ ☐ Tier 2 Data Before Modeling								Δ
☐ ☐ Site Hydrogeology								
☐ ☐ Source Width and Length Selection								
☐ ☐ Preliminary Pathway Evaluation Requirements Gro								
☐ ☐ Preliminary Pathway Evaluation Requirements Soil								
☐ ☐ Preliminary Pathway Evaluation Requirements Soil	_							
☐ ☐ Tier 2 Groundwater Receptor Summary								10
☐ ☐ Tier 2 Soil Vapor Receptor Summary								11
☐ ☐ Tier 2 Soil to Water Lines Receptor Summary								12
☐ ☐ Tier 2 Soil Leaching Receptor Summary								13
Report Body:								4.4
Field Screening Results								
☐ ☐ Soil Analytical Data								
☐ ☐ Groundwater Analytical Data								
☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐								
Indoor Vapor Analytical Data								
Groundwater Elevations								
Receptor Survey Groundwater Well Survey								
Receptor Survey Affected Property Owner Table								
Receptor Survey Commingled Plume Discussion								
Receptor Survey Off-Site Contamination Source Sup								
Free Product								22
Receptor Survey Enclosed Space Survey								23
Receptor Survey Surface Water Survey								24
Risk Justification and Corrective Action Proposed								
☐ ☐ Groundwater Monitoring Plan								
Soil Gas Monitoring Plan								28
☐ Pathway Assessment Attachments:  Groundwater Pathways: If a receptor type must be evalued Map. If any potential or actual receptors are identified by chemical for each receptor) and SSTL Table (for each receptor the table for those items attached.	the Receptor ID	Map, t	he Rece	ptor Eva	aluation	Мар (	for each	applicable
Pathway	Receptor ID		Rece	ptor Eva	aluation	Мар	ı	SSTL
- unitray	Мар	В	Т	E	Х	D	wo	Tables
1a. GW Ingestion - Drinking Water Wells								
1b. GW Ingestion - Nondrinking Water Wells								
2. GW Ingestion - Protected GW Source								
3a. GW Vapor - Confined Space Residential								
3b. GW Vapor - Confined Space Nonresidential				П				
4. GW Vapor - Potential Confined Space								
5a. GW Vapor - Sanitary Sewer Residential						l H		
5b. GW Vapor - Sanitary Sewer Nonresidential						ᅮ岩		_
	l I I							
						片片		
6. GW Vapor - Potential Sanitary Sewer								
7. GW to Water Line								

**Soil Leaching Pathways:** Check the box at the left if this receptor type must be evaluated. The Receptor ID (Identification) Map and Soil SSTL Table (for each receptor) must be provided in the corresponding appendix.

Pathway	Receptor ID Map	Soil SSTL Table
9-1a. Soil Leaching to GW Ingestion - Drinking Water Wells		
9-1b. Soil Leaching to GW Ingestion - Nondrinking Water Wells		
9-2. Soil Leaching to GW Ingestion - Protected GW Source		
9-3a. Soil Leaching to GW Vapor - Confined Space Residential		
9-3b. Soil Leaching to GW Vapor - Confined Space Nonresidential		
9-4. Soil Leaching to GW Vapor - Potential Confined Space		
9-5a. Soil Leaching to GW Vapor - Sanitary Sewer Residential		
9-5b. Soil Leaching to GW Vapor - Sanitary Sewer Nonresidential		
9-6. Soil Leaching to GW Vapor - Potential Sanitary Sewer		
9-7. Soil Leaching to GW to Water Line		
9-8. Soil Leaching to Surface Water		
<u> </u>	·	Soil to Water Line Map.
<u> </u>	21. 🖫 Groundwater Contamir	nation Plume Man
	22. Groundwater Flow Direction	
_	23. Well Survey Map	·
<u> </u>	24. Enclosed Space and Condu	uit Map
<del>_</del>	25. Surface Water Map	
☐ 19. ☐ Soil Source Width/Length Map		
Other Appendices:		
26. Laboratory Data Sheets / Chromatograms	31. Tier 1 Selected Informatio	n
27. Construction Diagrams for Soil Gas Mon. Wells	Pages 5, 6 and 11 of the F	
28. Soil Boring Logs/Mon. Well Construction Diagrams	Appendix 1 - Topographic	
29. Well Logs (drinking and non-drinking water wells)	Appendix 2 - Site Plan Ma	
30. Off-Site Contamination Source Support Data	Appendix 4 - Field Screen	· ·
	App. 11 - Tank Tightness	Test Results
	Appendix 14 - "K" Measu	rements
32. Corrective Action Documentation – (if applicable)	преникт к меаза	rements
<ul> <li>☐ Environmental Covenants / Institutional Controls</li> <li>☐ Abandoned Water Well Plugging Record(s)</li> <li>☐ Water Supply Notification (DNR Form 542-1530)</li> <li>☐ Water Line- Utility Company Notification (DNR Form 542-1531)</li> <li>☐ Sanitary Sewer Notification (DNR Form 542-1532)</li> <li>☐ Report of Excavation Activities and, if applicable, completed Land A</li> </ul>	Application Notification Form.	
33. Exempt Granular Bedrock Attachment – (if applicable)		
A. Justification for Bedrock Type		
B. Hydrolgeologic Cross-Section		
C. Hydraulic Conductivity and Total Dissolved Solids Table		
RBCA Application Submitted		

12/2020 cmc 3 DNR Form 542-0166

**Sampling Results:** 

Field Screening Results														
Complete the table be first column provide the Label the increments a each column for every static water level. This	he depth and total v soil sam	increm depth ple ana	ents ov of borin alyzed. P	er which g in un Place a	th vapor its of fee water le	screen et from vel sym	ing was the gro bol (v) a	conduction	cted beg rface. Pl lepth or	ginning ace an n each c	with the asterisk column t	e groun (*) at t to repre	nd surfac the dept esent th	e. h on
Sample Identification														
Date Sampled														
Depth of Reading -	Depth	PID	Depth	PID	Depth	PID	Depth	PID	Depth	PID	Depth	PID	Depth	PID
Total Depth of Boring														
Soil Boring and Monit selected for laborator monitoring well instal obtained from wells w	oring Wo y analysis lation. Ex	s repres	sent the thy the s	highes source(	t contar s) has be	ninatio	n conce equately	ntration	ns enco igated. I	untered	d during	soil bo	ring/	oles

		Indoor Vap	or Analytical Da	ta		
Complete the table below with by location then arrange chron				ed space receptor	r sampled. Groເ	p sampling events
	Date		ns (feet Above Se	ea Level)	Benzene	Toluene
Receptor Evaluated	Sampled	Ground Surface	Basement Floor	Static Groundwater	(μg/m³)	(μg/m³)
Indoor Vapor Sampling. If indomethods provide representative	•	asurements were	e taken, describe	the sampling m	ethods and exp	lain why the
			vater Elevations			
Identify the methodology and fluctuations in water levels wi						
Describe the benchmark used	to survey for	groundwater sui	face elevations,	including its loca	ition and elevat	ion.
If water levels were corrected (level.	due to the pr	esence of free pi	roduct, describe	the method used	d to determine	he static water

12/2020 cmc 19 DNR Form 542-0166

## RECEPTOR SURVEY:

		Ground	water Well	Survey				
Well Number as identified on Groundwater Well Survey Map								
Well Status								
Active								
Abandoned								
Plugged								
According to Chapter 39								
Not according to Chapter 39								
Well Use								
Municipal Well						П		
Private Drinking Well								
Production Well						$\Box$		
Other:						$\Box$		
Other:								
Static Water Level Elevation								
Well Depth Elevation								
Well Diameter								
Casing Material								
Screened Interval								
Well Log Provided? Yes								
No								
Well owners and locations. Provid	e the name	and address	s of each we	ell owner.				
Well Number - Well Owner Name		Addre	SS		City	Sta	te Zir	Code
					•			
Public Entities. Provide the name a	and address	for each pu	blic entity c	ontacted to	determine	well locatio	ns and detai	ls.
Indicate the date each public entity	y was conta	cted.						
Plugging Methods. Describe the pl	ugging met	hod for thos	se wells not	sealed acco	rding to Cha	pter 567-3	9 IAC.	

## AFFECTED PROPERTY OWNER TABLE

List all properties within any Receptor ID Plume and under the "Z" (zoning) column, provide the zoning for each property with either "R" for residential or "NR" for nonresidential; mark "Y" or "N" regarding whether that property owner was contacted to determine if there is a drinking or non-drinking water well on their property; and provide the date the property owner was contacted. This page may be duplicated.

	Z	Property Owner Name	Property Address	Owner Mailing Address
1				
		Contacted 2 🗆 V 🗆 NI Data:		
2		Contacted?  Y N Date:		
3		Contacted? ☐ Y ☐ N Date:		
4		Contacted?  Y N Date:		
7				
5		Contacted?  Y N Date:		
5				
•		Contacted?  Y N Date:		
6				
_		Contacted?  Y N Date:		
7				
		Contacted?  Y N Date:		
8				
		Contacted?  Y N Date:		
9				
		Contacted? ☐ Y ☐ N Date:		
10				
		Contacted? ☐ Y ☐ N Date:		
11				
		Contacted? ☐ Y ☐ N Date:		
12				
		Contacted? ☐ Y ☐ N Date:		
Well	Surve	y / Contact Method. Identify the method	(on-site well survey or letters) for surv	veying the area within 300 feet of
		or within the largest receptor identificati		
the ie	etter ir	n Appendix 23 and state how many letters	s were sent and now many replies were	e receivea.

12/2020 cmc 21 DNR Form 542-0166

Commingled Plume Discussion
If contamination at the site appears to be commingled with another site provide the owner name and address, and if assigned by the DNR, the Registration and LUST numbers. If the site does not have a Registration or LUST number, provide justification for an off-site source in the section below.
Off-Site Contamination Source Support Discussion
Provide a detailed justification for any conclusions concerning off-site contamination sources.
Free Product
Indicate whether free product has ever been observed at the site and in which wells. If the site has a history of free product, indicate the date the last "Free Product Recovery Report" was submitted. Discuss the status and effectiveness of the free product recovery system.

12/2020 cmc 22 DNR Form 542-0166

		Enclo	osed Space / (	Conduit Sur	vey		
Conduit Number (on map¹)	Description (main or service?)	Construction Material <sup>2</sup>	Conduit Backfill Material	Slope of Conduit	Burial Depth	Relationship to Groundwater Level	Vapor Survey Results <sup>3</sup>
Example 1	Sanitary Sewer Main - 1st & Main accessway	concrete	sand	west	5 ft below surface	2 ft above groundwater	7
Example 2	Basement of Smith residence	cement	NA (Not applicable)	NA	base 8 ft below ground	1 ft below groundwater	33
Example 3	On-site Water Service	PVC, with rubber gaskets	gravel	south	5 ft below surface	2 ft above groundwater	NA
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							

**Survey contacts.** Provide the name and address for each public entity and adjacent property owner contacted to determine enclosed space and conduit details and locations. Provide the date of the most recent enclosed space / conduit survey. All relevant sources of information should be reviewed to confirm water line material including but not limited to community plumbing codes, city codes, and ordinances, local plumbing contractors and services, and available construction specifications and plans.

**Vapor History.** Describe any historic and current problems with vapor accumulation in confined spaces. Indicate the date(s) and where vapors were noted. Describe the measures taken to abate the condition and the current status.

<sup>&</sup>lt;sup>1</sup> Enclosed Space and Conduit Map

<sup>&</sup>lt;sup>2</sup> The Enclosed Space/Conduit Survey Table must now also identify water line and gasket material(s) of construction.

<sup>&</sup>lt;sup>3</sup> See page 6-6 Tier 2 Guidance

	Su	ırface Water Survey	
Surface Water Name	Classification - designated or general use	Description	Visual Observations
Example 1 - Red River	designated B(LW)	river	no sheens or residue observed
Example 2 - no name	general use	drainage ditch to the east	Residues noted on bank. Appeared to be non- petroleum. Lab data confirmed no hydrocarbons.
		_	

	(This previo		Water Sampling lata may not be			pathway)	
Sample	Date		Gro	up 1		Gro	up 2
Location	Sampled	В	Т	E	Х	TEH-D	TEH-WO

<b>Surface Water Survey.</b> Explain how the surface water survey was conducted. If surface water samples were collected, describe the sampling methods. Provide a justification for taking samples.

## RISK JUSTIFICATION AND CORRECTIVE ACTION PROPOSED:

Groundwater Ingestion Pathway
Groundwater Vapor to Enclosed Space Pathway
Groundwater to Water Line Pathway
Confe on Wedon Padhouses
Surface Water Pathway

12/2020 cmc 25 DNR Form 542-0166

	Soil Leaching to Groundwater Pathway	
	Soil Vapor to Enclosed Space Pathway	
Soil to Water Line Pathway		
	•	

12/2020 cmc 26 DNR Form 542-0166

	SOIL GAS MONITORING PLAN		
SUMMARY TABLE			
<b>Location of Vapor Well</b>	Receptor(s) Being Monitored	Frequency of Monitoring	
	-		
nments/Justification:			
·			

12/2020 cmc 28 DNR Form 542-0166