| Common Name | Scientific Name | Mature Height | | Growth Rate | Shade Tolerance | Natural Habitat / Soils / Sites | Uses / Limitations |
|-------------------|------------------------|---------------|----|-------------|--------------------|--|--|
| | | ft | m | | | | |
| American Basswood | Tilia americana | 80 | 24 | fast | tolerant | moist, upland woods & slopes; protected bluffs & ravines | shade tree; spacious / intolerant of salt |
| American Elm | Ulmus americana | 70 | 21 | medium | intermediate | woods; especially alluvial flats | susceptable to dutch elm disease |
| American Hazelnut | Corylus americana | 15 | 5 | medium | intermediate | woodland openings and borders | great for wildlife |
| American Hornbeam | Carpinus caroliniana | 35 | 11 | slow | very tolerant | moist, but sufficiently drained | small spaces; shady places / relatively disease-free |
| Balsam Fir | Abies balsamea | 50 | 15 | slow | very tolerant | steep, N-facing bluffs, limited to extreme NElowa | limited sites |
| Balsam Poplar | Populus balsamifera | 50 | 15 | fast | very intolerant | moist woods; woodland edges | |
| Beaked Hazelnut | Corylus cornuta | 6 | 2 | medium | intermediate | N-facing wooded slopes; algific talus slopes | limited availability |
| Bebb Willow | Salix bebbiana | 25 | 8 | fast | intolerant | moist ground; N-facing talus slopes; fens | limited availability |
| Bigtooth Aspen | Populus grandidentata | 45 | 14 | fast | very intolerant | moist to dry; usually upland woods | |
| Bitternut Hickory | Carya cordiformis | 70 | 21 | slow | intolerant | upland woods; wooded slopes; bluffs | shade tree; reforestation / limited availability |
| Black Ash | Fraxinus nigra | 50 | 15 | medium | intolerant | moist, wooded slopes; alluvium | limited availability |
| Black Cherry | Prunus serotina | 50 | 15 | medium | intolerant | moist, wooded slopes; upland woods | needs full sun |
| Black Maple | Acer nigrum | 60 | 18 | medium | very tolerant | moist woods; wooded slopes | excellent shade tree on well drained sites |
| Black Oak | Quercus velutina | 60 | 18 | medium | intermediate | upland woods; sandy, alluvial flats | reforestation |
| Black Walnut | Juglans nigra | 80 | 24 | fast | intolerant | moist woodlands; especially alluvial woods | great timber / wildlife tree; good nut production |
| Black Willow | Salix nigra | 50 | 15 | fast | very intolerant | streambanks; lake margins; alluvial woods | riparian areas |
| Blackhaw Viburnum | Viburnum prunifolium | 12 | 4 | slow | intermediate | woodland borders | great low growing tree |
| Blackjack Oak | Quercus marilandica | 35 | 11 | slow | intermediate | upland woods; SE lowa | limited availability |
| Blue Ash | Fraxinus quadrangulata | 40 | 12 | medium | intermediate | rocky bluffs | shade tree; limited availability |
| Boxelder | Acer negundo | 50 | 15 | fast | tolerant | alluvial woods; moist, disturbed areas; riparian areas | riparian areas / short-lived; storms |
| Buffaloberry | Sheperdia argentea | 8 | 2 | medium | intermediate | dry uplands; loess bluffs; prairie-woodland edges | |
| Bur Oak | Quercus macrocarpa | 100 | 30 | slow | intermediate | dry uplands; slopes | excellent long term shade tree; spacious |

| Common Name | Scientific Name | Mature Height | | Growth Rate | Shade Tolerance | Natural Habitat / Soils / Sites | Uses / Limitations |
|---------------------|------------------------|---------------|----|--------------------|--------------------|--|---|
| | | ft | m | | | | |
| Butternut | Juglans cinerea | 60 | 18 | slow | intolerant | moist, wooded slopes; alluvial woods | nuts; shade tree / butternut decline |
| Canada Plum | Prunus nigra | 20 | 6 | medium | intolerant | steep, N- or E-facing, wooded slopes | limited availability |
| Canadian Yew | Taxus canadensis | 3 | 1 | slow | tolerant | rocky bluffs; moist wooded slopes | |
| Chinkapin Dwarf Oak | Quercus prinoides | 20 | 6 | slow | intolerant | dry ridges; rocky bluffs | limited availability |
| Chinkapin Oak | Quercus muhlenbergii | 50 | 15 | slow | intolerant | exposed bluffs; rocky slopes | excellent shade tree for southern half of lowa |
| Chokecherry | Prunus virginiana | 20 | 6 | medium | very intolerant | open woods; woodland borders; rocky bluff | extremely hardy / insects; black knot; short service life |
| Cockspur Hawthorn | Crataegus crus-galli | 20 | 6 | slow | intermediate | open, upland woods; pastures | attractive; thornless |
| Common Juniper | Juniperus communis | 10 | 3 | medium | intolerant | dry, wooded bluffs; rocky slopes | |
| Common Pawpaw | Asimina triloba | 25 | 8 | medium | | wooded alluvium; wooded slopes: limited to southern Iowa | |
| Common Persimmon | Diospyros virginiana | 40 | 12 | slow | very tolerant | sandstone bluffs | best in southern lowa |
| Cottonwood | Populus deltoides | 100 | 30 | very fast | very intolerant | moist habitats; ususally on alluvium; riparia areas | fast growing tree; riparian areas |
| Coyote Willow | Salix exigua | 25 | 8 | fast | intolerant | streambanks; sandbars; alluvial bottoms | |
| Dotted Hawthorn | Crataegus punctata | 25 | 8 | slow | intermediate | open woods; pastures | adverse sites / rust; mildew; fruit litter |
| Downy Hawthorn | Crataegus mollis | 30 | 9 | slow | intermediate | open, upland woods; sandy alluvium; openings | rust problem |
| Downy Serviceberry | Amelanchier arborea | 25 | 8 | medium | tolerant | moist, wooded slopes; rocky, wooded slopes | very attractive |
| Eastern Red Cedar | Juniperus virginiana | 40 | 12 | medium | very intolerant | dry, open woods; rocky bluffs; pastures | great windbrake tree |
| Eastern Redbud | Cercis canadensis | 15 | 5 | slow | tolerant | wooded ravines; wooded bluffs; alluvium; southern Iowa | street tree |
| Eastern Wahoo | Euonymus atropurpureus | 15 | 5 | medium | tolerant | moist woods | very attractive |
| Elderberry | Sambucus canadensis | 8 | 2 | fast | intermediate | edges of moist woods; shorelines; fencerows | |
| Fleshy Hawthorn | Crataegus succulenta | 30 | 9 | slow | intermediate | open woods; woodland edges | limited availability |
| Gray Dogwood | Cornus racemosa | 10 | 3 | medium | tolerant | upland woods | great for wildlife |
| Green Ash | Fraxinus pennsylvanica | 60 | 18 | fast | tolerant | alluvial or low, moist woods | good shade tree |

| Common Name | Scientific Name | Mature Height | | Growth Rate | Shade Tolerance | Natural Habitat / Soils / Sites | Uses / Limitations |
|------------------------|------------------------|---------------|----|-------------|--------------------|---|--|
| | | ft | m | | | | |
| Hackberry | Celtis occidentalis | 60 | 18 | slow | intermediate | moist low woods; open, disturbed soil | shade tree / nipple gall; powdery mildew |
| Heart-Leaved Willow | Salix rigida | 10 | 3 | fast | very intolerant | streambanks; wet lowlands; ditches | limited availability |
| Honeylocust | Gleditsia triacanthos | 70 | 21 | fast | intolerant | alluvial woods; old pastures; sandy prairies | plazas; parking lots / insects; Thyronectria; thorns |
| Hoptree / Water Ash | Ptelea trifoliata | 15 | 5 | slow | intermediate | along streams; rocky bluffs; sandy habitats | background shrub |
| Hortulan Plum | Prunus hortulana | 15 | 5 | medium | very intolerant | road cuts; low woods | limited availability |
| Inland Serviceberry | Amelanchier interior | 20 | 6 | medium | tolerant | dry sandstone ledges | very attractive |
| Ironwood / Hophornbeam | Ostria virginiana | 30 | 9 | slow | tolerant | upland wood; wooded slopes | shade tree / salt-sensitive |
| Kentucky Coffeetree | Gymnocladus dioicus | 60 | 18 | medium | intolerant | moist, wooded ravines; alluvium | shade tree / free of diseases |
| Margaret's Hawthorn | Crataegus margaretta | 30 | 9 | slow | intermediate | upland woods; slopes; open alluvial woods | limited availability |
| Meadow Willow | Salix petiolaris | 10 | 3 | fast | very intolerant | moist prairie remnants; marsh edges; fens | limited availability |
| Mexican Plum | Prunus mexicana | 20 | 6 | medium | very intolerant | roadsides; fencerows | limited availability |
| Missouri River Willow | Salix eriocephala | 40 | 12 | fast | intolerant | streambanks; wet lowlands; ditches | |
| Mountain Maple | Acer spicatum | 20 | 6 | slow | tolerant | steep, moist, N- & E-facing wooded slopes | limited availability |
| Nannyberry | Viburnum lentago | 15 | 5 | medium | intermediate | upland woods | great for wildlife |
| Northern Pin Oak | Quercus ellipsoidalis | 50 | 15 | medium | intolerant | open, sandy, upland woods | excellent shade tree |
| Ohio Buckeye | Aesculus glabra | 50 | 15 | medium | tolerant | moist or sandy, lowland woods | leaf scorch |
| Pagoda Dogwood | Cornus alternifolia | 20 | 6 | slow | tolerant | moist, upland woods | background tree |
| Paper Birch | Betula papyrifera | 70 | 21 | fast | intolerant | steep, sheltered, rocky bluffs; N-facing slopes; limited to NE lowa | borer; problems off site |
| Peachleaf Willow | Salix amygdaloides | 40 | 12 | fast | intolerant | along streams | riparian areas |
| Pear Hawthorn | Crataegus calpodendron | 30 | 9 | slow | intermediate | prairie openings in upland woods; edges | limited availability |
| Pecan | Carya illinoensis | 70 | 21 | slow | intolerant | alluvial woods; SE lowa | nuts |
| Pignut Hickory | Carya glabra | 70 | 21 | slow | intermediate | dry, upland woods | reforestation / limited availability |

| Common Name | Scientific Name | Mature Height | | Growth Rate | Shade Tolerance | Natural Habitat / Soils / Sites | Uses / Limitations |
|------------------------|------------------------|---------------|----|--------------------|--------------------|---|---|
| | | ft | m | | | | |
| Pin Cherry | Prunus pennsylvanica | 30 | 9 | fast | very intolerant | woods; clearings | short lived |
| Pin Oak | Quercus palustris | 60 | 18 | slow | intolerant | alluvial woods | landscape tree; spacious / chlorosis |
| Post Oak | Quercus stellata | 30 | 9 | slow | intolerant | dry, open, upland woods; SE lowa | limited availability |
| Prairie Crabapple | Malus ioensis | 22 | 7 | medium | intolerant | dry, bushy uplands; open woods; prairie remnants | ornamental / highly resistant to diseases |
| Prickly Ash | Zanthoxylum americanum | 12 | 4 | slow | intolerant | edges; upland woods; openings | |
| Pussy Willow | Salix discolor | 15 | 5 | fast | intolerant | streambanks; low prairies; marsh edges | great riparian plant |
| Quaking Aspen | Populus tremuloides | 40 | 12 | fast | very intolerant | open woods; moist praries; woodland edges | background planting |
| Red Maple | Acer rubrum | 50 | 15 | medium | tolerant | wooded bluffs | excellent shade tree |
| Red Mulberry | Morus rubra | 35 | 11 | medium | tolerant | moist, alluvial woods; wooded slopes | fruit litter |
| Red Oak | Quercus rubra | 70 | 21 | medium | intermediate | moist, upland woods | excellent shade tree |
| Red-Osier Dogwood | Cornus stolonifera | 8 | 2 | fast | tolerant | shores; lake & pond margins; fens | great for wildlife |
| River Birch | Betula nigra | 80 | 24 | fast | intolerant | alluvial woods; stream margins | leaf miner; moisture stress; short service life |
| Rock Elm | Ulmus thomasii | 70 | 21 | medium | intermediate | bases of moist, wooded slopes | dutch elm disease |
| Rough-Leaf Dogwood | Cornus drummondii | 8 | 2 | medium | tolerant | moist woods; along streams; woodland borders | |
| Roundleaf Dogwood | Cornus rugosa | 8 | 2 | medium | tolerant | rich, upland woods; N-facing, wooded slopes | limited availability |
| Roundleaf Serviceberry | Amelanchier sanguinea | 20 | 6 | medium | tolerant | sandstone ledges; algific slopes | very attractive |
| Sandbar Willow | Salix interior | 30 | 9 | fast | intolerant | streambanks; sandbars; alluvial bottoms | riparian areas |
| Saskatoon Serviceberry | Amelanchier alnifolia | 18 | 5 | medium | tolerant | thickets; margin of lakes | very attractive |
| Shagbark Hickory | Carya ovata | 70 | 21 | slow | intermediate | dry, upland woods; bluffs; statewide | nuts; limited availability |
| Shellbark Hickory | Carya laciniosa | 70 | 21 | slow | very tolerant | alluvial woods; southern lowa | limited availability |
| Shingle Oak | Quercus imbricaria | 45 | 14 | slow | intermediate | bottomlands; dry hillsides; southern lowa | street tree; for southern lowa |
| Shining Willow | Salix lucida | 25 | 8 | fast | intolerant | low, moist ground; lakeshores; streambanks; fens | riparian areas |

| Common Name | Scientific Name | Mature Height | | Growth Rate | Shade Tolerance | Natural Habitat / Soils / Sites | Uses / Limitations |
|-------------------|-----------------------|---------------|----|--------------------|--------------------|--|--|
| | | ft | m | | | | |
| Showy Mountainash | Sorbus decora | 20 | 6 | medium | intolerant | hedges; woodland margins; sandstone outcrops | limited availability |
| Silky Dogwood | Cornus obliqua | 10 | 3 | medium | tolerant | wet thickets; low woods; wet prairies | great for wildlife |
| Silver Maple | Acer saccharinum | 120 | 36 | very fast | tolerant | alluvial woods; riparian areas | fast growing shade tree; consider cultivars |
| Slippery Elm | Ulmus rubra | 60 | 18 | medium | tolerant | wooded slopes & bluffs | susceptable to dutch elm disease |
| Smooth Sumac | Rhus glabra | 15 | 5 | medium | intermediate | woodland openings; edges; disturbed areas | great fall color |
| Speckled Alder | Alnus incana | 30 | 9 | medium | intermediate | sandy soil in alluvial woods; streamsides; seeps | |
| Staghorn Sumac | Rhus typhina | 20 | 6 | medium | intermediate | dry openings in woods; edges; rocky slopes | great fall color |
| Sugar Maple | Acer saccharum | 60 | 18 | medium | very tolerant | moist woods; wooded slopes | excellent shade tree |
| Swamp White Oak | Quercus bicolor | 70 | 21 | slow | intermediate | alluvial woods | excellent shade tree |
| Sycamore | Platanus occidentalis | 100 | 30 | fast | intermediate | alluvial woods | shade tree / anthracnose; lace bug |
| White Ash | Fraxinus americana | 70 | 21 | medium | intolerant | upland woods | excellent shade tree / drought; ash decline |
| White Oak | Quercus alba | 100 | 30 | slow | intermediate | uplands woods; dry slopes | shade tree / sensitive to compaction & root damage |
| White Pine | Pinus strobus | 90 | 27 | medium | intermediate | sandy or rocky, steep, wooded slopes & ledges | works best in eastern half of lowa |
| Wild Plum | Prunus americana | 20 | 6 | fast | very intolerant | fencerows; woodland edges; open woods | great for wildlife |
| Witchhazel | Hamamelis virginiana | 10 | 3 | medium | intermediate | moist, wooded, N-facing slopes | |
| Yellow Birch | Betula alleghaniensis | 100 | 30 | medium | intermediate | N-facing, rocky, wooded slopes | |

adapted from: Iowa State University Forestry Extension: Trees & Shrubs Native to Iowa; Ames, IA, 2001

Michael A. Dirr: Manual of Woody Landscape Plants; Their Identification, Ornamental Characteristics, Culture, Propagation and Uses; Athens, GE, 1990