

Iowa Monitoring Locations and Design Values for Nitrogen Dioxide 2011-2013

A design value is a tool that can be used to understand pollution levels at a specific location. A design value may be set for any pollutant. The U.S. EPA's official definition is explained this way: "a design value is the mathematically determined pollutant concentration at a particular site that must be reduced to, or maintained at or below the National Ambient Air Quality Standard to assume attainment." The design value number tells us how a particular site or area compares with the National Ambient Air Quality Standards (NAAQS).


Iowa nitrogen dioxide (NO₂) monitor location and information is detailed on the following pages. The EPA design value for 1-hour NO₂ is equal to the average of the 98th percentile 1-hour value for the most recent three years. EPA revised the NO₂ NAAQS in April of 2012. A monitoring site must have a design value less than 100 parts per billion to be considered "in attainment" with the NO₂ NAAQS. All monitoring sites in Iowa are in attainment with the 1-hour NO₂ NAAQS. Additional information on the revised NO₂ standard is available here: <http://www.epa.gov/airquality/nitrogenoxides/actions.html>

Iowa NO₂ Monitors (2013)

AQS Site ID	Site Name	Location	County	Design Value?	Reason*
19-153-0030	Health Department	Des Moines	Polk	Yes	
19-153-6011	Rollins Near-Road	Des Moines	Polk	No	Started 1/13
19-163-0015	Jefferson School	Davenport	Scott	Yes	
19-177-0006	Lake Sugema	Keosauqua	Van Buren	No	Started 1/12


* A site must be operational for at least three years to compute a design value and meet additional completeness requirements specified in [40 CFR 50 Appendix S](#).

Iowa NO₂ Monitoring Network 2013



Iowa NO₂ Design Values: 2011-2013


Concentrations listed in ppb. Values greater than 100 exceed the standard.



Iowa NO₂ Design Values 2013

County	City	EPA Site Id	Year	98th Percentile Hourly NO ₂ Concentration (ppb)	3-year Average of 98th Percentile (ppb)	Years Averaged
Polk	Des Moines	19-153-0030	2011	39.3	39	2011-2013
			2012	39.6		
			2013	36.8		
Scott	Davenport	19-163-0015	2011	37.5	37	2011-2013
			2012	34.1		
			2013	38.8		
(Three Year Averages Greater Than 100 ppb Indicate Non-Attainment with the 1-hour NAAQS)						
Values are based on certified data.						

Iowa NO₂ Design Values Chart: 2011-2013



Web Resources

Iowa Real-time Data Reporting :

In Polk County:

<http://www.polkcountyiowa.gov/airquality/air-quality-monitoring/current-aqi-real-time-data/>

In Linn County:

<http://www.linncleanair.org/Default.aspx>

Outside Polk and Linn Counties:

<http://www.shl.uiowa.edu/env/ambient/index.xml>

Design Values for All Pollutants Nationwide:

<http://www.epa.gov/airtrends/values.html>

Trends in Nitrogen Dioxide Levels:

<http://www.epa.gov/airtrends/nitrogen.html>

Historical Air Pollution Data for Iowa and Other States:

<http://www.epa.gov/airdata/>