

## Iowa Monitoring Locations and Design Values for Sulfur Dioxide 2018-2020


A design value is a tool that can be used to understand pollution levels at a specific location. A design value may be set for any pollutant. The U.S. EPA's official definition is explained this way: "a design value is the mathematically determined pollutant concentration at a particular site that must be reduced to, or maintained at or below the National Ambient Air Quality Standard to assume attainment." The design value number tells us how a particular site or area compares with the National Ambient Air Quality Standards (NAAQS).

Iowa sulfur dioxide (SO<sub>2</sub>) monitor location and information is detailed on the following pages. The EPA design value for 1-hour SO<sub>2</sub> is equal to the average of the annual 99th percentile daily maximum 1-hour value for the most recent three years. The EPA revised the SO<sub>2</sub> NAAQS in June of 2010. A monitoring site must have a design value less than 76 parts per billion to be considered "in attainment" with the SO<sub>2</sub> NAAQS. Additional information on the revised SO<sub>2</sub> standard is available here: <https://www.epa.gov/so2-pollution>

# Iowa Sulfur Dioxide Monitoring Sites 2020


<b>AQS Site ID</b>	<b>Site Name</b>	<b>Location</b>	<b>County</b>
19-045-0019	Chancy Park	Clinton	Clinton
19-113-0040	Public Health	Cedar Rapids	Linn
19-113-0041	Tait Cummins Park	Cedar Rapids	Linn
19-139-0016	Greenwood Cemetery	Muscatine	Muscatine
19-139-0019	High School East Campus	Muscatine	Muscatine
19-139-0020	Musser Park	Muscatine	Muscatine
19-163-0015	Jefferson School	Davenport	Scott
19-177-0006	Lake Sugema	Keosauqua	Van Buren

# Iowa SO<sub>2</sub> Monitoring Network 2020



# Iowa SO<sub>2</sub> Design Values: 2020

Concentrations listed in ppb. Values greater than 75 exceed the standard.




# Iowa Sulfur Dioxide Design Values 2020

County	City	EPA Site ID	Design Value 3-year Average of 99th Percentile (ppb)	Years Averaged
Clinton	Clinton	19-045-0019	19	2018-2020
Linn	Cedar Rapids	19-113-0040	9	2018-2020
Linn	Cedar Rapids	19-113-0041	32	2018-2020
Muscatine	Muscatine	19-139-0016	15	2018-2020
Muscatine	Muscatine	19-139-0019	18	2018-2020
Muscatine	Muscatine	19-139-0020	20	2018-2020
Scott	Davenport	19-163-0015	5	2018-2020
Van Buren	Keosauqua	19-177-0006	1**	2018-2020

\*\* Data substitution performed at Keosauqua site due to low data capture

Three year averages greater than 75 ppb indicate non-attainment with the 1-Hour NAAQS.

# Iowa SO<sub>2</sub> Design Values Chart: 2018-2020



# Web Resources

## **Iowa Real-time Data Reporting :**

### *In Polk County:*

<https://www.polkcountyiowa.gov/public-works/air-quality/air-quality-monitoring/current-aqi-real-time-data/>

### *In Linn County:*

<https://monitoring.linncleanair.org/>

### *Outside Polk and Linn Counties:*

<http://www.shl.uiowa.edu/env/ambient/data.xml>

### *Design Values for All Pollutants Nationwide:*

<https://www.epa.gov/air-trends>

### *Trends in Sulfur Dioxide Levels:*

<https://www.epa.gov/air-trends/sulfur-dioxide-trends>

### **Historical Air Pollution Data for Iowa and Other States:**

<https://www.epa.gov/outdoor-air-quality-data>