



Approved Courses for Continuing Education Hours for Iowa Licensed UST Professionals

Documentation

Proof of participation will be required when submitting continuing education hours. A certificate of satisfactory completion issued by the course sponsor or instructor constitutes sufficient documentation of participation. Documentation is preferably submitted to the DNR at the completion of the course but can also be included with a biannual license renewal application.

Course Approval

If you would like to take a course not on this list for your continuing education hours, reach out to ustlicensing@dnr.iowa.gov with a course outline and course topic. If approved, the DNR will award 1 continuing education hour for each hour in class.

Hours granted may be limited by the department based on program content. HAZWOPER refresher training and specific manufacturer's training may not be used for continuing education hours. The following topics are considered appropriate for approval:

- UST Systems: installs, removals, leak detection, inspections, monitoring, and UST system maintenance
- UST releases and contamination
- Health & Safety

Organization	Course Title	Location	Hours Granted
Indiana Corrosion Society	Underground Corrosion Short Course	Fort Wayne, IN	8
Iowa DNR	UST Refresher Course	Des Moines, IA Virtual	8
PETCON	A Contractor's Guide to UST Closures	Pearl, MS Oklahoma City, OK Tulsa, OK	8 (4 for OK short course)
PETCON	How to Comply with UST Testing & Inspection Rules	Pearl, MS Oklahoma City, OK Tulsa, OK	4 (4 for OK short course)
PETCON	How to Install Underground Fuel Storage Tanks and Piping	Pearl, MS	8
PETCON	Solutions to New Underground Storage Tank Problems	Pearl, MS Little Rock, AR Gonzales, LA	8
Petro Classroom	Preparation Course for ICC Exam on UST Decommissioning (U2)	Virtual	4
Petro Classroom	Preparation Course for ICC UST Installation/Retrofitting (U1)	Virtual	4
Purpora Engineering	UST Boot Camp	Saukville, WI	8
R&A Risk Professionals	Iowa UST Installer and Installation Inspector Course	Urbandale, IA	8