# Sac City, IA




2020 Urban Forest Management Plan
Prepared by Vince Grube
Iowa Department of Natural Resources

**Table of Contents**

# Executive Summary

## Overview

This plan was developed to assist the City of Sac City with managing its urban forest, including budgeting and future planning. Trees can provide a multitude of benefits to the community, and sound management allows a community to best take advantage of these benefits. Management is especially important considering the serious threats posed by forest pests such as the emerald ash borer (EAB). EAB is an invasive insect imported from Eastern Asia on wood shipping crates that kills all species of ash trees (this does not include mountain ash). There is a strong possibility that 8% of Sac City's city owned trees (ash) will die once EAB becomes established in the community, unless preventative treatment is used. With proper planning and management, the costs of removing dead and dying trees can be extended over years, mitigating public safety issues.

## Inventory and Results

In 2018, a tree inventory was conducted using Global Positioning System (GPS) data collectors. The inventory was a complete inventory of street and park trees. Below are some key findings of the 1162 trees inventoried.

- Sac City's trees provide $211,232 of benefits annually, an average of $182.78 a tree
- There were 45 tree species from 27 different genera inventoried.
- The top three genera are: Maple 31%, Oak 16%, and Hackberry 11%
- 4.2% of trees are in need of some type of management other than routine maintenance.
- No data was collected for which trees are recommended for removal or where they are located. Additionally, no data was collected as to the maintenance priority of any given tree.

## Recommendations

The core recommendations are detailed in the Recommendations Section. The Emerald Ash Borer Plan includes management recommendations as well. Below are some key recommendations.

- EAB was not recorded when the inventory was conducted. There are 95 ash trees within Sac City and it is likely that some are currently displaying symptoms of EAB. It is recommended that a visual inspection of all ash trees be conducted annually.
- All trees should be pruned on a routine schedule - one sixth of the city every year
- Plant a diverse mix of trees that do not include: ash, maple, cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut
- Check ash trees with a visual survey yearly

# Introduction

This plan was developed to assist Sac City with the management, budgeting and future planning of their urban forest. Across the state, forestry budgets continue to decrease with more and more of that money spent on tree removal. With the anticipated arrival of Emerald Ash Borer (EAB), an invasive pest that kills native ash trees, it is time to prepare for the increased costs of tree removal or treatment and replacement planting. With proper planning and management of the current canopy in Sac City, these costs can be extended over years and public safety issues from dead and dying ash trees mitigated.

Trees are an important component of Sac City's infrastructure and one of the greatest assets to the community. The benefits of trees are immense. Trees provide the community with improved air quality, stormwater runoff interception, energy conservation, lower traffic speeds, increased property values, reduced crime, improved mental health and create a desirable place to live, to name just a few benefits. It is essential that these benefits be maintained for the people of Sac City and future generations through good urban forestry management.

Good urban forestry management involves setting goals and developing management strategies to achieve these goals. An essential part of developing management strategies is a comprehensive public tree inventory. The inventory supplies information that will be used for maintenance, removal schedules, tree planting and budgeting. Basing actions on this information will help meet Sac City's urban forestry goals.

# Inventory

In 2018, a tree inventory was conducted that included 100% of the city owned trees on both streets and parks. The tree data was collected using a handheld Global Positioning System (GPS) receiver. The data collector gives Geographic Information Systems (GIS) coordinates with an accuracy of 3 meters, which can be used in Arc GIS as an active GIS data layer. Because the inventory is a digital document the data can be updated with new information and become a working document.

The programming used to collect tree information on the data collectors was written to be compatible with a state-of-the-art software suite called i-Tree. i-Tree was developed by the USDA Forest Service to quantify the structure of community trees and the environmental services that trees provide. The i-Tree suite is a public domain which can be accessed for free.

To quantify the urban forest structure and benefits, specific data is collected for each tree. This data includes: location, land use, species, diameter at 4.5 ft, recommended maintenance, priority of that maintenance, leaf health, and wood condition. Additionally, signs and symptoms associated with EAB were noted for all ash trees. The signs and symptoms noted were canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and wood pecker damage.

# Inventory Results

The data collected for the 1162 city trees was entered into the USDA Forest service program Street Tree Resource Analysis Tool for Urban forestry Management as part of the i-Tree suite. The following are results from the i-Tree STREETS analysis. Fin

# Annual Benefits

**Annual Energy Benefits**

Trees conserve energy by shading buildings and blocking winds. Sac City's trees reduce energy related costs by approximately $55,933 annually (Appendix A, Table 1). These savings are both in Electricity (266.9 MWh) and in Natural Gas (36,404.2 Therms).

**Annual Stormwater Benefits**

Sac City's trees intercept about 2,893,008 gallons of rainfall or snow melt a year (Appendix A, Table 2). This interception provides $78,401 of benefits to the city.

**Annual Air Quality Benefits**

Air quality is a persistent public health issue in Iowa. The urban forest improves air quality by removing pollutants, lowering air temperature, and reducing energy consumption, which in turn reduces emissions from power plants, and emitting volatile organic matter (ozone). In Sac City, it is estimated that trees remove 3,438.9 lbs of air pollution (ozone ($O_3$), particulate matter less than 10 microns (PM10), carbon monoxide (CO), nitrogen dioxide ($NO_2$), and sulfur dioxide ($SO_2$)) per year with a net value of $9,721 (Appendix A, Table 3).

**Annual Carbon Benefits**

Carbon sequestration and storage reduce the amount of carbon in the atmosphere, mitigating climate change. In Sac City, trees sequester about 639,814 lbs of carbon a year with an associated value of $4,799 (Appendix A, Table 5). In addition, the trees store 10,536,458 lbs of carbon, with a yearly benefit of $79,023 (Appendix A, Table 4).

**Annual Aesthetics Benefits**

Social benefits of trees are hard to capture. The analysis does have a calculation for this area that includes: aesthetic value, property values, lowered rates of mental illness and crime, city livability and much more. Sac City receives $59,985 in annual social benefits from trees (Appendix A, Table 6).

**Financial Summary of all Benefits**

According to the USDA Forest Service i-Tree STREETS analysis, Sac City's trees provide $211,232 of benefits annually. Benefits of individual trees vary based on size, species, health and location, but on average each of the 1162 trees in Sac City provide approximately $181.78 annually (Appendix A, Table 7).

# Forest Structure

## Species Distribution

Sac City has over 45 different tree species along city streets and parks (Appendix A, Figure 1). The distribution of trees by genera is as follows:

| Genus | Count | Percent |
|---|---|---|
| Maple | 357 | 31% |
| Oak | 191 | 16% |
| Hackberry | 125 | 11% |
| Apple | 103 | 9% |
| Ash | 95 | 8% |
| Walnut | 76 | 7% |
| Basswood | 50 | 4% |
| Honeylocust | 40 | 3% |
| Spruce | 34 | 3% |
| Boxelder | 15 | 1% |
| Cedar | 14 | 1% |
| Elm | 8 | 1% |
| Broadleaf S/M/L | 8 | 1% |
| Pine | 7 | 1% |
| Kentucky Coffeetree | 7 | 1% |
| Cottonwood | 6 | 1% |
| Sycamore | 5 | <1% |
| CA | 3 | <1% |
| Conifer S/M/L | 3 | <1% |
| Ginkgo | 3 | <1% |
| Birch | 3 | <1% |
| Carya | 2 | <1% |
| Mulberry | 2 | <1% |
| Pear | 2 | <1% |
| Alder | 1 | <1% |
| Redbud | 1 | <1% |
| Ohio Buckeye | 1 | <1% |

## Age Class

Most of Sac City's trees (41%) are between 12 and 24 inches in diameter at 4.5 ft (Appendix A, Figure 2). For age, it is preferred that the highest amounts of trees are in the smallest size category (a downward slope) to prepare for natural mortality and to maintain canopy cover. While Sac City's trees have a downward slope, the middle of the size curb is in between 12 and 24 inches, indicating a slightly older than average stand.

## Condition: Wood and Foliage

Both wood condition and leaf condition are good indicators of the overall health of the urban forest. The foliage condition results for Sac City indicate that 38% of the trees are in good health, with 10% of the foliage in poor health, dead or dying (Appendix A, Figure 3 & Appendix B, Figure 3). Similarly, 38%

of Sac City's trees are in good health for wood condition (appendix A, Figure 4 & Appendix B, Figure 3). Wood condition that is in poor health, dead or dying is about 10% of the population. This 10% is an estimate of trees that need management follow up.

### Management Needs

There were no specific management needs recorded for Sac City's trees.

### Canopy Cover

The total canopy with both private and public trees is 23%, 720.37 acres. The canopy cover included in the Sac City inventory includes approximately 30.36 acres, which is about 1% of the total land within Sac City (Appendix A, Figure 4). The City's Canopy goal is to increase canopy by 3%, in 30 years. To achieve this goal it is estimated that 230 trees need to be planted annually on public and private lands.

### Land Use and Location

The majority of Sac City's city and park trees are in planting strips in single family residential neighborhoods (Appendix A, Figure 6 & Appendix A, Figure7). The following describes the land use and locations for the street and park trees.

| Land Use | Count | Percent |
|---|---|---|
| Park/Vacant/Other | 599 | 52% |
| Single Family Res | 529 | 46% |
| Small Comm | 27 | 2% |
| Industrial/Comm | 7 | 1% |

| Location | Count | Percent |
|---|---|---|
| Other Maintained | 541 | 47% |
| Median | 416 | 36% |
| Planting Strip | 133 | 11% |
| Other Unmaintained | 43 | 4% |
| Front Yard | 12 | 1% |
| Cutout | 10 | 1% |
| Backyard | 7 | 1% |

# Recommendations

### Risk Management

Hazardous trees can be a significant threat to both people and property. Trees that are dead or dying, or that have large issues such as trunk cracks longer than 18 inches should be removed. Broken branches and branches that interfere with motorist's vision of pedestrians, vehicles, traffic signs and signals, etc should be removed.

<u>Hazardous trees</u>

Detailed information was not collected on which trees are potentially hazardous or where they might be located.

Poor tree species

The data collectors did not collect appropriate data on this, however it was noted that 95 trees in Sac City are ash trees, which is 8% of the total trees inventoried. While the collectors did not gather data on EAB, it is common though out the region and very likely affecting many of the ash trees in Sac City. Visual inspections of ash trees should be conducted annually in order track their conditions. Treatment for EAB is an effective preventative measure that can be taken to prevent the death of healthy ash trees. It is not recommended to be used on ash trees already displaying two or more symptoms of EAB. Since data for EAB was not collected, we will present two separate scenarios regarding ash management versus removal. If all 95 ash trees in Sac City are healthy and could be treated, it would cost an estimated $31,537 every two years, which is an average of $331.97 per tree. If all 95 ash trees in Sac City are suffering from EAB, it would cost an estimated $76,000 to remove them, which is an average of $800 per tree. These scenarios represent two different extremes and while it is likely that many ash trees within Sac City are displaying signs of EAB, it is also likely that many are not and would therefore be eligible for treatment. It is recommended that Sac City treat many of its larger, healthier ash trees and begin removing dead or dying ash trees, as well as those found to be displaying 2 or more symptoms of EAB.

## Pruning Cycle

Proper pruning can extend the life and good health of trees, as well as reduce public safety issues. In the Management Needs section of the Findings there are four main maintenance issues to be addressed: routine pruning, crown cleaning, crown raising, and crown reduction. Crown cleaning removes dead, diseased, and damaged limbs. Crown raising is the removal of lower branches that are 2 inches in diameter or larger in the case of providing clearance for pedestrians or vehicles. Crown reduction is removing individual limbs from structures or utility wires. It is recommended that all trees be pruned on a routine schedule every five to seven years. Please refer to the six year maintenance plan for further information.

## Planting

Most of the planting over the next 5 years will replace the trees that are removed. It is recommended to plant 1.2 trees for every tree removed, since survival rates will not be 100%. Please refer to the six year maintenance plan at the end of this section. It is not essential that the new trees be planted in the same location of the trees being removed. However, maintaining the same number of trees helps ensure continuation of the benefits of the existing forest in Sac City.

It is important to plant a diverse mix of species in the urban forest to maintain canopy health, since most insects and diseases target a genus (ash) or species (green ash) of trees. Current diversity recommendations advise that a genus (i.e. maple, oak) not make up more than 20% of the urban forest and a single species (i.e. silver maple, sugar maple, white oak, bur oak) not make up more than 10% of the total urban forest. Presently, the forest is heavily planted with maple (31%) (Appendix A, Figure 1). Maples should not be planted until this percentage can be lowered. Also, ash trees have not been recommended since 2002, due to the threat of EAB. Other species to avoid because they are public nuisances include: cottonwood, poplar, box elder, Chinese elm, evergreen, willow, black walnut or any species of fruit-bearing tree, as outlined in section 151.02 of the city ordinance (Appendix C). All trees planted must meet the restrictions in city ordinance 151.02 (Appendix C).

### Continual Monitoring

Due to the threat of EAB, it is important to continuously check the health of ash trees. It is recommended that ash trees be checked with a visual survey every year for tree decline and for the following signs and symptoms: canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and wood pecker damage.

# Emerald Ash Borer Plan

### Ash Tree Removal

Tree removal will be prioritized with dead, dying, hazardous trees to be removed first (Appendix B, Figure 4). Next will be all ash in poor condition and displaying signs and symptoms of EAB (Appendix B, Figure 2 & Appendix B, Figure 3). *City ownership of the tree recommended for removal should be verified prior to any removal*

### Treatment of Ash Trees

Chemical treatment can be effective tool for communities to spread removal costs out over several years while allowing trees to continue to provide benefits. However, treatment is not recommended if EAB is more than 15 miles away from the community. For more information on the cost of treatment strategies visit http://extension.entm.purdue.edu/treecomputer/

### EAB Quarantines

EAB is an extremely destructive plant pest and it is responsible for the death and decline of millions of ash trees. Ash in both forested and urban settings constitute a significant portion of the canopy cover in the United States. Current tools to detect, control, suppress and eradicate this pest are not as robust as the USDA would desire. In order to stay ahead of this hard to detect beetle, the USDA is attempting to contain the beetle before it spreads beyond its known positions by regulating articles.

A regulated article under the USDA's quarantine includes any of the following items:

- emerald ash borer
- firewood of all hardwood species (for example ash, oak, maple and hickory)
- nursery stock and green lumber of ash
- any other ash material, whether living, dead, cut or fallen, including logs, stumps, roots, branches, as well as composted and not composted chips of the genus ash (Mountain ash is not included)

In addition, any other article, product or means of conveyance not listed above may be designated as a regulated article if a USDA inspector determines that it presents a risk of spreading EAB once a quarantine is in effect for your county.

### Wood Disposal

A very important aspect of planning is determining how wood infested with EAB will be handled, keeping in mind that quarantines will restrict its movement. Consider who will cut and haul the dead and dying trees? Is there an accessible, secured site big enough to store and sort the hundreds of trees and the associated brush and chips? How will wood be disposed of or utilized? Do you have equipment capable of handling the amount and size of ash trees your tree inventory has identified? Once your county is under quarantine for EAB, contact USDA-APHIS-PPQ at 515-251-4083 or visit the website

http://www.aphis.usda.gov/plant_health/plant_pest_info/emerald_ash_b/regulatory.shtml. Wood waste can be disposed of as you normally would if your county is not part of a quarantine.

**Canopy Replacement**
As budget permits, all removed trees will be replaced. All trees will meet the restrictions in city ordinance 151.02 (Appendix C). The new plantings will be a diverse mix and will not include ash, maple, cottonwood, poplar, box elder, Chinese elm, evergreen, willow, black walnut, or any species of fruit-bearing tree.

**Postponed Work**
While finances, staffing and equipment are focused on the management of ash, usual services may be delayed. Tree removal requests on genera other than ash will be prioritized by hazardous or emergency situations only.

**Monitoring**
It is recommended that ash trees be checked with a visual survey every year for tree death and for the following signs and symptoms: canopy dieback, epicormic shoots, bark splitting, D-shaped borer exit holes, and wood pecker damage.

**Private Ash Trees**
It is strongly recommended that private property owners start removing ash trees on their property upon arrival of EAB if preventative treatments are not being used. City Code 151.06 states "If it is determined with reasonable certainty that any such condition exists on private property and that danger to other trees or to adjoining property or passing motorists or pedestrians is imminent, the Council shall notify by certified mail the owner, occupant or person in charge of such property to correct such condition by treatment or removal within fourteen (14) days of said notification. If such owner, occupant or person in charge of said property fails to comply within 14 days of receipt of notice, the Council may cause the condition to be corrected and the cost assessed against the property.

# Works Cited


Census Bureau. 2010. http://censtats.census.gov/data/IA/1601964290.pdf (April, 2013)

USDA Forest Service, et al. 2006. i-Tree Software Suite v1.0 User's Manual. Pp. 27-40.

McPherson EG, Simpson JR, Peper PJ, Gardner SL, Vargas KE, Ho J, Maco S, Xiao Q. 2005b. City of Charleston, South Carolina, municipal forest resource analysis. Internal Tech Rep. Davis, CA: U.S. Department of Agriculture, Center for Urban Forest Research. p. 57

Nowak, DJ and JF Dwyer. 2007. Understanding the benefits and costs of urban forest ecosystems. In: Kuser, J. (ed.) Urban and Community Forestry in the Northeast. New York: Springer. Pp. 25-46.

Peper, Paula J; McPherson, E Gregory; Simpson, James R; Vargas, Kelaine E; Xiao, Qingfu 2009. Lower Midwest community tree guide: benefits, costs, and strategic planting. Gen. Tech. Rep. PSW-GTR-

219. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station. p.115

# Appendix A: i-Tree Data

**Table 1: Annual Energy Benefits**

**Sac City**

**Annual Energy Benefits of Public Trees**

12/10/2019

| Species | Total Electricity (MWh) | Electricity ($) | Total Natural Gas (Therms) | Natural Gas ($) | Total ($) | Standar d Error | % of Total Trees | % of Total $ | Avg. $/tree |
|---|---|---|---|---|---|---|---|---|---|
| Silver maple | 53.9 | 4,090 | 7,067.3 | 6,926 | 11,016 | (N/A) | 15.1 | 19.7 | 62.59 |
| Bur oak | 51.4 | 3,903 | 7,057.6 | 6,916 | 10,820 | (N/A) | 14.3 | 19.3 | 65.18 |
| Northern hackberry | 37.8 | 2,869 | 5,354.0 | 5,247 | 8,116 | (N/A) | 10.8 | 14.5 | 64.93 |
| Norway maple | 21.5 | 1,633 | 3,007.2 | 2,947 | 4,580 | (N/A) | 9.3 | 8.2 | 42.41 |
| Apple | 4.9 | 375 | 754.4 | 739 | 1,115 | (N/A) | 8.9 | 2.0 | 10.82 |
| Green ash | 25.4 | 1,930 | 3,450.4 | 3,381 | 5,311 | (N/A) | 8.0 | 9.5 | 57.11 |
| Black walnut | 17.5 | 1,329 | 2,365.1 | 2,318 | 3,647 | (N/A) | 6.5 | 6.5 | 47.98 |
| Sugar maple | 11.4 | 863 | 1,497.4 | 1,467 | 2,330 | (N/A) | 4.0 | 4.2 | 50.66 |
| Honeylocust | 8.6 | 651 | 1,148.2 | 1,125 | 1,777 | (N/A) | 3.4 | 3.2 | 44.41 |
| Littleleaf linden | 3.3 | 254 | 470.0 | 461 | 715 | (N/A) | 2.6 | 1.3 | 23.83 |
| Blue spruce | 2.0 | 155 | 303.2 | 297 | 452 | (N/A) | 2.3 | 0.8 | 16.76 |
| American basswood | 4.0 | 303 | 549.9 | 539 | 842 | (N/A) | 1.7 | 1.5 | 42.09 |
| Northern red oak | 3.1 | 233 | 392.0 | 384 | 618 | (N/A) | 1.3 | 1.1 | 41.17 |
| Red maple | 1.4 | 103 | 202.5 | 198 | 302 | (N/A) | 1.3 | 0.5 | 20.12 |
| Boxelder | 2.3 | 176 | 302.7 | 297 | 473 | (N/A) | 1.3 | 0.8 | 31.53 |
| Eastern red cedar | 1.3 | 102 | 199.2 | 195 | 297 | (N/A) | 1.2 | 0.5 | 21.20 |
| Broadleaf Deciduous Large | 1.4 | 104 | 188.1 | 184 | 289 | (N/A) | 0.9 | 0.5 | 26.23 |
| Black maple | 2.2 | 171 | 286.5 | 281 | 451 | (N/A) | 0.8 | 0.8 | 50.15 |
| Kentucky coffeetree | 1.6 | 118 | 197.9 | 194 | 312 | (N/A) | 0.6 | 0.6 | 44.60 |
| Eastern white pine | 1.0 | 77 | 127.6 | 125 | 202 | (N/A) | 0.6 | 0.4 | 28.86 |
| Norway spruce | 0.5 | 41 | 77.2 | 76 | 117 | (N/A) | 0.5 | 0.2 | 19.44 |
| Eastern cottonwood | 2.4 | 180 | 315.7 | 309 | 490 | (N/A) | 0.5 | 0.9 | 81.59 |
| American elm | 1.7 | 131 | 234.3 | 230 | 361 | (N/A) | 0.4 | 0.6 | 72.13 |
| American sycamore | 0.8 | 59 | 105.0 | 103 | 162 | (N/A) | 0.4 | 0.3 | 32.45 |
| Pin oak | 1.2 | 90 | 157.0 | 154 | 243 | (N/A) | 0.3 | 0.4 | 60.86 |
| White oak | 1.2 | 88 | 161.5 | 158 | 247 | (N/A) | 0.3 | 0.4 | 61.68 |
| River birch | 0.0 | 1 | 2.4 | 2 | 3 | (N/A) | 0.3 | 0.0 | 1.10 |
| Catalpa | 0.6 | 47 | 89.9 | 88 | 135 | (N/A) | 0.3 | 0.2 | 45.09 |
| Siberian elm | 0.3 | 26 | 47.5 | 47 | 72 | (N/A) | 0.3 | 0.1 | 24.09 |
| Ginkgo | 0.2 | 15 | 27.3 | 27 | 42 | (N/A) | 0.3 | 0.1 | 13.85 |
| Conifer Evergreen Small | 0.1 | 5 | 10.4 | 10 | 15 | (N/A) | 0.2 | 0.0 | 7.55 |
| Pear | 0.1 | 11 | 25.7 | 25 | 36 | (N/A) | 0.2 | 0.1 | 18.19 |
| White ash | 0.4 | 27 | 41.7 | 41 | 68 | (N/A) | 0.2 | 0.1 | 34.11 |
| Oak | 0.0 | 2 | 4.2 | 4 | 6 | (N/A) | 0.2 | 0.0 | 3.24 |
| Broadleaf Deciduous Mediu | 0.4 | 28 | 56.4 | 55 | 83 | (N/A) | 0.2 | 0.1 | 41.58 |
| Alder | 0.2 | 15 | 31.6 | 31 | 46 | (N/A) | 0.1 | 0.1 | 46.14 |
| White mulberry | 0.2 | 15 | 31.6 | 31 | 46 | (N/A) | 0.1 | 0.1 | 46.14 |
| Spruce | 0.1 | 10 | 14.6 | 14 | 24 | (N/A) | 0.1 | 0.0 | 24.14 |
| Eastern redbud | 0.0 | 2 | 3.8 | 4 | 5 | (N/A) | 0.1 | 0.0 | 5.40 |
| Mulberry | 0.0 | 0 | 0.6 | 1 | 1 | (N/A) | 0.1 | 0.0 | 0.87 |
| Conifer Evergreen Medium | 0.0 | 2 | 4.9 | 5 | 7 | (N/A) | 0.1 | 0.0 | 6.94 |
| Ohio buckeye | 0.3 | 20 | 39.6 | 39 | 59 | (N/A) | 0.1 | 0.1 | 58.69 |
| Total | 266.9 | 20,257 | 36,404.2 | 35,676 | 55,933 | (N/A) | 100.0 | 100.0 | 48.13 |

## Table 2: Annual Stormwater Benefits

**Sac City**

**Annual Stormwater Benefits of Public Trees**

12/10/2019

| Species | Total rainfall interception (Gal) | Total ($) | Standard Error | % of Total Trees | % of Total $ | Avg. $/tree |
|---|---|---|---|---|---|---|
| Silver maple | 777,962 | 21,083 | (N/A) | 15.1 | 26.9 | 119.79 |
| Bur oak | 606,530 | 16,437 | (N/A) | 14.3 | 21.0 | 99.02 |
| Northern hackberry | 349,063 | 9,460 | (N/A) | 10.8 | 12.1 | 75.68 |
| Norway maple | 163,883 | 4,441 | (N/A) | 9.3 | 5.7 | 41.12 |
| Apple | 17,856 | 484 | (N/A) | 8.9 | 0.6 | 4.70 |
| Green ash | 294,024 | 7,968 | (N/A) | 8.0 | 10.2 | 85.68 |
| Black walnut | 152,226 | 4,125 | (N/A) | 6.5 | 5.3 | 54.28 |
| Sugar maple | 103,996 | 2,818 | (N/A) | 4.0 | 3.6 | 61.27 |
| Honeylocust | 86,417 | 2,342 | (N/A) | 3.4 | 3.0 | 58.55 |
| Littleleaf linden | 32,122 | 871 | (N/A) | 2.6 | 1.1 | 29.02 |
| Blue spruce | 25,668 | 696 | (N/A) | 2.3 | 0.9 | 25.76 |
| American basswood | 31,079 | 842 | (N/A) | 1.7 | 1.1 | 42.11 |
| Northern red oak | 23,119 | 627 | (N/A) | 1.3 | 0.8 | 41.77 |
| Red maple | 7,427 | 201 | (N/A) | 1.3 | 0.3 | 13.42 |
| Boxelder | 18,617 | 505 | (N/A) | 1.3 | 0.6 | 33.63 |
| Eastern red cedar | 19,482 | 528 | (N/A) | 1.2 | 0.7 | 37.71 |
| Broadleaf Deciduous Large | 17,614 | 477 | (N/A) | 0.9 | 0.6 | 43.39 |
| Black maple | 17,246 | 467 | (N/A) | 0.8 | 0.6 | 51.93 |
| Kentucky coffeetree | 11,651 | 316 | (N/A) | 0.6 | 0.4 | 45.11 |
| Eastern white pine | 18,128 | 491 | (N/A) | 0.6 | 0.6 | 70.18 |
| Norway spruce | 8,525 | 231 | (N/A) | 0.5 | 0.3 | 38.51 |
| Eastern cottonwood | 35,054 | 950 | (N/A) | 0.5 | 1.2 | 158.33 |
| American elm | 16,865 | 457 | (N/A) | 0.4 | 0.6 | 91.41 |
| American sycamore | 6,796 | 184 | (N/A) | 0.4 | 0.2 | 36.83 |
| Pin oak | 11,114 | 301 | (N/A) | 0.3 | 0.4 | 75.30 |
| White oak | 16,489 | 447 | (N/A) | 0.3 | 0.6 | 111.72 |
| River birch | 37 | 1 | (N/A) | 0.3 | 0.0 | 0.33 |
| Catalpa | 5,789 | 157 | (N/A) | 0.3 | 0.2 | 52.30 |
| Siberian elm | 3,375 | 91 | (N/A) | 0.3 | 0.1 | 30.49 |
| Ginkgo | 1,254 | 34 | (N/A) | 0.3 | 0.0 | 11.33 |
| Conifer Evergreen Small | 843 | 23 | (N/A) | 0.2 | 0.0 | 11.42 |
| Pear | 529 | 14 | (N/A) | 0.2 | 0.0 | 7.17 |
| White ash | 2,276 | 62 | (N/A) | 0.2 | 0.1 | 30.84 |
| Oak | 190 | 5 | (N/A) | 0.2 | 0.0 | 2.57 |
| Broadleaf Deciduous Medium | 3,065 | 83 | (N/A) | 0.2 | 0.1 | 41.53 |
| Alder | 1,174 | 32 | (N/A) | 0.1 | 0.0 | 31.82 |
| White mulberry | 1,174 | 32 | (N/A) | 0.1 | 0.0 | 31.82 |
| Spruce | 1,539 | 42 | (N/A) | 0.1 | 0.1 | 41.70 |
| Eastern redbud | 69 | 2 | (N/A) | 0.1 | 0.0 | 1.86 |
| Mulberry | 7 | 0 | (N/A) | 0.1 | 0.0 | 0.20 |
| Conifer Evergreen Medium | 256 | 7 | (N/A) | 0.1 | 0.0 | 6.95 |
| Ohio buckeye | 2,479 | 67 | (N/A) | 0.1 | 0.1 | 67.19 |
| Citywide total | 2,893,008 | 78,401 | (N/A) | 100.0 | 100.0 | 67.47 |

## Table 3: Annual Air Quality Benefits

Sac City

**Annual Air Quality Benefits of Public Trees**

12/10/2019

| Species | Deposition (lb) | | | | Total Depos. ($) | Avoided (lb) | | | | Total Avoided ($) | BVOC Emissions (lb) | BVOC Emissions ($) | Total (lb) | Total ($) Standard Error | % of Total Trees | Avg. $/tree |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | $O_3$ | $NO_2$ | $PM_{10}$ | $SO_2$ | | $NO_2$ | $PM_{10}$ | VOC | $SO_2$ | | | | | | | |
| Silver maple | 135.0 | 22.9 | 66.2 | 6.0 | 728 | 253.8 | 37.2 | 35.5 | 243.8 | 1,589 | -71.0 | -266 | 729.4 | 2,050 (N/A) | 15.1 | 11.65 |
| Bur oak | 79.1 | 12.7 | 37.2 | 3.5 | 419 | 245.7 | 35.8 | 34.1 | 233.1 | 1,530 | 0.0 | 0 | 681.1 | 1,950 (N/A) | 14.3 | 11.75 |
| Northern hackberry | 53.3 | 9.2 | 27.4 | 2.4 | 291 | 182.4 | 26.4 | 25.2 | 171.4 | 1,132 | 0.0 | 0 | 497.7 | 1,423 (N/A) | 10.8 | 11.39 |
| Norway maple | 29.4 | 5.1 | 15.0 | 1.3 | 160 | 103.5 | 15.0 | 14.3 | 97.7 | 643 | -7.3 | -27 | 274.0 | 776 (N/A) | 9.3 | 7.19 |
| Apple | 4.4 | 0.7 | 2.2 | 0.2 | 24 | 24.3 | 3.5 | 3.3 | 22.4 | 150 | 0.0 | 0 | 61.0 | 173 (N/A) | 8.9 | 1.68 |
| Green ash | 39.7 | 6.3 | 18.6 | 1.8 | 210 | 121.1 | 17.7 | 16.8 | 115.2 | 755 | 0.0 | 0 | 337.3 | 966 (N/A) | 8.0 | 10.38 |
| Black walnut | 14.7 | 2.3 | 7.8 | 0.7 | 80 | 83.3 | 12.2 | 11.6 | 79.4 | 520 | 0.0 | 0 | 211.9 | 600 (N/A) | 6.5 | 7.90 |
| Sugar maple | 12.4 | 2.1 | 6.5 | 0.6 | 68 | 53.7 | 7.9 | 7.5 | 51.5 | 336 | -10.0 | -38 | 132.2 | 367 (N/A) | 4.0 | 7.97 |
| Honeylocust | 16.4 | 2.7 | 7.6 | 0.7 | 87 | 40.6 | 5.9 | 5.7 | 38.8 | 254 | -12.4 | -46 | 106.2 | 294 (N/A) | 3.4 | 7.36 |
| Littleleaf linden | 5.4 | 0.9 | 2.7 | 0.2 | 29 | 16.1 | 2.3 | 2.2 | 15.2 | 100 | -2.6 | -10 | 42.5 | 119 (N/A) | 2.6 | 3.98 |
| Blue spruce | 2.8 | 0.6 | 2.6 | 0.3 | 19 | 9.9 | 1.4 | 1.4 | 9.3 | 61 | -8.6 | -32 | 19.7 | 48 (N/A) | 2.3 | 1.79 |
| American basswood | 3.3 | 0.6 | 1.8 | 0.1 | 19 | 19.1 | 2.8 | 2.7 | 18.1 | 119 | -3.1 | -12 | 45.4 | 126 (N/A) | 1.7 | 6.29 |
| Northern red oak | 4.5 | 0.8 | 2.2 | 0.2 | 24 | 14.4 | 2.1 | 2.0 | 13.9 | 90 | -6.2 | -23 | 34.0 | 92 (N/A) | 1.3 | 6.10 |
| Red maple | 0.9 | 0.2 | 0.5 | 0.0 | 5 | 6.6 | 1.0 | 0.9 | 6.2 | 41 | -0.4 | -2 | 15.9 | 45 (N/A) | 1.3 | 2.97 |
| Boxelder | 1.9 | 0.3 | 1.0 | 0.1 | 10 | 10.9 | 1.6 | 1.5 | 10.5 | 69 | -0.9 | -3 | 27.0 | 76 (N/A) | 1.3 | 5.04 |
| Eastern red cedar | 3.9 | 0.8 | 3.1 | 0.5 | 25 | 6.5 | 0.9 | 0.9 | 6.1 | 40 | -10.7 | -40 | 11.9 | 25 (N/A) | 1.2 | 1.82 |
| Broadleaf Deciduous Large | 2.4 | 0.4 | 1.1 | 0.1 | 13 | 6.5 | 1.0 | 0.9 | 6.2 | 41 | 0.0 | 0 | 18.7 | 54 (N/A) | 0.9 | 4.87 |
| Black maple | 3.9 | 0.7 | 1.9 | 0.2 | 21 | 10.5 | 1.5 | 1.5 | 10.2 | 66 | -1.4 | -5 | 29.0 | 82 (N/A) | 0.8 | 9.11 |
| Kentucky coffeetree | 1.0 | 0.2 | 0.6 | 0.0 | 6 | 7.3 | 1.1 | 1.0 | 7.1 | 46 | 0.0 | 0 | 18.2 | 51 (N/A) | 0.6 | 7.34 |
| Eastern white pine | 2.1 | 0.4 | 1.7 | 0.3 | 14 | 4.7 | 0.7 | 0.7 | 4.6 | 30 | -8.6 | -32 | 6.6 | 11 (N/A) | 0.6 | 1.60 |
| Norway spruce | 0.9 | 0.2 | 0.8 | 0.1 | 6 | 2.6 | 0.4 | 0.4 | 2.4 | 16 | -4.1 | -15 | 3.8 | 7 (N/A) | 0.5 | 1.19 |
| Eastern cottonwood | 6.7 | 1.1 | 3.0 | 0.3 | 35 | 11.3 | 1.6 | 1.6 | 10.8 | 70 | 0.0 | 0 | 36.3 | 105 (N/A) | 0.5 | 17.56 |
| American elm | 3.2 | 0.5 | 1.6 | 0.1 | 17 | 8.2 | 1.2 | 1.1 | 7.8 | 51 | 0.0 | 0 | 23.9 | 69 (N/A) | 0.4 | 13.72 |
| American sycamore | 0.7 | 0.1 | 0.3 | 0.0 | 4 | 3.7 | 0.5 | 0.5 | 3.5 | 23 | 0.0 | 0 | 9.4 | 27 (N/A) | 0.4 | 5.35 |
| Pin oak | 1.8 | 0.3 | 0.9 | 0.1 | 10 | 5.6 | 0.8 | 0.8 | 5.3 | 35 | -3.4 | -13 | 12.2 | 32 (N/A) | 0.3 | 8.00 |
| White oak | 2.4 | 0.4 | 1.1 | 0.1 | 12 | 5.6 | 0.8 | 0.8 | 5.3 | 35 | 0.0 | 0 | 16.4 | 47 (N/A) | 0.3 | 11.81 |
| River birch | 0.0 | 0.0 | 0.0 | 0.0 | 0 | 0.1 | 0.0 | 0.0 | 0.1 | 0 | 0.0 | 0 | 0.1 | 0 (N/A) | 0.3 | 0.14 |
| Catalpa | 0.6 | 0.1 | 0.3 | 0.0 | 3 | 3.0 | 0.4 | 0.4 | 2.8 | 19 | 0.0 | 0 | 7.6 | 22 (N/A) | 0.3 | 7.22 |
| Siberian elm | 0.5 | 0.1 | 0.3 | 0.0 | 3 | 1.6 | 0.2 | 0.2 | 1.5 | 10 | 0.0 | 0 | 4.5 | 13 (N/A) | 0.3 | 4.29 |
| Ginkgo | 0.3 | 0.1 | 0.1 | 0.0 | 2 | 0.9 | 0.1 | 0.1 | 0.9 | 6 | -0.1 | 0 | 2.5 | 7 (N/A) | 0.3 | 2.35 |
| Conifer Evergreen Small | 0.1 | 0.0 | 0.1 | 0.0 | 0 | 0.3 | 0.0 | 0.0 | 0.3 | 2 | -0.4 | -2 | 0.4 | 1 (N/A) | 0.2 | 0.41 |
| Pear | 0.1 | 0.0 | 0.1 | 0.0 | 1 | 0.8 | 0.1 | 0.1 | 0.7 | 5 | 0.0 | 0 | 1.8 | 5 (N/A) | 0.2 | 2.55 |
| White ash | 0.1 | 0.0 | 0.1 | 0.0 | 1 | 1.7 | 0.2 | 0.2 | 1.6 | 10 | 0.0 | 0 | 4.0 | 11 (N/A) | 0.2 | 5.61 |
| Oak | 0.0 | 0.0 | 0.0 | 0.0 | 0 | 0.1 | 0.0 | 0.0 | 0.1 | 1 | 0.0 | 0 | 0.3 | 1 (N/A) | 0.2 | 0.48 |
| Broadleaf Deciduous Medium | 0.5 | 0.1 | 0.3 | 0.0 | 3 | 1.8 | 0.3 | 0.2 | 1.7 | 11 | -0.1 | -1 | 4.8 | 14 (N/A) | 0.2 | 6.81 |
| Alder | 0.4 | 0.1 | 0.2 | 0.0 | 2 | 1.0 | 0.1 | 0.1 | 0.9 | 6 | 0.0 | 0 | 2.9 | 8 (N/A) | 0.1 | 8.35 |
| White mulberry | 0.4 | 0.1 | 0.2 | 0.0 | 2 | 1.0 | 0.1 | 0.1 | 0.9 | 6 | 0.0 | 0 | 2.9 | 8 (N/A) | 0.1 | 8.35 |
| Spruce | 0.2 | 0.0 | 0.1 | 0.0 | 1 | 0.6 | 0.1 | 0.1 | 0.6 | 4 | -0.5 | -2 | 1.2 | 3 (N/A) | 0.1 | 2.82 |
| Eastern redbud | 0.0 | 0.0 | 0.0 | 0.0 | 0 | 0.1 | 0.0 | 0.0 | 0.1 | 1 | 0.0 | 0 | 0.3 | 1 (N/A) | 0.1 | 0.71 |
| Mulberry | 0.0 | 0.0 | 0.0 | 0.0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 (N/A) | 0.1 | 0.11 |
| Conifer Evergreen Medium | 0.0 | 0.0 | 0.0 | 0.0 | 0 | 0.1 | 0.0 | 0.0 | 0.1 | 1 | -0.1 | 0 | 0.3 | 1 (N/A) | 0.1 | 0.75 |
| Ohio buckeye | 0.5 | 0.1 | 0.2 | 0.0 | 3 | 1.3 | 0.2 | 0.2 | 1.2 | 8 | -0.1 | 0 | 3.6 | 10 (N/A) | 0.1 | 10.16 |
| Citywide total | 436.0 | 73.0 | 217.5 | 20.2 | 2,359 | 1,272.7 | 185.4 | 176.8 | 1,209.3 | 7,931 | -152.1 | -570 | 3,438.9 | 9,721 (N/A) | 100.0 | 8.37 |

## Table 4: Annual Carbon Stored

**Sac City**

**Stored CO2 Benefits of Public Trees**

7/10/2020

| Species | Total Stored CO2 (lbs) | Total ($) | Standard Error | % of Total Trees | % of Total $ | Avg. $/tree |
|---|---|---|---|---|---|---|
| Silver maple | 3,125,935 | 23,445 | (N/A) | 15.1 | 29.7 | 133.21 |
| Bur oak | 2,592,339 | 19,443 | (N/A) | 14.3 | 24.6 | 117.12 |
| Northern hackberry | 797,400 | 5,981 | (N/A) | 10.8 | 7.6 | 47.84 |
| Norway maple | 487,897 | 3,659 | (N/A) | 9.3 | 4.6 | 33.88 |
| Apple | 72,935 | 547 | (N/A) | 8.9 | 0.7 | 5.31 |
| Green ash | 1,323,442 | 9,926 | (N/A) | 8.0 | 12.6 | 106.73 |
| Black walnut | 475,313 | 3,565 | (N/A) | 6.5 | 4.5 | 46.91 |
| Sugar maple | 355,072 | 2,663 | (N/A) | 4.0 | 3.4 | 57.89 |
| Honeylocust | 209,453 | 1,571 | (N/A) | 3.4 | 2.0 | 39.27 |
| Littleleaf linden | 115,750 | 868 | (N/A) | 2.6 | 1.1 | 28.94 |
| Blue spruce | 15,281 | 115 | (N/A) | 2.3 | 0.1 | 4.24 |
| American basswood | 122,012 | 915 | (N/A) | 1.7 | 1.2 | 45.75 |
| Boxelder | 50,219 | 377 | (N/A) | 1.3 | 0.5 | 25.11 |
| Red maple | 12,981 | 97 | (N/A) | 1.3 | 0.1 | 6.49 |
| Northern red oak | 84,061 | 630 | (N/A) | 1.3 | 0.8 | 42.03 |
| Eastern red cedar | 12,720 | 95 | (N/A) | 1.2 | 0.1 | 6.81 |
| Black maple | 43,057 | 323 | (N/A) | 0.8 | 0.4 | 35.88 |
| Kentucky coffeetree | 32,637 | 245 | (N/A) | 0.6 | 0.3 | 34.97 |
| Eastern white pine | 21,029 | 158 | (N/A) | 0.6 | 0.2 | 22.53 |
| Norway spruce | 9,687 | 73 | (N/A) | 0.5 | 0.1 | 12.11 |
| American elm | 68,977 | 517 | (N/A) | 0.4 | 0.7 | 103.46 |
| Broadleaf Deciduous | 3,079 | 23 | (N/A) | 0.4 | 0.0 | 4.62 |
| American sycamore | 21,699 | 163 | (N/A) | 0.4 | 0.2 | 32.55 |
| White oak | 77,842 | 584 | (N/A) | 0.3 | 0.7 | 145.95 |
| Cottonwood | 122,218 | 917 | (N/A) | 0.3 | 1.2 | 229.16 |
| Pin oak | 44,983 | 337 | (N/A) | 0.3 | 0.4 | 84.34 |
| Siberian elm | 12,272 | 92 | (N/A) | 0.3 | 0.1 | 30.68 |
| CA | 0 | 0 | (N/A) | 0.3 | 0.0 | 0.00 |
| Ginkgo | 4,212 | 32 | (N/A) | 0.3 | 0.0 | 10.53 |
| Broadleaf Deciduous | 78,529 | 589 | (N/A) | 0.3 | 0.7 | 196.32 |
| River birch | 51 | 0 | (N/A) | 0.3 | 0.0 | 0.13 |
| Maple | 1,538 | 12 | (N/A) | 0.3 | 0.0 | 3.84 |
| Conifer Evergreen Sn | 320 | 2 | (N/A) | 0.2 | 0.0 | 1.20 |
| CARYA | 0 | 0 | (N/A) | 0.2 | 0.0 | 0.00 |
| Pear | 1,816 | 14 | (N/A) | 0.2 | 0.0 | 6.81 |
| White ash | 4,706 | 35 | (N/A) | 0.2 | 0.0 | 17.65 |
| Oak | 198 | 1 | (N/A) | 0.2 | 0.0 | 0.74 |
| Eastern cottonwood | 111,964 | 840 | (N/A) | 0.2 | 1.1 | 419.86 |
| Eastern redbud | 178 | 1 | (N/A) | 0.1 | 0.0 | 1.33 |
| Alder | 6,743 | 51 | (N/A) | 0.1 | 0.1 | 50.57 |
| Mulberry | 14 | 0 | (N/A) | 0.1 | 0.0 | 0.10 |
| Ohio buckeye | 7,945 | 60 | (N/A) | 0.1 | 0.1 | 59.59 |
| Spruce | 1,170 | 9 | (N/A) | 0.1 | 0.0 | 8.78 |
| Conifer Evergreen M | 43 | 0 | (N/A) | 0.1 | 0.0 | 0.32 |
| White mulberry | 6,743 | 51 | (N/A) | 0.1 | 0.1 | 50.57 |
| Citywide total | 10,536,458 | 79,023 | (N/A) | 100.0 | 100.0 | 68.01 |

## Table 5: Annual Carbon Sequestered

Sac City

Annual CO Benefits of Public Trees

12/10/2019

| Species | Sequestered (lb) | Sequestered ($) | Decomposition Release (lb) | Maintenance Release (lb) | Total Released ($) | Avoided (lb) | Avoided ($) | Net Total (lb) | Total Standar ($) d Error | % of Total Trees | % of Total $ | Avg. $/tree |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Silver maple | 227,675 | 1,708 | -15,009 | -599 | -117 | 90,384 | 678 | 302,451 | 2,268 (N/A) | 15.1 | 29.3 | 12.89 |
| Bur oak | 121,382 | 910 | -12,443 | -541 | -97 | 86,258 | 647 | 194,656 | 1,460 (N/A) | 14.3 | 18.8 | 8.79 |
| Northern hackberry | 45,917 | 344 | -3,828 | -351 | -31 | 63,406 | 476 | 105,143 | 789 (N/A) | 10.8 | 10.2 | 6.31 |
| Norway maple | 35,520 | 266 | -2,346 | -209 | -19 | 36,098 | 271 | 69,064 | 518 (N/A) | 9.3 | 6.7 | 4.80 |
| Apple | 7,323 | 55 | -352 | -76 | -3 | 8,292 | 62 | 15,187 | 114 (N/A) | 8.9 | 1.5 | 1.11 |
| Green ash | 56,305 | 422 | -6,353 | -271 | -50 | 42,652 | 320 | 92,333 | 692 (N/A) | 8.0 | 8.9 | 7.45 |
| Black walnut | 40,313 | 302 | -2,282 | -173 | -18 | 29,372 | 220 | 67,231 | 504 (N/A) | 6.5 | 6.5 | 6.63 |
| Sugar maple | 21,888 | 164 | -1,704 | -115 | -14 | 19,068 | 143 | 39,137 | 294 (N/A) | 4.0 | 3.8 | 6.38 |
| Honeylocust | 21,552 | 162 | -1,009 | -71 | -8 | 14,393 | 108 | 34,864 | 261 (N/A) | 3.4 | 3.4 | 6.54 |
| Littleleaf linden | 8,859 | 66 | -559 | -44 | -5 | 5,618 | 42 | 13,874 | 104 (N/A) | 2.6 | 1.3 | 3.47 |
| Blue spruce | 1,415 | 11 | -73 | -37 | -1 | 3,431 | 26 | 4,736 | 36 (N/A) | 2.3 | 0.5 | 1.32 |
| American basswood | 8,581 | 64 | -586 | -43 | -5 | 6,692 | 50 | 14,644 | 110 (N/A) | 1.7 | 1.4 | 5.49 |
| Northern red oak | 4,341 | 33 | -403 | -34 | -3 | 5,158 | 39 | 9,061 | 68 (N/A) | 1.3 | 0.9 | 4.53 |
| Red maple | 1,973 | 15 | -62 | -15 | -1 | 2,283 | 17 | 4,178 | 31 (N/A) | 1.3 | 0.4 | 2.09 |
| Boxelder | 5,388 | 40 | -242 | -25 | -2 | 3,897 | 29 | 9,018 | 68 (N/A) | 1.3 | 0.9 | 4.51 |
| Eastern red cedar | 522 | 4 | -61 | -24 | -1 | 2,246 | 17 | 2,682 | 20 (N/A) | 1.2 | 0.3 | 1.44 |
| Broadleaf Deciduous Larg | 2,959 | 22 | -400 | -17 | -3 | 2,303 | 17 | 4,844 | 36 (N/A) | 0.9 | 0.5 | 3.30 |
| Black maple | 2,581 | 19 | -207 | -19 | -2 | 3,771 | 28 | 6,126 | 46 (N/A) | 0.8 | 0.6 | 5.11 |
| Kentucky coffeetree | 3,310 | 25 | -157 | -14 | -1 | 2,613 | 20 | 5,751 | 43 (N/A) | 0.6 | 0.6 | 6.16 |
| Eastern white pine | 1,165 | 9 | -101 | -18 | -1 | 1,700 | 13 | 2,746 | 21 (N/A) | 0.6 | 0.3 | 2.94 |
| Norway spruce | 326 | 2 | -46 | -12 | 0 | 905 | 7 | 1,173 | 9 (N/A) | 0.5 | 0.1 | 1.47 |
| Eastern cottonwood | 3,517 | 26 | -1,124 | -28 | -9 | 3,982 | 30 | 6,347 | 48 (N/A) | 0.5 | 0.6 | 7.93 |
| American elm | 2,128 | 16 | -331 | -17 | -3 | 2,896 | 22 | 4,676 | 35 (N/A) | 0.4 | 0.5 | 7.01 |
| American sycamore | 1,794 | 13 | -104 | -8 | -1 | 1,311 | 10 | 2,993 | 22 (N/A) | 0.4 | 0.3 | 4.49 |
| Pin oak | 4,429 | 33 | -216 | -12 | -2 | 1,979 | 15 | 6,180 | 46 (N/A) | 0.3 | 0.6 | 11.59 |
| White oak | 2,881 | 22 | -374 | -13 | -3 | 1,954 | 15 | 4,449 | 33 (N/A) | 0.3 | 0.4 | 8.34 |
| River birch | 16 | 0 | 0 | -1 | 0 | 22 | 0 | 37 | 0 (N/A) | 0.3 | 0.0 | 0.09 |
| Catalpa | 1,528 | 11 | -86 | -7 | -1 | 1,042 | 8 | 2,477 | 19 (N/A) | 0.3 | 0.2 | 6.19 |
| Siberian elm | 669 | 5 | -59 | -4 | 0 | 569 | 4 | 1,176 | 9 (N/A) | 0.3 | 0.1 | 2.94 |
| Ginkgo | 230 | 2 | -20 | -3 | 0 | 326 | 2 | 533 | 4 (N/A) | 0.3 | 0.1 | 1.33 |
| Conifer Evergreen Small | 53 | 0 | -2 | -2 | 0 | 108 | 1 | 158 | 1 (N/A) | 0.2 | 0.0 | 0.59 |
| Pear | 228 | 2 | -9 | -2 | 0 | 248 | 2 | 465 | 3 (N/A) | 0.2 | 0.0 | 1.74 |
| White ash | 676 | 5 | -23 | -3 | 0 | 604 | 5 | 1,254 | 9 (N/A) | 0.2 | 0.1 | 4.70 |
| Oak | 77 | 1 | -1 | -1 | 0 | 53 | 0 | 128 | 1 (N/A) | 0.2 | 0.0 | 0.48 |
| Broadleaf Deciduous Medi | 694 | 5 | -43 | -4 | 0 | 616 | 5 | 1,262 | 9 (N/A) | 0.2 | 0.1 | 4.73 |
| Alder | 478 | 4 | -32 | -3 | 0 | 335 | 3 | 778 | 6 (N/A) | 0.1 | 0.1 | 5.84 |
| White mulberry | 478 | 4 | -32 | -3 | 0 | 335 | 3 | 778 | 6 (N/A) | 0.1 | 0.1 | 5.84 |
| Spruce | 116 | 1 | -6 | -2 | 0 | 216 | 2 | 324 | 2 (N/A) | 0.1 | 0.0 | 2.43 |
| Eastern redbud | 38 | 0 | -1 | -1 | 0 | 37 | 0 | 74 | 1 (N/A) | 0.1 | 0.0 | 0.55 |
| Mulberry | 9 | 0 | 0 | 0 | 0 | 6 | 0 | 14 | 0 (N/A) | 0.1 | 0.0 | 0.10 |
| Conifer Evergreen Medium | 12 | 0 | 0 | -1 | 0 | 48 | 0 | 60 | 0 (N/A) | 0.1 | 0.0 | 0.45 |
| Ohio buckeye | 470 | 4 | -38 | -3 | 0 | 440 | 3 | 869 | 7 (N/A) | 0.1 | 0.1 | 6.52 |
| Citywide total | 639,814 | 4,799 | -50,724 | -2,824 | -402 | 447,666 | 3,357 | 1,033,931 | 7,754 (N/A) | 100.0 | 100.0 | 6.67 |

**Table 6: Annual Social and Aesthetic Benefits**

Sac City

## Annual Aesthetic/Other Benefits of Public Trees

12/10/2019

| Species | Total ($) | Standard Error | % of Total Trees | % of Total $ | Avg. $/tree |
|---|---|---|---|---|---|
| Silver maple | 17,655 | (N/A) | 15.1 | 29.3 | 100.31 |
| Bur oak | 9,614 | (N/A) | 14.3 | 15.9 | 57.91 |
| Northern hackberry | 6,355 | (N/A) | 10.8 | 10.5 | 50.84 |
| Norway maple | 3,580 | (N/A) | 9.3 | 5.9 | 33.15 |
| Apple | 394 | (N/A) | 8.9 | 0.7 | 3.83 |
| Green ash | 4,676 | (N/A) | 8.0 | 7.8 | 50.28 |
| Black walnut | 3,769 | (N/A) | 6.5 | 6.2 | 49.59 |
| Sugar maple | 2,426 | (N/A) | 4.0 | 4.0 | 52.74 |
| Honeylocust | 4,918 | (N/A) | 3.4 | 8.2 | 122.94 |
| Littleleaf linden | 959 | (N/A) | 2.6 | 1.6 | 31.95 |
| Blue spruce | 566 | (N/A) | 2.3 | 0.9 | 20.97 |
| American basswood | 706 | (N/A) | 1.7 | 1.2 | 35.32 |
| Northern red oak | 351 | (N/A) | 1.3 | 0.6 | 23.38 |
| Red maple | 357 | (N/A) | 1.3 | 0.6 | 23.82 |
| Boxelder | 534 | (N/A) | 1.3 | 0.9 | 35.60 |
| Eastern red cedar | 193 | (N/A) | 1.2 | 0.3 | 13.78 |
| Broadleaf Deciduous Large | 295 | (N/A) | 0.9 | 0.5 | 26.83 |
| Black maple | 359 | (N/A) | 0.8 | 0.6 | 39.92 |
| Kentucky coffeetree | 327 | (N/A) | 0.6 | 0.5 | 46.76 |
| Eastern white pine | 264 | (N/A) | 0.6 | 0.4 | 37.78 |
| Norway spruce | 94 | (N/A) | 0.5 | 0.2 | 15.67 |
| Eastern cottonwood | 239 | (N/A) | 0.5 | 0.4 | 39.87 |
| American elm | 292 | (N/A) | 0.4 | 0.5 | 58.41 |
| American sycamore | 183 | (N/A) | 0.4 | 0.3 | 36.66 |
| Pin oak | 371 | (N/A) | 0.3 | 0.6 | 92.70 |
| White oak | 205 | (N/A) | 0.3 | 0.3 | 51.27 |
| River birch | 8 | (N/A) | 0.3 | 0.0 | 2.74 |
| Catalpa | 144 | (N/A) | 0.3 | 0.2 | 47.98 |
| Siberian elm | 69 | (N/A) | 0.3 | 0.1 | 22.95 |
| Ginkgo | 18 | (N/A) | 0.3 | 0.0 | 6.07 |
| Conifer Evergreen Small | 35 | (N/A) | 0.2 | 0.1 | 17.36 |
| Pear | 13 | (N/A) | 0.2 | 0.0 | 6.40 |
| White ash | 97 | (N/A) | 0.2 | 0.2 | 48.58 |
| Oak | 20 | (N/A) | 0.2 | 0.0 | 10.00 |
| Broadleaf Deciduous Medium | 69 | (N/A) | 0.2 | 0.1 | 34.64 |
| Alder | 29 | (N/A) | 0.1 | 0.0 | 28.80 |
| White mulberry | 29 | (N/A) | 0.1 | 0.0 | 28.80 |
| Spruce | 32 | (N/A) | 0.1 | 0.1 | 32.32 |
| Eastern redbud | 2 | (N/A) | 0.1 | 0.0 | 2.06 |
| Mulberry | 0 | (N/A) | 0.1 | 0.0 | 0.03 |
| Conifer Evergreen Medium | 12 | (N/A) | 0.1 | 0.0 | 12.31 |
| Ohio buckeye | 43 | (N/A) | 0.1 | 0.1 | 43.05 |
| Citywide total | 60,304 | (N/A) | 100.0 | 100.0 | 51.90 |

## Table 7: Summary of Benefits in Dollars

Sac City

**Total Annual Benefits of Public Trees by Species ($)**

6/29/2020

| Species | Energy | $CO_2$ | Air Quality | Stormwater | Aesthetic/Other | Total ($) | Standard Error | % of Total $ |
|---|---|---|---|---|---|---|---|---|
| Silver maple | 11,016 | 2,268 | 2,050 | 21,083 | 17,655 | 54,072 | (N/A) | 25.6 |
| Bur oak | 10,820 | 1,460 | 1,950 | 16,437 | 9,614 | 40,280 | (N/A) | 19.1 |
| Northern hackberry | 8,116 | 789 | 1,423 | 9,460 | 6,355 | 26,143 | (N/A) | 12.4 |
| Norway maple | 4,580 | 518 | 776 | 4,441 | 3,580 | 13,896 | (N/A) | 6.6 |
| Apple | 1,115 | 114 | 173 | 484 | 394 | 2,280 | (N/A) | 1.1 |
| Green ash | 5,311 | 692 | 966 | 7,968 | 4,676 | 19,613 | (N/A) | 9.3 |
| Black walnut | 3,647 | 504 | 600 | 4,125 | 3,769 | 12,645 | (N/A) | 6.0 |
| Sugar maple | 2,330 | 294 | 367 | 2,818 | 2,426 | 8,235 | (N/A) | 3.9 |
| Honeylocust | 1,777 | 261 | 294 | 2,342 | 4,918 | 9,592 | (N/A) | 4.5 |
| Littleleaf linden | 715 | 104 | 119 | 871 | 959 | 2,767 | (N/A) | 1.3 |
| Blue spruce | 452 | 36 | 48 | 696 | 566 | 1,798 | (N/A) | 0.9 |
| American basswood | 842 | 110 | 126 | 842 | 706 | 2,626 | (N/A) | 1.2 |
| Red maple | 302 | 31 | 45 | 201 | 357 | 936 | (N/A) | 0.4 |
| Boxelder | 473 | 68 | 76 | 505 | 534 | 1,655 | (N/A) | 0.8 |
| Northern red oak | 618 | 68 | 92 | 627 | 351 | 1,754 | (N/A) | 0.8 |
| Eastern red cedar | 297 | 20 | 25 | 528 | 193 | 1,063 | (N/A) | 0.5 |
| Black maple | 451 | 46 | 82 | 467 | 359 | 1,406 | (N/A) | 0.7 |
| Kentucky coffeetree | 312 | 43 | 51 | 316 | 327 | 1,050 | (N/A) | 0.5 |
| Eastern white pine | 202 | 21 | 11 | 491 | 264 | 990 | (N/A) | 0.5 |
| Norway spruce | 117 | 9 | 7 | 231 | 94 | 458 | (N/A) | 0.2 |
| American elm | 361 | 35 | 69 | 457 | 292 | 1,213 | (N/A) | 0.6 |
| Broadleaf Deciduous Sn | 65 | 6 | 9 | 25 | 23 | 129 | (N/A) | 0.1 |
| American sycamore | 162 | 22 | 27 | 184 | 183 | 579 | (N/A) | 0.3 |
| Pin oak | 243 | 46 | 32 | 301 | 371 | 994 | (N/A) | 0.5 |
| Cottonwood | 292 | 32 | 60 | 558 | 182 | 1,125 | (N/A) | 0.5 |
| White oak | 247 | 33 | 47 | 447 | 205 | 979 | (N/A) | 0.5 |
| Siberian elm | 72 | 9 | 13 | 91 | 69 | 254 | (N/A) | 0.1 |
| Maple | 40 | 4 | 6 | 24 | 44 | 119 | (N/A) | 0.1 |
| Ginkgo | 42 | 4 | 7 | 34 | 18 | 105 | (N/A) | 0.0 |
| River birch | 3 | 0 | 0 | 1 | 8 | 13 | (N/A) | 0.0 |
| Broadleaf Deciduous La | 183 | 22 | 38 | 393 | 122 | 757 | (N/A) | 0.4 |
| Pear | 36 | 3 | 5 | 14 | 13 | 72 | (N/A) | 0.0 |
| White ash | 68 | 9 | 11 | 62 | 97 | 248 | (N/A) | 0.1 |
| Oak | 6 | 1 | 1 | 5 | 20 | 34 | (N/A) | 0.0 |
| Conifer Evergreen Smal | 15 | 1 | 1 | 23 | 35 | 75 | (N/A) | 0.0 |
| Eastern cottonwood | 197 | 15 | 45 | 392 | 57 | 707 | (N/A) | 0.3 |
| Mulberry | 1 | 0 | 0 | 0 | 0 | 1 | (N/A) | 0.0 |
| Alder | 46 | 6 | 8 | 32 | 29 | 121 | (N/A) | 0.1 |
| White mulberry | 46 | 6 | 8 | 32 | 29 | 121 | (N/A) | 0.1 |
| Spruce | 24 | 2 | 3 | 42 | 32 | 103 | (N/A) | 0.0 |
| Conifer Evergreen Medi | 7 | 0 | 1 | 7 | 12 | 27 | (N/A) | 0.0 |
| Eastern redbud | 5 | 1 | 1 | 2 | 2 | 11 | (N/A) | 0.0 |
| Ohio buckeye | 59 | 7 | 10 | 67 | 43 | 186 | (N/A) | 0.1 |
| Citywide Total | 55,714 | 7,722 | 9,685 | 78,126 | 59,985 | 211,232 | (N/A) | 100.0 |




**Figure 1: Species Distribution**




**Figure 2: Relative Age Class**




**Figure 3: Foliage Condition**




**Figure 4: Wood Condition**




**Figure 5: Canopy Cover in Acres**




**Figure 6: Land Use of city/park trees**




**Figure 7: Location of city/park trees**

# Appendix B: ArcGIS Mapping




**Figure 1: Location of Ash Trees**




**Figure 3: Location of Poor Condition Trees**


**Figure 4: Location of Trees with Recommended Maintenance**

# Appendix C: Sac City Tree Ordinances

CHAPTER 151
TREES



151.01 DEFINITION. For use in this chapter, “parking” means that part of the street, avenue or highway in the City not covered by sidewalk and lying between the lot line and the curb line; or, on unpaved streets, that part of the street, avenue or highway lying between the lot line and that portion of the street usually traveled by vehicular traffic.

151.02 PLANTING RESTRICTIONS. No tree shall be planted in any parking or street except in accordance with the following:
1. Alignment. All trees planted in any street shall be planted in the parking midway between the outer line of the sidewalk and the curb. In the event a curb line is not established, trees shall be planted on a line ten (10) feet from the property line.
2. Spacing. Trees shall not be planted on any parking which is less than nine (9) feet in width, or contains less than eighty-one (81) square feet of exposed soil surface per tree. Trees shall not be planted closer than twenty (20) feet from street intersections (property lines extended) and ten (10) feet from driveways. If it is at all possible trees should be planted inside the property lines and not between the sidewalk and the curb.
3. Prohibited Trees. No person shall plant in any street any fruit-bearing tree or any tree of the kinds commonly known as cottonwood, poplar, box elder, Chinese elm, evergreen, willow or black walnut.

151.03 DUTY TO TRIM TREES. The owner or agent of the abutting property shall keep the trees on, or overhanging the street, trimmed so that all branches will be at least sixteen (16) feet above the surface of the street and eight (8) feet above the sidewalks. If the abutting property owner fails to trim the trees, the City may serve notice on the abutting property owner requiring that such action be taken within five (5) days. If such action is not taken within that time, the City may perform the required action and assess the costs against the abutting property for collection in the same manner as a property tax.

(Code of Iowa, Sec. 364.12[2c, d & e])

151.04 TRIMMING TREES TO BE SUPERVISED. Except as allowed in Section

151.03, it is unlawful for any person to trim or cut any tree in a street or public place unless the work is done under the supervision of the City.

151.05 DISEASE CONTROL. Any dead, diseased or damaged tree or shrub which may harbor serious insect or disease pests or disease injurious to other trees is hereby declared to be a nuisance.

151.06 INSPECTION AND REMOVAL. The Council shall inspect or cause to be inspected any trees or shrubs in the City reported or suspected to be dead, diseased or damaged, and such trees and shrubs shall be subject to the following:

1. City Property. If it is determined that any such condition exists on any public property, including the strip between the curb and the lot line of private property, the
Council may cause such condition to be corrected by treatment or removal. The
Council may also order the removal of any trees on the streets of the City which interfere with the making of improvements or with travel thereon.

2. Private Property. If it is determined with reasonable certainty that any such condition exists on private property and that danger to other trees or to adjoining property or passing motorists or pedestrians is imminent, the Council shall notify by certified mail the owner, occupant or person in charge of such property to correct such condition by treatment or removal within fourteen (14) days of said notification. If such owner, occupant or person in charge of said property fails to comply within 14 days of receipt of notice, the Council may cause the condition to be corrected and the cost assessed against the property.

(Code of Iowa, Sec. 364.12[3b & h])

The State of Iowa is an Equal Opportunity Employer and provider of ADA services.

Federal law prohibits employment discrimination on the basis of race, color, age, religion, national origin, sex or disability. State law prohibits employment discrimination on the basis of race, color, creed, age, sex, sexual orientation, gender identity, national origin, religion, pregnancy, or disability. State law also prohibits public accommodation (such as access to services or physical facilities) discrimination on the basis of race, color, creed, religion, sex, sexual orientation, gender identity, religion, national origin, or disability. If you believe you have been discriminated against in any program, activity or facility as described above, or if you desire further information, please contact the Iowa Civil Rights Commission, 1-800-457-4416, or write to the Iowa Department of Natural Resources, Wallace State Office Bldg., 502 E 9th St, Des Moines IA 50319.

If you need accommodations because of disability to access the services of this Agency, please contact the Director at 515-725-8200.