

Iowa Monitoring Locations and Design Values for Nitrogen Dioxide 2013-2015

A design value is a tool that can be used to understand pollution levels at a specific location. A design value may be set for any pollutant. The U.S. EPA's official definition is explained this way: "a design value is the mathematically determined pollutant concentration at a particular site that must be reduced to, or maintained at or below the National Ambient Air Quality Standard to assume attainment." The design value number tells us how a particular site or area compares with the National Ambient Air Quality Standards (NAAQS).


Iowa nitrogen dioxide (NO₂) monitor location and information is detailed on the following pages. The EPA design value for 1-hour NO₂ is equal to the average of the 98th percentile 1-hour value for the most recent three years. EPA revised the NO₂ NAAQS in April of 2012. A monitoring site must have a design value less than 100 parts per billion to be considered "in attainment" with the NO₂ NAAQS. All monitoring sites in Iowa are in attainment with the 1-hour NO₂ NAAQS. Additional information on the revised NO₂ standard is available here: <http://www.epa.gov/airquality/nitrogenoxides/actions.html>

Iowa NO₂ Monitors (2015)

AQS Site ID	Site Name	Location	County	Design Value?
19-153-0030	Health Department	Des Moines	Polk	Yes
19-153-6011	Rollins Near-Road	Des Moines	Polk	Yes
19-163-0015	Jefferson School	Davenport	Scott	Yes
19-177-0006	Lake Sugema	Keosauqua	Van Buren	Yes


A site must be operational for at least three years to compute a design value and meet additional completeness requirements specified in [40 CFR 50 Appendix S](#).

Iowa NO₂ Monitoring Network 2015



Iowa NO₂ Design Values: 2013-2015


Concentrations listed in ppb. Values greater than 100 exceed the standard.



Iowa NO₂ Design Values 2015

County	City	EPA Site Id	Year	98th Percentile Hourly NO ₂ Concentration (ppb)	3-year Average of 98th Percentile (ppb)	Years Averaged
Polk	Des Moines	191530030	2013	36.8	37	2013-2015
			2014	35.3		
			2015	37.4		
Polk	Des Moines	191536011	2013	34.1	34	2013-2015
			2014	34.9		
			2015	34.4		
Scott	Davenport	191630015	2013	38.8	38	2013-2015
			2014	35		
			2015	41.1		
Van Buren	Not in a City	191770006	2013	9.6	9	2013-2015
			2014	9.9		
			2015	6.8		
(Three Year Averages Greater Than 100 ppb Indicate Non-Attainment with the 1-hour NAAQS)						
Values are based on preliminary data. Data will be certified in May 2016.						

Iowa NO₂ Design Values Chart: 2013-2015



Web Resources

Iowa Real-time Data Reporting :

In Polk County:

<http://www.polkcountyiowa.gov/airquality/air-quality-monitoring/current-aqi-real-time-data/>

In Linn County:

<http://www.linncleanair.org/Default.aspx>

Outside Polk and Linn Counties:

<http://www.shl.uiowa.edu/env/ambient/index.xml>

Design Values for All Pollutants Nationwide:

<http://www.epa.gov/airtrends/values.html>

Trends in Nitrogen Dioxide Levels:

<http://www.epa.gov/airtrends/nitrogen.html>

Historical Air Pollution Data for Iowa and Other States:

<http://www.epa.gov/airdata/>