

Iowa Fine Particulate Monitoring Network Design Values

2010-2012



*Iowa DNR
Ambient Air Monitoring
Group*

What is Fine Particulate Matter (PM_{2.5})?

The term “particulate matter” (PM) includes both solid particles and liquid droplets (excluding water droplets) that are found in outdoor air.

Particulate matter may be emitted directly into the air or can form from pollutants that react in the atmosphere. Small particles tend to pose the greatest health concern because they can be inhaled into and accumulate in the respiratory system.

Particles of less than 2.5 microns in diameter are referred to as fine particulate or PM_{2.5}.

Sources of PM_{2.5} emissions include all types of combustion (motor vehicles, power plants, wood burning, etc.) and some industrial processes. Secondary PM_{2.5} is produced in the atmosphere away from sources through atmospheric chemistry.

What are the Design Values for PM_{2.5}?

Design values for PM_{2.5} are numbers that are calculated from three years of data gathered at a particular monitoring site. If a design value is greater than the associated standard, the monitor is said to “fail the attainment test”. The annual standard for PM_{2.5} is 12.0 µg/m³ and the twenty-four hour standard is 35 µg/m³.

The design value for the 24-hour PM_{2.5} standard is the three year average of the annual 98th percentile values measured at a monitoring site. The design value for the annual PM_{2.5} standard is the three year average of the annual averages measured at a monitoring site. Additional details about design value calculations are contained in 40 CFR Part 50 Appendix N.

Data Completeness and Validation

If a monitor records 75% of the scheduled samples in each quarter of the year, the year's data is considered complete. EPA allows the use of data substitution in some cases where data is close to the 75% goal. Data used in this report includes all monitors with complete data for 2010-2012 as well as data from two sites where substitution was performed.

All values in this report should be considered preliminary. Data values will be certified in May, 2013 and EPA will calculate design values for determination of compliance with the National Ambient Air Quality Standards (NAAQS) later this year.

All Iowa monitoring sites currently have 24-hour design values less than the NAAQS. One site in Muscatine has an annual design value greater than the NAAQS standard.


What Types of PM_{2.5} Monitoring Data May be Used to Calculate Design Values?

Iowa currently operates two different types of PM_{2.5} samplers. One type collects fine particles by drawing ambient air through a filter over a 24-hour period. The filters are then returned to an analytical laboratory where they are weighed. Provided EPA protocols for handling and weighing the filters are followed, these manual samplers produce data that may be used for design value calculations. Although manual samplers provide accurate concentrations, the data produced is not available in real time, and so EPA has encouraged States to use automated continuous samplers to inform the public of current air quality levels.

EPA has approved the use of certain types of continuous samplers for computing design values, but advises States to conduct ongoing evaluations of the comparability of the data from these samplers to filter samplers. Iowa's humid summers and wintertime nitrate episodes represent a challenging environment in which to demonstrate this comparability. Iowa continues to evaluate the performance of continuous samplers with designs that are similar to those approved by EPA, but, to date, has not been able to consistently demonstrate comparability of the data generated from continuous samplers to filter sampler data.

Iowa PM_{2.5} 24-hour Design Values 2010-2012

(NAAQS Standard is 35 µg/m³)




Lake Sugema

Viking Lake
23


25

Kookuk
26




24-hour PM_{2.5} Design Values 2010-2012

(NAAQS Standard is 35 µg/m³)



Iowa PM_{2.5} Annual Design Values 2010-2012


(NAAQS Standard is 12.0 µg/m³)



Viking Lake
9.2


Lake Sugema
9.6

Keokuk
11.4



Annual PM_{2.5} Design Values 2010-2012

(NAAQS Standard is 12.0 µg/m³)



Preliminary Iowa PM_{2.5} Attainment Calculations 2010-2012

Site Name	City/County	EPA Monitor Id	Year	Annual 98th percentile (ug/m3)	24-hour PM _{2.5} Design Value	Annual averages (ug/m3)	Annual PM _{2.5} Design Value
Water Tower	Waterloo Black Hawk	190130009	2010	35.8		10.9	
			2011	23.6		10.4	
			2012	22.5	27	9.9	10.4
Chancy Park	Clinton Clinton	190450019	2010	35.3		n/a	
			2011	25.8		n/a	
			2012	23.7	28	n/a	n/a*
Rainbow Park	Clinton Clinton	190450021	2010	33.5		11.9	
			2011	26.3		10.5	
			2012	22.9	28	9.7	10.7
Hoover Elementary	Iowa City Johnson	191032001	2010	33.1		11.5	
			2011	26.4		10.3	
			2012	21.8	27	9.6	10.5
Keokuk Fire Station	Keokuk Lee	191110008	2010	30.4		11.9	
			2011	23.9		11.3	
			2012	22.7 **	26	11.0	11.4 **
Public Health	Cedar Rapids Linn	191130040	2010	34.6		11.1	
			2011	24.5		10.2	
			2012	22.5	27	9.5	10.3
Viking Lake	Red Oak Montgomery	191370002	2010	27.4		9.9	
			2011	21.5		9.0	
			2012	20.5	23	8.8	9.2
Muscatine HS E Campus (Garfield)	Muscatine Muscatine	191390015	2010	40.7		13.9	
			2011	28.8		12.0	
			2012	26.6	32	10.8	12.2
Greenwood Cemetery	Muscatine Muscatine	191390016	2010	34.5		12.0	
			2011	23.9		11.1	
			2012	26.1	28	10.2	11.1
Franklin School	Muscatine Muscatine	191390018	2010	35.6		12.7	
			2011	25.3		12.4	
			2012	24.2	28	10.3	11.8

* Annual Standard Not Applicable

** Incomplete Data, Data Substitution Performed and Passed Data Substitution Test

Annual Design Values Less than or Equal to 12.0 ug/m³ Indicate Attainment with the Annual NAAQS

24-hour Design Values Less than or Equal to 35 ug/m³ Indicate Attainment with the 24-hour NAAQS.

Preliminary Iowa PM_{2.5} Attainment Calculations 2010-2012 (continued)

Site Name	City/County	EPA Monitor Id	Year	Annual 98th percentile (ug/m ³)	24-hour PM _{2.5} Design Value	Annual averages (ug/m ³)	Annual PM _{2.5} Design Value
Iowa Lakes Community College	Emmetsburg Emmet	191471002	2010	20.9	22	8.7	8.8
			2011	22.0		9.2	
			2012	22.4		8.7	
Public Health	Des Moines Polk	191530030	2010	30.7	25	10.3	9.7
			2011	23.7		9.5	
			2012	21.2		9.2	
Indian Hills Elementary	Clive Polk	191532510	2010	33.4	25	10.1	9.6
			2011	20.9		9.6	
			2012	21.3		9.1	
Franklin Elementary	Council Bluffs Pottawattamie	191550009	2010	32.3	27	12.2	11.1
			2011	20.8		10.2	
			2012	28.5		10.8	
Jefferson Elementary	Davenport Scott	191630015	2010	32.7	27	12.1	11.0
			2011	27.0		11.0	
			2012	22.0		9.8	
Adams Elementary	Davenport Scott	191630018	2010	34.4	28	12.0	11.2
			2011	26.5		11.5	
			2012	21.7		10.0	
Blackhawk Foundry ***	Davenport Scott	191630019	2010	34.5	29	n/a	n/a*
			2011	29.0		n/a	
			2012	24 **		n/a	
Hayes School	Davenport Scott	191630020	2010	32.6	27	12.3	11.3
			2011	23.8		11.3	
			2012	24.6		10.4	
Lake Sugema	Keosauqua Van Buren	191770006	2010	29.7	25	9.8	9.6
			2011	24.8		10.4	
			2012	20.6		8.5	
Bryant School	Sioux City Woodbury	191930019	2010	34.0	27	10.7	9.9
			2011	23.4		9.2	
			2012	24.9		9.7	

* Annual Standard Not Applicable


** Incomplete Data, Data Substitution Performed and Passed Data Substitution Test

*** Blackhawk Foundry Ceased Melting Operations on February 11, 2010 (now population oriented site)

Annual Design Values Less than or Equal to 12.0 ug/m³ Indicate Attainment with the Annual NAAQS

24-hour Design Values Less than or Equal to 35 ug/m³ Indicate Attainment with the 24-hour NAAQS.

Median PM_{2.5} 24-Hour Design Values in Iowa PM_{2.5} Monitoring Network



Web Resources

Calculation of the $PM_{2.5}$ Design Values is treated in Appendix N of 40 CFR Pt. 50:

<http://www.gpo.gov/fdsys/pkg/CFR-2012-title40-vol2/pdf/CFR-2012-title40-vol2-part50-appN.pdf>

EPA's Design Value calculations for $PM_{2.5}$ and other pollutants:

<http://www.epa.gov/airtrends/values.html>

EPA's timeline for meeting the $PM_{2.5}$ standards (page 21).

http://epa.gov/pm/pdfs/20061013_presentation.pdf

Historical Air Pollution Data for Iowa and Other States:

<http://www.epa.gov/airdata/>

Web links listed are as accessed on 3/12/2013.