# Iowa Fine Particulate Monitoring Network Design Values 2017-2019

Iowa DNR Ambient Air Monitoring Group

### What is Fine Particulate Matter (PM<sub>2.5</sub>)?

The term "particulate matter" (PM) includes both solid particles and liquid droplets (excluding water droplets) that are found in outdoor air. Particulate matter may be emitted directly into the air or can form from pollutants that react in the atmosphere. Small particles tend to pose the greatest health concern because they can be inhaled into and accumulate in the respiratory system.

Particles of less than 2.5 microns in diameter are referred to as fine particulate or  $PM_{2.5}$ .

Sources of  $PM_{2.5}$  emissions include all types of combustion (motor vehicles, power plants, wood burning, etc.) and some industrial processes. Secondary  $PM_{2.5}$  is produced in the atmosphere away from sources through atmospheric chemistry.

#### What are the Design Values for PM<sub>2.5</sub>?

Design values for  $PM_{2.5}$  are numbers that are calculated from three years of data gathered at a particular monitoring site. If a design value is greater than the associated standard, the monitor is said to "fail the attainment test". The annual standard for  $PM_{2.5}$  is 12.0 µg/m<sup>3</sup> and the twenty-four hour standard is 35 µg/m<sup>3</sup>.

The design value for the 24-hour  $PM_{2.5}$  standard is the three year average of the annual 98<sup>th</sup> percentile values measured at a monitoring site. The design value for the annual  $PM_{2.5}$  standard is the three year average of the annual averages measured at a monitoring site. Additional details about design value calculations are contained in 40 CFR Part 50 Appendix N.

#### **Data Completeness and Validation**

If a monitor records 75% of the scheduled samples in each quarter of the year, the year's data is considered complete. EPA allows the use of data substitution in some cases where data is close to the 75% goal. Data used in this report includes all monitors with complete data for 2017-2019 as well as data from one site where substitution was performed.

All values in this report should be considered preliminary. Data values will be certified in May, 2020 and EPA will calculate design values for determination of compliance with the National Ambient Air Quality Standards (NAAQS) later this year.

All Iowa monitoring sites currently have annual and 24-hour design values less than the NAAQS.

# What Types of PM<sub>2.5</sub> Monitoring Data May be Used to Calculate Design Values?

Iowa currently operates two different types of  $PM_{2.5}$  samplers. One type collects fine particles by drawing ambient air through a filter over a 24-hour period. The filters are then returned to an analytical laboratory where they are weighed. Provided EPA protocols for handling and weighing the filters are followed, these manual samplers produce data that may be used for design value calculations. Although manual samplers provide accurate concentrations, the data produced is not available in real time, and so EPA has encouraged States to use automated continuous samplers to inform the public of current air quality levels.

EPA has approved the use of certain types of continuous samplers for computing design values, but advises States to conduct ongoing evaluations of the comparability of the data from these samplers to filter samplers. Iowa's humid summers and wintertime nitrate episodes represent a challenging environment in which to demonstrate this comparability. Iowa continues to evaluate the performance of continuous samplers.

# Iowa PM<sub>2.5</sub> Monitors (2019)

| AQS Site ID | Site Name                        | Location       | County        |
|-------------|----------------------------------|----------------|---------------|
| 190130009   | Water Tower                      | Waterloo       | Blackhawk     |
| 190450019   | Chancy Park                      | Clinton        | Clinton       |
| 190450021   | Rainbow Park                     | Clinton        | Clinton       |
| 191032001   | Hoover Sch.                      | Iowa City      | Johnson       |
| 191110008   | Fire Station                     | Keokuk         | Lee           |
| 191130040   | Public Health                    | Cedar Rapids   | Linn          |
| 191370002   | Viking Lake State Park           | Rural Site     | Montgomery    |
| 191390015   | Muscatine HS E Campus (Garfield) | Muscatine      | Muscatine     |
| 191390016   | Muscatine, Greenwood Cemetery    | Muscatine      | Muscatine     |
| 191390020   | Muscatine, Musser Park           | Muscatine      | Muscatine     |
| 191471002   | Iowa Lakes Community College     | Emmetsburg     | Palo Alto     |
| 191530030   | Public Health                    | Des Moines     | Polk          |
| 191532510   | Indian Hills School              | Clive          | Polk          |
| 191550009   | Franklin Sch.                    | Council Bluffs | Pottawattamie |
| 191630015   | Jefferson School                 | Davenport      | Scott         |
| 191630020   | Hayes School                     | Davenport      | Scott         |
| 191770006   | Lake Sugema                      | Rural Site     | Van Buren     |
| 191930021   | Irving School                    | Sioux City     | Woodbury      |

#### Iowa PM<sub>2.5</sub> Design Values 2019—Preliminary until May 2020

| County     | Site Name              | City          | EPA Site Id | Year | Annual 98 <sup>th</sup><br>Percentile<br>(µg/m <sup>3</sup> ) | Daily Design<br>Value<br>(µg/m³) | Annual<br>Mean<br>(μg/m³) | Annual<br>Design Value<br>(μg/m <sup>3</sup> ) |
|------------|------------------------|---------------|-------------|------|---|----------------------------------|---------------------------|--|
| Black Hawk | Water Tower            | Waterloo      | 19-013-0009 | 2017 | 19.2  |                                  | 7.5                       |  |
|            |                        |               |             | 2018 | 20.1  |                                  | 8.2                       |  |
|            |                        |               |             | 2019 | 20.0  | 20                               | 7.7                       | 7.8  |
| Clinton    | Chancy Park            | Clinton       | 19-045-0019 | 2017 | 18.8  |                                  | 7.8                       |  |
|            |                        |               |             | 2018 | 21.3  |                                  | 9.0                       |  |
|            |                        |               |             | 2019 | 25.4  | 22                               | 9.0                       | 8.6**  |
| Clinton    | Rainbow Park           | Clinton       | 19-045-0021 | 2017 | 18.0  |                                  | 7.2                       |  |
|            |                        |               |             | 2018 | 20.2  |                                  | 8.2                       |  |
|            |                        |               |             | 2019 | 22.5  | 20                               | 8.2                       | 7.9  |
| Johnson    | Hoover Sch.            | Iowa City     | 19-103-2001 | 2017 | 17.7  |                                  | 7.3                       |  |
|            |                        |               |             | 2018 | 18.8  |                                  | 8.0                       |  |
|            |                        |               |             | 2019 | 20.5  | 19                               | 7.6                       | 7.6  |
| Lee        | Fire Station           | Keokuk        | 19-111-0008 | 2017 | 14.8  |                                  | 8.1                       |  |
|            |                        |               |             | 2018 | 19.8  |                                  | 9.0                       |  |
|            |                        |               |             | 2019 | 19.5  | 18                               | 8.3                       | 8.4  |
| Linn       | Public Health          | Cedar Rapids  | 19-113-0040 | 2017 | 19.5  |                                  | 7.8                       |  |
|            |                        |               |             | 2018 | 19.7  |                                  | 8.4                       |  |
|            |                        |               |             | 2019 | 20.2  | 20                               | 7.9                       | 8.0  |
| Montgomery | Viking Lake State Park | Not in a City | 19-137-0002 | 2017 | 14.3  |                                  | 6.4                       |  |
|            |                        |               |             | 2018 | 18.5  |                                  | 6.9                       |  |
|            |                        |               |             | 2019 | 15.2  | 16                               | 6.5                       | 6.6  |

#### Iowa PM<sub>2.5</sub> Design Values 2019—Preliminary until May 2020 (Cont.)

| County        | Site Name                        | City           | EPA Site Id | Year | Annual 98 <sup>th</sup><br>Percentile<br>(µg/m <sup>3</sup> ) | Daily Design<br>Value<br>(µg/m³) | Annual<br>Mean<br>(μg/m <sup>3</sup> ) | Annual<br>Design Value<br>(μg/m <sup>3</sup> ) |
|---------------|----------------------------------|----------------|-------------|------|---|----------------------------------|--|--|
| Muscatine     | Muscatine HS E Campus (Garfield) | Muscatine      | 19-139-0015 | 2017 | 18.9  |                                  | 8.1                                    |  |
|               |                                  |                |             | 2018 | 21.3  |                                  | 8.8                                    |  |
|               |                                  |                |             | 2019 | 21.2  | 20                               | 8.1                                    | 8.3  |
| Muscatine     | Greenwood Cemetery               | Muscatine      | 19-139-0016 | 2017 | 16.3  |                                  | 7.2                                    |  |
|               |                                  |                |             | 2018 | 19.0  |                                  | 8.0                                    |  |
|               |                                  |                |             | 2019 | 18.9  | 18                               | 7.5                                    | 7.6  |
| Muscatine     | Musser Park                      | Muscatine      | 19-139-0020 | 2017 | 16.9  |                                  | 7.7                                    |  |
|               |                                  |                |             | 2018 | 21.9  |                                  | 8.7                                    |  |
|               |                                  |                |             | 2019 | 23.3  | 21                               | 8.1                                    | 8.2**  |
| Palo Alto     | Iowa Lakes Community College     | Emmetsburg     | 19-147-1002 | 2017 | 17.5  |                                  | 6.3                                    |  |
|               |                                  |                |             | 2018 | 16.9  |                                  | 7.3                                    |  |
|               |                                  |                |             | 2019 | 19.8  | 18                               | 6.4                                    | 6.7  |
| Polk          | Health Dept.                     | Des Moines     | 19-153-0030 | 2017 | 17.3  |                                  | 7.3                                    |  |
|               |                                  |                |             | 2018 | 17.5  |                                  | 7.4                                    |  |
|               |                                  |                |             | 2019 | 19.0  | 18                               | 7.0                                    | 7.2  |
| Polk          | Indian Hills School              | Clive          | 19-153-2510 | 2017 | 17.2  |                                  | 7.3                                    |  |
|               |                                  |                |             | 2018 | 17.3  |                                  | 8.0                                    |  |
|               |                                  |                |             | 2019 | 17.0  | 17                               | 6.9                                    | 7.4  |
| Pottawattamie | Franklin Sch.                    | Council Bluffs | 19-155-0009 | 2017 | 18.8  |                                  | 7.7                                    |  |
|               |                                  |                |             | 2018 | 22.0  |                                  | 8.8                                    |  |
|               |                                  |                |             | 2019 | 17.7  | 20                               | 7.7                                    | 8.1  |

#### Iowa PM<sub>2.5</sub> Design Values 2019—Preliminary until May 2020 (Cont.)

| County            | Site Name                                  | City              | EPA Site Id   | Year     | Annual 98 <sup>th</sup><br>Percentile<br>(µg/m <sup>3</sup> ) | Daily Design<br>Value<br>(μg/m <sup>3</sup> ) | Annual<br>Mean<br>(µg/m <sup>3</sup> ) | Annual<br>Design Value<br>(μg/m³) |
|-------------------|--|-------------------|---------------|----------|---|---|--|-----------------------------------|
| Scott             | Jefferson School                           | Davenport         | 19-163-0015   | 2017     | 19.0  |   | 7.7                                    |                                   |
|                   |  |                   |               | 2018     | 19.5  |   | 8.3                                    |                                   |
|                   |  |                   |               | 2019     | 21.4  | 20  | 7.9                                    | 8.0                               |
| Scott             | Hayes School                               | Davenport         | 19-163-0020   | 2017     | 20.3  |   | 8.1                                    |                                   |
|                   |  |                   |               | 2018     | 21.2  |   | 8.8                                    |                                   |
|                   |  |                   |               | 2019     | 21.8  | 21  | 8.5                                    | 8.5                               |
| Van Buren         | Lake Sugema                                | Not in a City     | 19-177-0006   | 2017     | 14.2  |   | 6.5                                    |                                   |
|                   |  |                   |               | 2018     | 18.1  |   | 7.4                                    |                                   |
|                   |  |                   |               | 2019     | 16.1  | 16  | 7.2                                    | 7.0                               |
| Woodbury          | Irving School                              | Sioux City        | 19-193-0021   | 2017     | 18.7  |   | 7.6                                    |                                   |
|                   |  |                   |               | 2018     | 20  |   | 8.3                                    |                                   |
|                   |  |                   |               | 2019     | 22.3  | 20  | 7.4                                    | 7.8                               |
| Three-year averag | es greater than 12.05 μg/m <sup>3</sup> in | dicate non-attain | ment with the | annual N | IAAQS.  |   |  |                                   |
| **Source-oriented | site. Annual NAAQS are not a               | pplicable.        |               |          |   |   |  |                                   |

#### Iowa PM<sub>2.5</sub> 24-hour Design Values 2017-2019

(NAAQS Standard is 35 µg/m<sup>3</sup>)



#### 24-hour PM<sub>2.5</sub> Design Values 2017-2019

(NAAQS Standard is 35 µg/m<sup>3</sup>)



#### Iowa PM<sub>2.5</sub> Annual Design Values 2017-2019

(NAAQS Standard is 12.0 µg/m<sup>3</sup>)



#### Annual PM<sub>2.5</sub> Design Values 2017-2019

(NAAQS Standard is 12.0 µg/m<sup>3</sup>)



#### Median PM<sub>2.5</sub> 24-Hour Design Values in Iowa PM<sub>2.5</sub> Monitoring Network



#### Median PM<sub>2.5</sub> Annual Design Values in Iowa PM<sub>2.5</sub> Monitoring Network (Source oriented monitoring sites are not included)



# Web Resources

Calculation of the PM<sub>2.5</sub> Design Values is treated in Appendix N of 40 CFR Pt. 50:

http://www.ecfr.gov/cgi-bin/text-idx?tpl=/ecfrbrowse/Title40/40cfr50 main 02.tpl

*EPA's Design Value calculations for PM*<sub>2.5</sub> and other pollutants:

https://www.epa.gov/air-trends

**Information from EPA on PM<sub>2.5</sub> standards:** 

https://www.epa.gov/naaqs/particulate-matter-pm-air-quality-standards

Historical Air Pollution Data for Iowa and Other States:

https://www.epa.gov/outdoor-air-quality-data

Web links listed are as accessed on 4/27/2020.