18C.5.1 9-7-0,6 VARIANCE REQUEST **Iowa Department of Natural Resources** 13. Decision: Approved Date: 10/6/2003 1. Date: September 30, 2003 Larry Bryant 2. Review Engineer: April 17, 2003 3. Date Received: Martinsburg WWTF (RUSS) 14. Appeal: 4. Facility Name: Date: 5. County Number: 54 (Keokuk) CP (Wastewater Construction) 6. Program Area: C05 (Biological Treatment) 7. Facility Type : 350 (Number of Lagoon Cells) 8. Subject Area : 9. Rule Reference: 567-64.2(9)a 10. Design Stds Ref: 18C.5.1 (Number of Cells) French-Reneker Associates, Inc./Fairfield 11. Consulting Engr: 12. Variance Rule: 567-64.2(9)c 15. Description of Variance Request: Regional Utility Service Systems (RUSS) and it's consulting engineer are requesting a variance from Section 18C.5.1 of the Iowa Wastewater Facilities Design Standards, which requires a minimum of three lagoon cells for all controlled discharge facilities greater than one acre total surface area. A 2.5 acre two-cell system is proposed. 16. Consulting Engineer's Justifications Cost savings. 17. Department's Justifications **Recommend variance approval:** This variance has been granted previously for unsewered communities as an equivalent effectiveness cost-savings measure to reduce the user charge impact of simultaneous financing of both new collection and treatment systems. No problems due to variance-approved two-cell configurations have been reported. Design basis minimum equivalents, total effective storage, and maximum organic loadings will be maintained per the Standards. 18. Precedents Used Tingley (Southern Iowa RWA) - Approved 7/11/96 Persia (Shelby County RWA) - Approved 7/3/95 (5.36 acres) Floris (Wapello RWA) - Approved 8/1/95 Arispe (Southern Iowa RWA) - Approved 7/15/96 Unionville (Rathbun RWA) - Approved 2/19/98 Exline (Wapello RWA) - Approved 1/3/97 Oyens - Approved 3/20/96 Riverton - Approved 4/8/02 (4.1 acres) Chillicothe - Approved 11/15/99 Kinross - Approved 6/8/01 (1.2 acres) Crawfordsville (Wapello RWA) - Approved 11/15/99 (4.31 acres) Date: 10/2 19. Staff Reviewer: 10/5/05 10/6/2003 Date: 20. Supervisor: 21. Authorized by: Date: