alg	\checkmark	9-8-06			DATA	4sd	1	ATE	æ	14
DATE		iility Name	County No.	ARE		Finciki TYPE Co		SUBJEC ARE		
3 4/23/87	4 C,	ity of Corroll	5 4	N.	p	7 NO :	2	8 405 (3	5 PI	It Flow
Rule REFERENCE		DESIGN STANDART REFERENCE	\$	becisio		DATE		APPEAL Action		DATE
9 62,3(2)	e	IO NA		"Den		/28/81	7	12		
Engineer 13		VARIANCE RUIS								

15. DESCRIPTION OF VARIANCE REQUESTED: The city is applying equivalent to secondary treatment he elegille for split flow since they think they can solet the equivale dont dary limits during weather lours ÷

A ENGINEERS JUSTIFICATION: Uty dans to retak. Auxinition station Londa 20 VI VHWW Plan of 5,2 MGO. and odd winny the that thour Flow in excess of 24 MGC C'indien to hins anound secondary Treatment because be hunder andle 5, 2 19 61 2. lalit flow india can not and equivalent would rapply ally until 1992 to slond my sal Clark uney la Condi and fine any justification in the request easur. duna +55 during wet weather, instand from as funde been blepher conversations, they want to construct amilable 17. DEPARTMENTS JUSTIFICATION: They are not afle to meet the 155 equir & secondary limits consistantly more nor after first phose so they und not mat the 1/11 Section the hidraulia los dine would nevent them from meeting the limite, Actually they and austing for la to secondary, They fully they d Kones Rich Dars meet edgen, to strond limits their information show they may stil have a smiller meeting the May 755 limit, the final clarifier appears to be the himiting factor. They are planning to construct another front clausies in 1990, We have to construct the request for a misne or well on equito to second 18. PRECEDENTS USED: Mar

STATE OF	RECORD COPY File Name <u>Canal</u>				
IOWA	Senders Initials				

TERRY E. BRANSTAD, GOVERNOR

DEPARTMENT OF NATURAL RESOURCES LARRY J. WILSON, DIRECTOR

June 10, 1987

Mr. Randall M. Krauel Director of Public Works City of Carroll Carroll, IA 51401

Dear Mr. Krauel:

This is in response to your request for a variance to allow split-flow treatment as well as equivalent to secondary treatment final affluent limits.

In reviewing your request and the rule very thoroughly, the conclusion has been reached to not grant the variance. The rule is very clear that the two provisions are not to be applied at the same time. During drafting of the rule, a conscious effort was made to assure that the rule was written so as not to state or imply in any way that the two provisions could be applied at the same time. The reasoning is that equivalent to secondary treatment already provides significant relief from the effluent limits for existing trickling filter plants. Also, the figures submitted with the request show that even with split flow the facility may have difficulty meeting the total suspended solids limits at times.

At the present time, the facility is not eligible for equivalent to secondary because the records show that the facility can not consistently meet 45 mg/l total suspended solids. However, the facility may qualify after upgrading.

Sincerely,

Heven N. William

LAVOY HAGGE, CHIEF WASTEWATER PERMITS SECTION

LH:rag/WWPM159N02.01