
Wetland Habitat Conditions – Fall 2025

Central Zone Units Updated week of: 10/02/2025



DNR Public Hunting Atlas:

https://iowadnr.maps.arcgis.com/apps/webappviewer/index.html?id=f9161b90cddb4fcfb35a96901882a4b7/

Definitions of Terms Commonly Used In Descriptions of Areas -

- <u>Crest water level</u> refers to the established optimum or target water level for the lake or wetland or the maximum water level legally allowed on the lake or wetland.
- <u>Emergent vegetation</u> refers to plants like cattails, bulrushes, burreed, etc., that are rooted on the bottom of the marsh but project above the surface of the water.
- <u>Submergent vegetation</u> refers to plants like sago pondweed, curly leaf pondweed, wild celery, coontail, etc., that
 grow beneath the surface of the water. The tops of these plants sometimes reach the surface in shallow water.
 Water clarity and fish populations largely determine the amount of submergent vegetation in wetlands.
 Wetlands with good water clarity and few, if any, fish usually have good submergent plant communities that
 attract a wide variety of ducks.
- <u>WMA</u> is the acronym for Wildlife Management Area, which includes lands owned and managed by the Wildlife Bureau of the DNR.
- <u>WPA</u> is the acronym for Waterfowl Production Area, which includes lands owned by the U.S. Fish and Wildlife Service and, in most cases, managed by the Wildlife Bureau of the DNR.

Black Hawk Wildlife Unit

Wildlife Biologist: Clint Maddix Date Updated: 10/02/2025

Buena Vista County

Little Storm Lake

Water Level: Little Storm Lake is currently at or near crest elevation.

Vegetation: Emergent vegetation is thick around the shoreline and there are scattered pockets throughout the

basin, heavy submergent vegetation as well.

Notes: The rock boat ramp across from Frank Starr Park is currently accessible. Cattails layed down for

improved access. Little Storm Lake's elevation is controlled by the main lake and should remain

usable through the fall.

Storm Lake

Water Level: Storm Lake is currently at or near crest elevation.

Vegetation: Very little emergent vegetation present. Little to no submergent vegetation is present.

Notes: Storm Lake should be accessible for all boats this fall.

Calhoun County

South Twin Lake

Water Level: South Twin is well below crest, but has slowly started to fill back up from rains this summer.

Vegetation: Over 90% of the lake is covered with very heavy emergent vegetation. Notes: Access is improved with cattails layed down. Max depth is 3 feet

Carroll County

Artesian Lake

Water Level: Is at or near crest, the 30-acre wetland is fed by three artesian wells and should stay full

throughout the fall.

Vegetation: This wetland was drawn down through the Summer to facilitate water control structure repairs.

High water levels prior had killed a lot of the emergent vegetation with some remaining.

Notes: A rock boat ramp can be used to launch small or mid-size boats.

Pocahontas County

Little Clear Lake

Water Level: The water level is at or near crest elevation.

Vegetation: There is excellent submergent vegetation throughout the lake as well as a good stand of emergent

vegetation along the shoreline.

Notes: There are two boat ramps that can be used to launch small to medium boats.

Lizard Lake

Water Level: Lizard Lake is currently at or near crest.

Vegetation: There is excellent submergent vegetation throughout the lake as well as decent emergent

vegetation along shorelines, with a dense stand on the north and south end of the lake.

Notes: The boat ramps have varying degrees of accessibility. Pre-scouting is recommended.

Shimon Marsh

Water Level: Shimon Marsh is currently at crest.

Vegetation: The marsh is heavy with emergent as well as submergent vegetation, with a few open pockets for

hunters. Pre-scouting is highly recommended.

Notes: Boat ramp is accessible to small boats, but as a reminder no motors are allowed.

Sunken Grove

Water Level: The water level is currently at or near crest elevation.

Vegetation: The marsh has fair stands of emergent vegetation and little to no submergent vegetation.

Notes: A concrete boat ramp on the west lobe of the marsh can be used to launch small and mid-size

boats. A primitive gravel boat ramp is located in the eastern lobe of the marsh and will have cattails

layed down for improved access.

Sac County

Black Hawk Wildlife Area

Water Level: The Black Hawk Lake Inlet, DU Marsh, and State Marsh are currently at crest elevation. Adjacent

smaller wetlands and pits are also near crest.

Vegetation: DU Marsh and State Marsh has a heavy stand of emergent vegetation. Black Hawk Lake Inlet has

decent emergent vegetation around the shoreline.

Notes: State Marsh has a rock boat ramp that is usable for small to medium sized boat. The Black Hawk

Lake Inlet has a concrete boat ramp that is currently accessible to all sized boats. Pre-scouting is

recommended due to the current vegetation, boat access may be difficult.

Black Hawk Lake

Water Level: Black Hawk Lake is currently at or near crest elevation.

Vegetation: The lake currently has a few pockets of submergent vegetation.

Notes: There are 3 concrete boat ramps that can be used by all boats of any size.

Burrow's Pond

Water Level: Burrow's Pond is currently above crest elevation. Adjacent smaller wetlands are also at crest

elevation.

Vegetation: Good stands of emergent and submergent vegetation present.

Notes: The rock boat ramp is usable for small and medium sized boats at this time with the current water

level.

Kiowa Marsh

Water Level: All wetlands on the Kiowa Marsh complex are at or near crest elevation; Fielmeier Pond is currently

below crest.

Vegetation: All wetlands have good stands of emergent vegetation along their shorelines as well as healthy

amounts of submergent vegetation.

Notes: The rock boat ramps are usable for small and mid-sized boats at Kiowa Proper, Kiowa North, as well

as Heidenreich.

Sac City Wetland Complex

Water Level: Sac City Wetland Complex main basin is 9" below crest; smaller adjacent wetlands have varied

amount of water.

Vegetation: Diverse heavy vegetation is present on all basins.

Notes: Pre-scouting is recommended to see if there are any open pockets for hunting.

Tomahawk Marsh

Water Level: All wetlands on Tomahawk Marsh are currently at or near crest elevation.

Vegetation: All wetlands have at least some emergent vegetation along the shorelines, the main basin has

100% coverage of emergent vegetation.

Notes: This is a walk-in area. Pre-scouting is recommended due to current vegetation conditions.

Cedar-Wapsi Wildlife Unit

Wildlife Biologists: Jason Auel and Justin Clark

Date Updated: 9/24/2025

Bremer County

Leopold Area

Water Level: Within a foot of crest Vegetation: Lots of emergent vegetation

Notes: The wetland levels are currently holding steady to slowly dropping. Scouting the area will be

important.

Sweet Marsh

Water Level: All the main pools are within 1.5ft of crest which is typical for this time of year

Vegetation: Lots of emergent and subemergent vegetation

Notes: Boat travel may be difficult with outboard motors due to the amount of vegetation.

Butler County

Big Marsh

Water Level: All major pools within 1 foot of crest and at historical elevation for this time of year. Walk-in

specific areas are normal for this time of year, low water, but will be filled as harvest allows.

Vegetation: Vegetative growth was very strong this summer, and there will be plenty of annual weeds for

foraging waterfowl. Due to wet conditions throughout the summer, there were poor conditions for

trail and access mowings.

Notes: over all habitat is good to excellent

Clear Lake Wildlife Unit

Wildlife Biologist: Rob Patterson Date Updated: 09/03/2025

Cerro Gordo County

Union Hills

Water Level: All wetlands within the complex are at or near crest.

Vegetation: Quality perennial emergent and submergent wetland vegetation is abundant throughout the

complex.

Notes: Use the Iowa DNR Public Hunting Atlas to see the waterfowl refuge boundary on the west side of

the complex.

Ventura Marsh

Water Level: At or near crest

Vegetation: Emergent vegetation is still prevalent throughout the marsh, though slightly less than recent years.

Notes:

Hancock County

Crystal Hills WMA

Water Level: All wetlands within the complex should be at or near crest

Vegetation: Quality perennial emergent and submergent wetland vegetation is abundant throughout the

complex

Notes: Use the Iowa DNR Public Hunting Atlas to see the Waterfowl Refuge Boundary at Crystal Hills WMA

Gladfelter WMA

Water Level: All wetlands within the complex should be at or near crest

Vegetation: Quality perennial emergent and submergent wetland vegetation is abundant throughout the

complex

Notes:

Eagle Lake

Water Level: Eagle Lake is at crest. Pump at the Eagle Flats Refuge has experienced a major mechanical failure,

DNR staff are working to resolve the situation with a goal of resuming pumping in 2025. Smaller

wetlands within the complex are at our near crest.

Vegetation: Conditions within the lake are very good. Water quality is good with abundant emergent and

submergent vegetation within the lake as well as smaller wetlands throughout the complex.

Notes: Use the Iowa DNR Public Hunting Atlas to see the waterfowl refuge boundaries at Eagle Lake and

Eagle Flats.

East Twin Lake WMA

Water Level: The main lake at East Twin is at or near crest. The marsh on the east side of the lake is dewatered

to facilitate infrastructure upgrades.

Vegetation: Habitat conditions within East Twin are very good. Water quality is good with abundant emergent

and submergent vegetation.

Notes: Water levels in the east marsh will likely remain low until construction is complete. The

construction contractor will be working onsite until the project is complete.

Meredith Marsh

Water Level: At or near crest

Vegetation: Abundant emergent vegetation

Notes:

Winnebago County

Harmon Lake

Water Level: The lake and all smaller wetlands within the complex are at or near crest

Vegetation: Quality emergent and submergent vegetation is abundant.

Notes:

Myre Slough

Water Level: At or near crest

Vegetation: Quality emergent and submergent vegetation is abundant.

Notes:

Worth County

Elk Creek-Pool A

Water Level: At fall crest

Vegetation: Mid-summer flooding negatively impacted annual aquatic plant production. Some areas on the

upper ends of the pool still have pockets of quality vegetation.

Notes:

Elk Creek-Pool B

Water Level: Slightly below fall crest

Vegetation: Mid-summer flooding negatively impacted annual aquatic plant production. Some areas on the

upper ends of the pool still have pockets of quality vegetation.

Notes:

Elk Creek-Pool C

Water Level: Slightly below fall crest

Vegetation: Mid-summer flooding negatively impacted annual aquatic plant production. Some areas on the

upper ends of the pool still have pockets of quality vegetation.

Notes:

Rice Lake

Water Level: Rice Lake and the smaller wetlands within the complex are at or near crest

Vegetation: Quality emergent and submergent vegetation is present through all the wetlands within the

complex

Notes: The water control structure at Joice Slough has been replaced and the marsh is at or near crest.

High water events throughout the summer caused rooted emergent plants to uproot creating a floating bog situation. Boat hunters will want to use caution at Joice Slough, the floating bogs move with the wind. The boat access can be usable at times but floating vegetation can block the access

at times.

Use the Iowa DNR Public Hunting Atlas to see the Waterfowl Refuge Boundary on the west side of

Rice Lake.

Hanlontown Slough

Water Level: The main slough and small wetlands within the complex are at or near crest.

Vegetation: Quality emergent and submergent vegetation is present through all the wetlands within the

complex

Notes:

Silver Lake and Marsh

Water Level: The lake and marsh are at or near crest

Vegetation: Quality emergent and submergent vegetation is present through all the wetlands within the

complex

Notes:

Wright County

Big Wall Lake

Water Level: Big Wall lake is slightly below crest (approx. 6"). The smaller wetlands within the complex are at or

near crest.

Vegetation: Habitat and water quality conditions throughout the complex are very good. The wild rice that has

been abundant within Big Wall Lake has become less prevalent with increased water levels.

Notes:

Elm Lake

Water Level: Slightly below crest

Vegetation: Areas of emergent aquatic vegetation exist within the lake.

Notes:

Lower Morse Lake Wetland Complex

Water Level: Morse Lake is within 1 foot of crest. The smaller wetlands within the complex are at or near crest.

Vegetation: Habitat and water quality conditions within Morse Lake are excellent despite being below crest.

Smaller wetlands within the complex also have very high-quality habitat conditions.

Notes:

Grand River Wildlife Unit

Wildlife Biologist: Chad Paup Date Updated: 8/27/2025

Adams County

Lake Icaria

Water Level: Full

Vegetation: Water was held over for a couple years to stress willows so annual veg light

Notes:

Union County

Mitchell Marsh

Water Level: Dry Vegetation: Good

Notes: Stay tuned this marsh is getting new tubes and might now re fill this year

Great Lakes Wildlife Unit

Wildlife Biologist: Chris LaRue Date Updated: 9/3/2025

Dickinson County

Christopherson Slough

Water Level: Christopherson slough is at crest elevation.

Vegetation: Good emergent vegetation however average submergents.

Notes: Most large wetlands in the complex have good water for walk-in hunting opportunities. The main

slough can be accessed by large and small boats with outboards.

Diamond Lake

Water Level: At or above crest elevation.

Vegetation: Average with decent submergents but reduced cattails after 2024 flooding.

Notes: Most large and small wetlands have good water for walk-in hunting opportunities. The main lake

can be accessed by large or small boats with outboard motors.

The 2024 flood took a toll on Diamond Lake. A partial drawdown may be started early next spring

to help improve vegetation and habitat conditions.

Dugout Creek

Water Level: At crest elevation Vegetation: Good to Excellent

Notes: Most of the large wetlands have good water for walk-in hunting opportunities. Dugout Creek

Marsh can be accessed by large and small boats with outboards.

Garlock Slough

Water Level: Garlock is at elevation with West Lake Okoboji

Vegetation: Good submergent veg but poor emergents after 2024 flooding

Notes: The slough can be accessed by a canoe or kayak if desired. The main complex has very good water

in most wetlands for walk-in hunting opportunities.

Grovers Lake

Water Level: At crest elevation

Vegetation: Good

Notes: Grovers can be accessed by large and small boats with outboards.

Hales Slough

Water Level: At crest with Big Spirit Lake

Vegetation: Good

Notes: Hales Slough can be accessed by large and small boats with outboards. Most large wetlands in the

complex have good water and habitat conditions for walk-in hunting opportunities.

Horseshoe Lake WMA

Water Level: At crest with recent late summer rains.

Vegetation: Good to Excellent

Notes: Horseshoe can be accessed by large and small boats. Sumbergent veg may make it difficult for

outboards, so recommend mud motors.

Jemmerson Slough Waterfowl Refuge

Water Level: At Crest

Vegetation: Good to Excellent

Notes: The Jemmerson Slough Wetlands Complex is about +/- 1,100 acres in size. Please note that 665

acres are in the designated Waterfowl Refuge that was established in 2009. The refuge is CLOSED

to all public access during the duck season.

In 2026 a drawdown may be done on portions of the main bays to help eliminate rough fish and to

enhance aquatic vegetation and habitat conditions.

Kettleson-Hogsback Complex

Water Level: West Hottes is in partial drawdown

Marble Lake is at crest elevation

Vegetation: West Hottes has excellent vegetation conditions.

Marble Lake has good vegetation conditions

Notes: West Hottes has been raised just over 1 foot after the 2025 drawdown. It will remain below Spirit

Lake's elevation to help remove rough fish this winter. Recommend small boats and mud motors as

large boats may have difficult time with the lower water level.

In 2026 Marble Lake may be drawn down possibly to enhance vegetation and habitat conditions.

Most large wetlands in the complex have good water for possible walk-in hunting opportunities.

Little Swan Lake

Water Level: Above crest with late summer rains

Vegetation: Good

Notes: Some of the larger marshes have good water and habitat conditions. Little Swan can easily be

accessed by large and small boats.

Sidel Marsh

Water Level: At crest elevation with recent rains.

Vegetation: Good evergent and submergents habitat

Notes: Sidel is a good location for walk-in hunting

Spring Run

Water Level: Most all large marshes and natural lakes are at or near crest elevation

Vegetation: Vegetation conditions are good in some areas but vary depending on parts of the main complex.

Notes: Scouting is recommended with all the water in the complex.

Spring Lake, Pleasant Lake, Prairie Lake, and Lily are all accessible by small or larger boats. Lily will

need a mud motor to navigate heavy cattail vegetation conditions.

Welch Lake Complex

Water Level: Most larger wetlands in the complex have very good water due to all the extended rains this

summer.

Vegetation: Good to excellent in parts of the complex

Notes: Recommend scouting but the area as always is excellent for walk-in hunting opportunities. Welch

Lake can be accessed by large or small boats for open water hunting.

Yager Slough

Water Level: At crest elevation Vegetation: Good habitat conditions

Notes: Yager Slough is a good walk-in hunting opportunity.

Osceola County

Rush Lake

Water Level: At crest elevation

Vegetation: Good to average habitat conditions in parts of the main lake.

Notes: Rush is accessible by large and small boats with outboard or mud motors.

Iowa River Wildlife Unit

Wildlife Biologist: Rod Ellingson Date Updated: 09/29/2025

Benton County

Dudgeon Lake

Water Level: At or near crest

Vegetation: Minimal

Notes: The Cedar River has been at flood stage several times this summer, so vegetation is minimal.

Johnson County

Hawkeye Wildlife Area

Water Level: 685.15

Vegetation: Good vegetation at the upper end

Notes: Most of the smaller wetlands have some water in them. The refuge is **CLOSED** to all public access

during the waterfowl season.

Swan Lake

Water Level: Low Vegetation: Dense

Notes: This has been dry for 3 years and is slow to fill so the vegetation is dense with trees growing around

the edges.

Tama County

Otter Creek

Water Level: Otter Creek Marsh is currently at crest elevation.

Vegetation: All segments have healthy diverse stands of annual emergent vegetation producing seed and

covering the majority of the segments. Some open water pockets mixed throughout containing

around average growth of submergent vegetation.

Notes:

Maquoketa Wildlife Unit

Wildlife Biologist: Nick McClimon

Date Updated: 10/2/2025

Clinton County

Goose Lake

Water Level: North Pool: Slightly below crest elevation

Center Pool: Slightly below crest elevation South Pool: Slightly below crest elevation

Vegetation: Pockets of open water surrounded by heavy emergent vegetation. Good submergent vegetation in

the open areas.

Notes: Aerial spraying of cattails in all three pools occurred in August 2025. Water levels are slightly lower

than they were on the teal opener due to the lack of rain the past month.

Jackson County

Green Island

Water Level: West Side: About a foot below crest.

East Side: At crest.

Vegetation: There are thick stands of emergent and sumbergent vegetation. There is a lot of smartweed and

wild millet growing this year. Good habitat conditions.

Notes: Water levels are slightly lower than they were on the teal opener due to the lack of rain the past

month. The west side is currently being pumped.

Jones County

Muskrat Slough

Water Level: Below crest.

Vegetation: The full drawdown caused by the drought has resulted in a thick stand of emergent vegetation in

the main basin. Good patches of smartweed and millet mixed into the cattail stand around the

basin edges

Notes: Water levels are lower than they were on the teal opener due to the lack of rain over the past

month.

Scott County

Princeton

Water Level: Slightly below crest

Vegetation: There are thick stands of emergent and sumbergent vegetation throughout the marsh. A lot of wild

millet. Good habitat conditions.

Notes: Aerial spraying of cattails occurred in August 2025. The public hunting side is currently being

pumped.

Missouri River Wildlife Unit

Wildlife Biologist: Doug Chafa Date Updated: 9/03/2025

Harrison County

Round Lake

Water Level: Vegetation: Notes:

Nobles Lake

Water Level: Vegetation:

Notes:	
Tyson Bend	
Water Level:	
Vegetation:	
Notes:	
Soldier Bend	
Water Level:	
Vegetation:	
Notes:	
California Bend	
Water Level:	
Vegetation:	
Notes:	
Monona County	
Badger Lake	
Water Level:	Some small sheet water in otherwise empty basin.
Vegetation:	Heavy vegetation from 3 yrs of the lake being empty.
Notes:	, , , , , , , , , , , , , , , , , , , ,
Blue Lake	
Water Level:	
Vegetation:	
Notes:	
Louisville Bend	
Water Level:	
Vegetation:	
Notes:	
Tieville Bend	
Water Level:	
Vegetation:	
Notes:	
110103.	
Woodbury County	
Browns Lake	
Water Level:	
Vegetation:	
Notes:	
Luton WMA	
LULUII VVIVIA	

Water Level: Vegetation: Notes:

Snyder Bend WMA

Water Level: Vegetation: Notes:

Winnebago Bend WMA

Water Level: Vegetation: Notes:

Table Marsh WMA

Water Level: Vegetation: Notes:

Nishnabotna Wildlife Unit

Wildlife Biologist: Matt Dollison Date Updated: 09/03/25

Fremont County

Riverton-Main Area

Water Level: Walk-in area (Johnson Tract) is dry due to FEMA levee repairs. Likely will not be flooded until

November, if at all. Started flooding Larsen Tract (Main boat area) on Aug. 27, water reached the

refuge line. More than half of the north refuge is at full pool or has water.

Vegetation: Good amount of smartweed and wild millet throughout.

Notes: Larsen Tract filling had to be stopped on Aug. 30 due to water nearly reaching the west ditch,

where FEMA dike repairs are occurring. Filling will resume as soon as FEMA repairs are completed

(Supposed to happen this week, weather permitting).

Riverton-Jensen Tract

Water Level: 1 foot below normal full pool.

Vegetation: Good amount of smartweed and wild millet throughout.

Notes:

Forney Lake

Water Level: Dry

Vegetation: Basin very vegetated with a mix of upland and wetland vegetation. Will be attractive for ducks if

flooded.

Notes:

Copeland Bend

Water Level: Dry except the deepest excavations and shallow water from recent rains that will likely be gone by

teal opener without more rain.

Vegetation: The deeper excavations have a little flooded vegetation on the edges. The new shallow rain

deposited water is very vegetated.

Notes:

MU Payne

Water Level: Dry except the deepest excavations and shallow water from recent rains that will likely be gone by

teal opener without more rain.

Vegetation: The deeper excavations have a little flooded vegetation on the edges. The new shallow rain

deposited water is mostly in standing corn.

Notes:

Cooper Creek

Water Level: Some water in the deepest borrow ditches.

Vegetation: Little to no flooded vegetation.

Notes:

Auldon Bar

Water Level: Dry except the deep scour holes.

Vegetation: No flooded vegetation in the scour holes.

Notes:

Botna Bottoms

Water Level: Dry

Vegetation: Good amount of high-quality vegetation present if flooded.

Notes:

Draper Bottoms

Water Level: Dry except the deepest excavations and shallow water from recent rains that will likely be gone by

teal opener without more rain.

Vegetation: The deeper excavations have a little flooded vegetation on the edges. The new shallow rain

deposited water is very vegetated.

Notes:

Mills County

Willow Slough

Water Level: 34 inches below normal full pool.

Vegetation: Basin has a ton of moist soil plants/duck food, much of which is currently dry.

Notes:

Haynie Slough

Water Level: Very little water. The water level is 2 inches above the bottom of the outlet tubes.

Vegetation: The small area of water is covered with cattails.

Notes:

Noddleman Island

Water Level: Deeper portions of excavations have water.

Vegetation: Mix of cattails and moist soil plants/duck food.

Notes:

St. Mary's Island

Water Level: No water except in the few borrow pits.

Vegetation: Cattail cover around borrow pits.

Notes:

Keg Creek I-29

Water Level: 3-5 feet below normal water level. Vegetation: Cattails/other veg around the basins.

Notes: Better duck habitat than normal, again this year, due to the low water table.

Odessa Wildlife Unit

Wildlife Biologist: Andy Robbins

Date Updated: 9/3/2025

Des Moines County

Blackhawk Bottoms

Water Level: Slightly higher than normal for this time of year due to Mississippi River levels.

Vegetation: More open water than usual, but there is still a good amount of emergent and submergent

vegetation.

Notes:

Louisa County

Cone Marsh

Water Level: Near normal for this time of year

Vegetation: Thick stands of emergent and submergent vegetation throughout the marsh. Good habitat

conditions.

Notes: Large patches of arrowhead, water lily, and lotus will create challenging hunting conditions until

the first frost defoliates them.

Klum Lake

Water Level: Near normal fall crest

Vegetation: Diverse emergent and submergent vegetation throughout the area. Excellent habitat conditions.

Mud motors are likely necessary due to the vast amounts of dense submergent vegetation.

Notes: Due to heavy rainfall this summer, Klum lake has filled without the need for pumping. Occasional

aerial spraying of cattails over the past several years has greatly improved habitat conditions by

diversifying the wetland vegetation.

Odessa Wildlife Area

Water Level: The water level is currently being lowered slightly after being well above normal all summer. This is

being done to alleviate flood stress on the remaining forest resource. (NOAA Gauges website)

Vegetation: Odessa currently has the least amount of wetland and moist-soil vegetation that it has had in

several years. This is due to prolonged high water on the Mississippi River this summer that prevented the Odessa water level from being drawn down. There is a small fringe of smartweed and millet inside of the buttonbush and along the perimeter of some parts of the area, but

otherwise the majority of Odessa is open water.

Notes: The buttonbush fared well this year and has put on a decent amount of growth.

Muscatine County

Wiese Slough

Water Level: Near normal for this time of year

Vegetation: Thick stands of emergent and submergent vegetation throughout the area. Good habitat

conditions.

Notes:

Prairie Lakes Wildlife Unit

Wildlife Biologist: Dusten Paulus and Lucas Straw Date Updated: 9/22/2025 (DP) 9/22/2025 (LS)

Clay County

Elk Lake

Water Level: At or near crest elevation.

Vegetation: Emergent and submergent vegetation is plentiful throughout the lake.

Notes: Habitat conditions are very good at Elk lake.

Barringer Slough

Water Level: At or near crest elevation.

Vegetation: Emergent and submergent vegetation are plentiful throughout the slough.

Notes: Habitat conditions at Barringer Slough are very good.

Dan Greene Slough

Water Level: At or near crest elevation.

Vegetation: Emergent and submergent vegetation are plentiful throughout the slough

Notes: Habitat conditions at Dan Greene Slough are excellent. Muskrat populations are booming, so

expect many pockets to be opening this fall.

DU Marsh

Water Level: At or near crest elevation.

Vegetation: Emergent and submergent vegetation are plentiful throughout the marsh.

Notes: Habitat conditions are good at DU marsh.

Trumbull Lake-Smith Slough Complex

Water Level: At or near crest elevation. Smith Slough is also at full pool.

Vegetation: Emergent and submergent vegetation are plentiful throughout the lake and slough.

Notes: Habitat conditions are excellent at Smith Slough and Trumbull lake. Once again, muskrat

populations are booming, especially on Trumbull lake, providing many pockets of hidden open water, and excellent opportunities. Scouting recommended prior to hunting on both bodies.

Emmet County

Cheever Lake

Water Level: Water levels are near crest

Vegetation: Cheever lake supports abundant and diverse beds of aquatic vegetation

Notes: Floating cattail mats have blocked the main boat access point. Preseason scouting is highly

recommended

Four-Mile Lake Complex

Water Level: Water levels are near crest on Four Mile Lake. Most smaller wetlands have huntable water.

Vegetation: Four Mile lake supports quality stands of emergent and submergent aquatic vegetation. Smaller

wetlands have abundant aquatic vegetation.

Notes: Floating cattail mats periodically block both the north and south boat accesses on Four Mile Lake.

Preseason scouting is highly recommended

Ingham High Complex

Water Level: Water levels are near crest on Ingham Lake, High Lake, Cunningham Slough, Snipe Meadow, and

West Swan Lake. East Slough is in a partial drawdown. Smaller wetlands have huntable water

Vegetation: Ingham Lake, High Lake, and Cunningham Slough have very little vegetation. East Slough, Snipe

Meadow, and West Swan Lake all have abundant emergent vegetation. Smaller sloughs and

wetlands have abundant vegetation

Notes: Preseason scouting is highly recommended. Ingham Lake, High Lake, and West Swan Lake provide

the best opportunity for boatable water

Iowa Lake and Iowa Lake Marsh Complex

Water Level: Water levels are near crest. Smaller wetlands on this complex have huntable water.

Vegetation: Iowa Lake has very little aquatic vegetation. Smaller wetlands on the complex have abundant

vegetation.

Notes: Preseason scouting is highly recommended

Tuttle Lake Complex

Water Level: Water levels are near crest. Smaller wetlands on this complex have huntable water Vegetation: Tuttle Lake has little to no vegetation. Smaller wetlands have abundant vegetation

Notes: Preseason scouting is highly recommended

Kossuth County

Goose Lake Complex

Water Level: Water levels are about 1 foot below crest. Smaller wetlands on this complex have huntable water Vegetation: Goose lake has a ring of emergent vegetation, with abundant submergents. Smaller wetlands have

abundant vegetation

Notes: Preseason scouting is highly recommended

Palo Alto County

Blue-Wing Marsh

Water Level: At or near crest elevation.

Vegetation: Emergent and submergent vegetation are plentiful throughout the marsh.

Notes: Blue-wing has good vegetation and habitat conditions this year.

Dewey's Pasture Complex

Water Level: At or near crest elevation.

Vegetation: All wetlands have good emergent and submergent vegetation.

Notes: All wetlands in the complex are in great condition for fall activities.

Fallow Marsh

Water Level: At or near crest elevation.

Vegetation: Emergent and submergent vegetation are plentiful throughout the marsh.

Notes: Habitat conditions are good at the complex.

Rush Lake

Water Level: At or near crest elevation.

Vegetation: Emergent and submergent vegetation are plentiful throughout the lake.

Notes: Rush looks great again this year and should offer excellent waterfowl opportunities for hunters.

Rathbun Wildlife Unit

Wildlife Biologist: Heath Van Waus

Date Updated: 8/28/2025

Appanoose County

Rathbun Lake Complex

Water Level: Current water level on Rathbun Lake is 907. Water will continue to be released until the lake hits

905 elevation. Wetlands surrounding the lake are at crest or near crest elevation.

Vegetation: Vegetation throughout the complex varies but overall wetlands have a diversity of emergent and

submergent veg.

Notes:

Sedan Bottoms

Water Level: Crest or near crest

Vegetation: Vegetation throughout the area varies but overall wetlands have a diversity of emergent and

submergent veg.

Notes:

Red Rock Wildlife Unit

Wildlife Biologist: Todd Gosselink

Date Updated: 9/29/2025

Jasper & Polk Counties

Colfax WMA and Chichaqua Bottoms Green Belt WMA

Water Level: Wet conditions earlier have saturated the ponds, oxbows and marshes with water, but levels have

dropped significantly with little rain the past two months. The Skunk River is fairly low now. The river levels impact the oxbows in the floodplain, and the lower river levels are impacting adjacent

wetlands.

Vegetation: Excellent stands of vegetation are present with the abundant rains this year, and will provide great

habitat if rains occur to keep levels up.

Notes: Because these wetlands are on the river floodplain and in close proximity to the river channel, they

are often underlain by porous soils and water levels are dependent upon the river water level,

which is currently at lower levels.

Rock Creek Marsh

Water Level: The water level is determined by the elevation of Rock Creek Lake, which is currently at normal

pool, and the marsh has been fully saturated with the heavy rains this summer.

Vegetation: There has been extremely heavy sedimentation the last few years resulting in reduced water

surface area. The main marsh has some open water conditions, but dense willows and arrowhead plants fill much of the marsh. Some of the basins that have been isolated by sedimentation have

good stands of emergent vegetation, primarily arrowhead.

Notes: Good for walk-in access.

Marion County

Red Rock Reservoir

Water Level: Lake Red Rock pool is increasing and will be at 743 by Oct 1. The DNR has requested that the USACE

raise the lake pool to 744 by Oct 18. The max allowed raise this year is 744 due construction on the dam. If construction is finished on the dam during the waterfowl season, the DNR has requested to raise the lake to 747 to put water in some habitat (most habitat was flooded out this summer). Due to the potential for fluctuating lake levels, it is crucial to monitor the lake water level and river

flows at the **USACE** website

Vegetation: The vegetation and food will be highly reduced. The high lake levels this summer reached 754 in

late August and reached normal pool end September 1 (742). This severely impacted the vegetation below 754, with not enough time for regrowth and seed production. However, the

upper areas of the reservoir at higher elevation were not impacted as much.

Boat Access: The Box Cars, OK Hill, and Bennington boat ramps are all accessible. However, due to more siltation

this spring, the Walnut Creek Cut will not be passable until higher lake levels are reached, typically

at least 744 or more.

Notes:

Swan Refuge

Water Level: The east cell of the refuge was full from the flooding in August, but levels are dropping

substantially, and pumping will occur in order to maintain the water levels.

Vegetation: Flooding in August reduced the vegetation stands substantially, but there are areas of smartweed

that were not killed back and will provide some food for waterfowl in the refuge this fall.

Notes: The refuge is an inviolate refuge area meaning no hunting or walking in refuge allowed during duck

seasons.

Warren County

Banner Flats WMA

Water Level: The wetlands in this area are oxbows or constructed basins vary in water levels. The large

reconstructed wetland by the shooting range is partially full. Other wetland water levels are full, but will vary depending upon the weather and the proximity of the wetland to the Middle River

channel, which is currently at low levels for this time of year.

Vegetation: Good stands of moist soil and emergent plants are present in the wetland areas.

Notes: These are walk-in areas.

Red Rock WMA

Water Level: There are numerous oxbows and constructed wetlands in the South River Unit, SW of Hartford.

Most wetlands are currently moderately full due to wet conditions this summer, but have dropped

with the past month.

Vegetation: Vegetation stands vary based on the summer flooding. Some areas are excellent, and other areas

were flooded out in the summer and are recovering quickly

Notes: These are walk-in areas.

Red Rock WMA Sub-impoundments

Water Level: Little Hartford wetland was full from August flooding, but has dropped substantially with the lack of

rain the past month. These are walk-in only, no boat access due to low leves. Big Hartford

(Richard's Marsh) has also dropped significantly from being full from the August flooding, but still higher than typically pumped. Pumping was initiated last week to maintain higher levels to keep

water in usable vegetation for waterfowl. . The boat ramps are both currently usable.

Vegetation: Both marshes have good vegetation, but reduced in the lower portions due to flood conditions this

summer.

Notes:

Runnells Marsh

Water Level: The Runnells Marsh is nearly full due to flood conditions this summer. Mud creek flow is currently

being diverted into the marsh to maintain the level, but creek flows will determine the levels.

Vegetation: There is moderate moist soil plant growth throughout all of Runnells Marsh since it did not

completely get submerged by the summer flooding (higher elevation than the Red Rock delta area,

but still negatively impacted by the high waters in August.

Notes: This marsh is an excellent walk-in site also, with access from HWY 316 and the boat ramp. The

southwest portion of the marsh can be accessed by crossing the dike and water control outflow

structure on the south side of the marsh.

Saylorville Wildlife Unit

Wildlife Biologist: Josh Gansen and Dean Nelson

Date Updated: 9/30/2025

Greene County

Dunbar Slough WMA

Water Level: At Pool

Vegetation: Good vegetation throughout

Notes: Heavy submergents

Dunbar Slough WPA

Water Level: Empty

Vegetation:

Notes: Failed Water Control Structure

Goose Lake WMA

Water Level: Pool

Vegetation: Heavy cattail with open pockets Notes: Heavy submergent vegetation

Snake Creek WMA

Water Level: Pool

Vegetation: Heavy Vegetation

Notes:

Guthrie County

Bays Branch WMA

Water Level: Below pool but still accessible

Vegetation: North end well vegetated by arrowhead and cattail, and rushes

Notes: Heavy submergent vegetation

Lakin Slough

Water Level: Pool

Vegetation: Good cattail vegetation throughout

Notes:

McCord Pond

Water Level: At pool

Vegetation: Cattail and rushes around edges

Notes:

Polk County

Saylorville Reservoir

Water Level: Conservation Pool is 836.0 Current elevation is 837.00 Vegetation: Moist Soil Vegetation was destroyed by summer flooding

Notes: Water Levels will increase to 838 by Oct 25th if conditions allow

Story County

Hendrickson Marsh

Water Level: Currently 1 foot above normal fall crest due to excessive rainfall

Vegetation: Limited emergent vegetation however submergent vegetation is plentiful throughout the lake.

Notes:

Sugema Wildlife Unit

Wildlife Biologist: Keith Wilcox Date Updated: 9/04/2025

Keokuk County

Hayesville Bend WMA

Water Level: Crest Vegetation: Excellent

Notes:

Van Buren County

Lake Sugema

Water Level: Crest Vegetation: Average Notes:

DeVoss/Foster WMA

Water Level: Crest Vegetation: Excellent

Notes:

Fox River WMA

Water Level: Crest Vegetation: Good

Notes:

Upper Iowa Wildlife Unit

Wildlife Biologist: Troy Anderson Date Updated: 9/23/2025

Allamakee County

Mississippi River-Pool 9

Water Level: The water level has recently dropped slightly since the teal opener and is just above normal "pool"

for this time of year. This should make for decent navigation but some mud flats may start showing

up if the river continues to drop.

Vegetation: With a fairly consistent level this summer there is a good mix of submergent and emergent

vegetation. "Wild" rice has become more abundant recently.

Notes: As always with the Mississippi River, pool levels may rise or fall with rain events or lack thereof. Pre

scouting is recommended.

Clayton County

Mississippi River-Pool 10

Water Level: The water level has recently dropped slightly since the teal opener and is just above normal "pool"

for this time of year. This should make for decent navigation but some mud flats may start showing

up if the river continues to drop.

Vegetation: With a fairly consistent level this summer there is a good mix of submergent and emergent

vegetation. "Wild" rice has become more abundant recently.

Notes: As always with the Mississippi River, pool levels may rise or fall with rain events or lack thereof. Pre

scouting is recommended.

Winneshiek County

Cardinal Marsh-Main Marsh

Water Level: Excellent water level. The water level should provide good boat access from the north boat ramp

and should be able to navigate throughout the main marsh.

Vegetation: The main marsh has a good mix of emergent and submergent vegetation with plenty of open water

to provide excellent hunting conditions.

Notes: Pre scouting is recommended, boat size and type of motor (surface drive, standard prop, etc.) may

limit how far one can travel throughout the marsh.

Cardinal Marsh-Segments

Water Level: Segments A, B and C have good water levels. Segment D was dewatered this summer for a wetland

restoration project to create some more open water opportunities. This project is complete and

will be able to hold some water for the later seasons.

Vegetation: There is a good mix of submergent and emergent vegetation in segments A, B and C, along with

some good huntable open water. Segment B was drawn down this summer and has an abundance

of rice cut grass with less open water. Segment D is starting to green up since the project has been completed and seeded.

Notes:

The segments are mainly walk-in areas and pre-scouting is recommended.