

Use Attainability Analysis

1 Water Body Name	Unnamed Tributary to Cooper Creek
2 Segment Description	Mouth to confluence with unnamed tributary
3 Segment Length (mi)	6.1
4 Drainage Area (sq. mi.)	5.4
5 Segment Start Latitude, Longitude (DD)	40.70105, -93.04316
6 Segment End Latitude, Longitude (DD)	40.68420, -93.10515
7 Route of Flow (Next Downstream Adopted Designated Use)	Unnamed Tributary (A2, BWW2, proposed) to Cooper Creek (A2, BWW2)
8 NPDES Facility and Permit Number (If Applicable)	Seymour, City of STP (9368001)
9 Sample Site ID(s)	1288-1, 1288-2
10 Segment County Name(s)	Appanoose/Wayne
11 Field Work Date(s)	9/7/2016

12 Aquatic Life Use Attainability Analysis - Conclusion

Recommended Highest Attainable Use: Aquatic Life Use	BWW2
40 CFR 131.10(g)(2) (Flow)	The natural low flow conditions of the stream segment are insufficient to create the habitat necessary to support a viable community of game fish. A lack of age ranges and diversity of game fish species indicates a non-reproducing population (see Site Observations Table). A BWW1 designation requires multiple species and age ranges to be viable. Therefore, the highest attainable aquatic life use for this stream segment is BWW2.
40 CFR 131.10(g)(5) (Physical Conditions)	Physical conditions related to the natural features of the water body are insufficient to support a viable community of game fish. Drainage area, stream width, and maximum depth fall within the "consistently negative" game fish indicator responses (see Table 2 in Appendix I). A lack of age ranges and diversity of game fish species indicates a non-reproducing population (see Site Observations Table). A BWW1 designation requires multiple species and age ranges to be viable. Therefore, the highest attainable aquatic life use for this stream segment is BWW2.

13 Recreational Use Attainability Analysis - Conclusion

Recommended Highest Attainable Use: Recreational Use	A2
40 CFR 131.10(g)(2) (Flow)	The natural low flow conditions and water levels of the stream segment prevent the attainment of an A1 recreational use (see Site Observations Table). An A1 designation requires the ability for full body immersion. Therefore, the highest attainable recreational use is A2.

14 Flow

Field Work Date	Description
9/7/2016	USGS stream gage 06904010 data for the area indicated stream flows were below normal at the time of assessment. However, the following day (9/8/2016) had normal flows due to rainfall in the area. Because this water body is a smaller tributary that reacts more quickly to rainfall than larger water bodies downstream (where this gage is located) do, and because it rained on the day of field work

Field Work Date	Description
	(https://mesonet.agron.iastate.edu/timemachine/?product=45&timestamp=201609070000), the flow for this segment is most likely within normal range at the time of field work.

Use Attainability Analysis - Data
Site Observations

Use	Site parameter	Site ID #1288-1
AL/R	15 Latitude, Longitude (DD)	40.68632, -93.09818
AL/R	16 Average Depth (in)	4
AL/R	17 Maximum Depth (in)	13
AL/R	18 Stream Width (ft)	3.5
AL/R	19 Pools Observed?	Yes
AL only	20 Non-Game Fish Present and Counts (Species: Number)	Central stoneroller: 1 Creek chub: 2 Fathead minnow: 46 Green sunfish: 26 Johnny darter: 1
	21 Game Fish Present and Counts (Species (Size Range): Number)	None
	22 Stream Habitat (See also: #29 Site Photos)	Thick brush along stream. Good shading. Difficult to fish, due to downed trees in water and across the stream. A trickle of flow with debris dams, creating deeper pool areas to support fish.
R only	23 Evidence of Use for Primary Contact Recreation? (Yes*/No)	No
	24 Evidence of Use by Children? (Yes*/No)	No
	25 Evidence of Use for Secondary Contact Recreation? (Yes*/No)	No
AL/R	26 Additional Description	N/A

Use	Site parameter	Site ID #1288-2
AL/R	15 Latitude, Longitude (DD)	40.69048, -93.05872
AL/R	16 Average Depth (in)	3
AL/R	17 Maximum Depth (in)	17
AL/R	18 Stream Width (ft)	5.5
AL/R	19 Pools Observed?	Yes
AL only	20 Non-Game Fish Present and Counts (Species: Number)	Bigmouth shiner: 12 Bluntnose minnow: 5 Central stoneroller: 7 Creek chub: 28 Fathead minnow: 9 Green sunfish: 1 Johnny darter: 9 Red shiner: 4 Sand shiner: 11
	21 Game Fish Present and Counts (Species (Size Range): Number)	Yellow bullhead: 3

Use	Site parameter	Site ID #1288-2
	22 Stream Habitat (See also: #29 Site Photos)	Steep banks into the stream at the bridge. Slow moving water. Good shading. The stream was quite variable in width and depth, with some downed woody debris in the water.
R only	23 Evidence of Use for Primary Contact Recreation? (Yes*/No)	No
	24 Evidence of Use by Children? (Yes*/No)	No
	25 Evidence of Use for Secondary Contact Recreation? (Yes*/No)	No
AL/R	26 Additional Description	N/A

AL = Aquatic Life


R = Recreation

*If yes, elaborate.

27 Supplemental Data

N/A

28 Map of Segment, Outfall, and Site(s)



29 Site Photos



Figure 1. 1288-1 Recreational use assessment midpoint looking upstream.



Figure 2. 1288-1 Recreational use assessment midpoint looking downstream.



Figure 3. 1288-1 Recreational use assessment upstream looking upstream.



Figure 4. 1288-1 Recreational use assessment upstream looking downstream.



Figure 5. 1288-1 Recreational use assessment downstream looking upstream.



Figure 6. 1288-1 Recreational use assessment downstream looking downstream.



Figure 7. 1288-1 Start of aquatic assessment looking upstream.



Figure 8. 1288-2 Recreational use assessment midpoint looking upstream.



Figure 9. 1288-2 Recreational use assessment midpoint looking downstream.



Figure 10. 1288-2 Recreational use assessment upstream looking upstream.



Figure 11. 1288-2 Recreational use assessment upstream looking downstream.



Figure 12. 1288-2 Recreational use assessment downstream looking upstream.



Figure 13. 1288-2 Recreational use assessment downstream looking downstream.



Figure 14. 1288-2 Start of aquatic assessment looking upstream.

Appendix I.

c. Stream Flow and Habitat Data

Data analysis results for stream flow and habitat variables were similar to game fish indicator results. Stream width, average thalweg depth, maximum depth, and flow appear to be the characteristics that correlate the best with consistently positive game fish indicators. Stream flow and habitat dimensions (where available) were consistently larger for streams with watershed sizes exceeding 275 square miles. Habitat measurements are not available for the largest sample sites that were sampled by boat instead of the typical wading method.

Ranges of stream size, habitat and flow associated with varying levels of game fish indicator responses are listed in Table 2. These are general statewide values, which may assist in decision making related to the recommendation of warm water aquatic life use designations. In general terms, stream segments that have watershed area, flow and habitat characteristics in the green shaded boxes have a greater probability that game fish indicators will be consistently positive (i.e., consistent with Class B(WW-1)), while stream habitat and flow levels that equate to the red boxes are much less likely to support game fish populations (i.e., Class B(WW-2) or Class B(WW-3)). Stream segments that have a mixture of characteristics, mainly in the yellow range, may require consideration of the additional habitat features collected during the field assessment, to determine the appropriate aquatic life use designation.

Table 2. Generalized statewide ranges of stream habitat indicator levels and associated game fish indicator responses.

Game Fish Indicator Responses	Stream Watershed Area (sq.mi.)	Stream Flow (typical base flow - cfs)	Stream Width Average (ft)	Average Depth (ft)	Avg. Thalweg Depth (ft)	Maximum Depth (ft)
Consistently Positive	>275	>30	>65	>1.2	>2.2	>4.4
Mixed	25-275	0.8-30	11-65	0.2-1.2	0.8-2.2	1.8-4.4
Consistently Negative	<25	<0.8	<11	<0.2	<0.8	<1.8

Iowa uses U.S. EPA's Level IV Ecoregions as a template for wadeable stream biological condition assessment. Stream flow and habitat characteristics can vary from ecoregion to ecoregion. To provide additional insight into where the area of overlap exists between Class B(LR/WW-2) and Class B(WW/WW-1) streams, a query of Iowa's bioassessment database produced 476 habitat assessment records from which a summary of habitat characteristics was prepared (Table 3a-f) (see appendix for full spreadsheet). The summary is grouped by ecoregion and former designated uses in order to illustrate the extremes and ranges of overlap in habitat characteristics.