

Use Attainability Analysis

1 Water Body Name	Devils Creek
2 Segment Description	Confluence with unnamed tributary to confluence with unnamed tributary
3 Segment Length (mi)	3.1
4 Drainage Area (sq. mi.)	15.9
5 Segment Start Latitude, Longitude (DD)	40.64689, -91.40943
6 Segment End Latitude, Longitude (DD)	40.67093, -91.39621
7 Route of Flow (Next Downstream Adopted Designated Use)	Devils Creek (A2, BWW3, proposed) to Devils Creek (General Use, General Use) to Devils Creek (A1, BWW2)
8 NPDES Facility and Permit Number (If Applicable)	Hidden Oak Estates (5600301)
9 Sample Site ID(s)	614-3
10 Segment County Name(s)	Lee
11 Field Work Date(s)	8/20/2007, supplemental visit 10/31/2025

12 Aquatic Life Use Attainability Analysis - Conclusion

Recommended Highest Attainable Use: Aquatic Life Use	BWW3
40 CFR 131.10(g)(2) (Flow)	The natural low flow conditions of the stream segment are insufficient to create the habitat necessary to support a viable community of game fish. A lack of age ranges and diversity of game fish species indicates a non-reproducing population (see Site Observations Table). A BWW1 designation requires multiple species and age ranges to be viable. The natural low flow conditions are also insufficient to sustain flow between perennial pools (see Site Observations Table). A BWW2 designation requires permanent flow. Therefore, the highest attainable aquatic life use for this stream segment is BWW3.
40 CFR 131.10(g)(5) (Physical Conditions)	Physical conditions related to the natural features of the water body are insufficient to support a viable community of game fish. Drainage area, stream width, and maximum depth fall within the “consistently negative” game fish indicator responses (see Table 2 in Appendix I). A lack of age ranges and diversity of game fish species indicates a non-reproducing population (see Site Observations Table). A BWW1 designation requires multiple species and age ranges to be viable. The physical conditions are also insufficient to sustain an aquatic community, except in perennial pools (see Site Observations Table). A BWW2 designation requires enough habitat beyond non-flowing perennial pools to support an aquatic community. Therefore, the highest attainable aquatic life use for this stream segment is BWW3.

13 Recreational Use Attainability Analysis - Conclusion

Recommended Highest Attainable Use: Recreational Use	A2
40 CFR 131.10(g)(2) (Flow)	The natural low flow conditions and water levels of the stream segment prevent the attainment of an A1 recreational use (see Site Observations Table). An A1 designation requires the ability for full body immersion. Therefore, the highest attainable recreational use is A2.

14 Flow

Field Work Date	Description
8/20/2007	USGS stream gage data for the area indicated stream flows were normal at the time of assessment.
10/31/2025	USGS stream gage data for the area indicated stream flows were normal at the time of assessment.

Use Attainability Analysis - Data

Site Observations

Use	Site parameter	Site ID #614-3
AL/R	15 Latitude, Longitude (DD)	40.66371, -91.40764
AL/R	16 Average Depth (in)	3
AL/R	17 Maximum Depth (in)	15
AL/R	18 Stream Width (ft)	6.5
AL/R	19 Pools Observed?	Yes
AL only	20 Non-Game Fish Present and Counts (Species: Number)	Bigmouth shiner (yoys and 4 adults): 20 Central stoneroller: 1 Green sunfish: >50 Orangethroat darter: 1
	21 Game Fish Present and Counts (Species (Size Range): Number)	Bluegill (2 in): 40 Largemouth bass (3-4 in): 40
	22 Stream Habitat (See also: #29 Site Photos)	Series of pools non-flowing, little habitat, some woody debris, 0 flow.
R only	23 Evidence of Use for Primary Contact Recreation? (Yes*/No)	No
	24 Evidence of Use by Children? (Yes*/No)	No
	25 Evidence of Use for Secondary Contact Recreation? (Yes*/No)	Yes. Old atv tracks found.
AL/R	26 Additional Description	No parking, no access. Creek nonflowing, perennial pools.

AL = Aquatic Life


R = Recreation

*If yes, elaborate.

27 Supplemental Data

Due to the time that has elapsed since the initial fieldwork was conducted on 8/20/2007 a supplemental site visit was conducted on 10/31/2025. On that visit it was observed that the beaver dam that was creating the large pool no longer existed. The stream bed in that location was completely dry with no pools at all. The furthest upstream site (#614-3) had continuously flowing water.

28 Map of Segment, Outfall, and Site(s)



29 Site Photos



Figure 1. 614-3 Bridge looking upstream.



Figure 2. 614-3 Bridge looking upstream #2.



Figure 3. 614-3 Bridge looking upstream, supplemental visit.



Figure 4. 614-3 Bridge looking downstream.



Figure 5. 614-3 Bridge looking downstream, supplemental visit.



Figure 6. 614-3 Start of aquatic assessment looking downstream.



Figure 7. 614-3 Start of aquatic assessment looking upstream.



Figure 8. 614-3 Start of aquatic assessment looking upstream #2.



Figure 9. 614-3 End of aquatic assessment looking downstream.



Figure 10. 614-3 End of aquatic assessment looking upstream.



Figure 47. 614-3 End of aquatic assessment looking upstream #2.



Figure 11. 614-3 Largemouth Bass found in the assessed reach.



Figure 12. 614-3 Upstream recreation site looking upstream.



Figure 13. 614-3 Upstream recreation site looking upstream #2.



Figure 14. 614-3 Upstream recreation site looking downstream.



Figure 15. 614-3 Upstream recreation site looking downstream #2.



Figure 16. 614-3 Downstream recreation site looking upstream.



Figure 17. 614-3 Downstream recreation site looking upstream #2.



Figure 18. 614-3 Downstream recreation site looking downstream.

Appendix I.

c. Stream Flow and Habitat Data

Data analysis results for stream flow and habitat variables were similar to game fish indicator results. Stream width, average thalweg depth, maximum depth, and flow appear to be the characteristics that correlate the best with consistently positive game fish indicators. Stream flow and habitat dimensions (where available) were consistently larger for streams with watershed sizes exceeding 275 square miles. Habitat measurements are not available for the largest sample sites that were sampled by boat instead of the typical wading method.

Ranges of stream size, habitat and flow associated with varying levels of game fish indicator responses are listed in Table 2. These are general statewide values, which may assist in decision making related to the recommendation of warm water aquatic life use designations. In general terms, stream segments that have watershed area, flow and habitat characteristics in the green shaded boxes have a greater probability that game fish indicators will be consistently positive (i.e., consistent with Class B(WW-1)), while stream habitat and flow levels that equate to the red boxes are much less likely to support game fish populations (i.e., Class B(WW-2) or Class B(WW-3)). Stream segments that have a mixture of characteristics, mainly in the yellow range, may require consideration of the additional habitat features collected during the field assessment, to determine the appropriate aquatic life use designation.

Table 2. Generalized statewide ranges of stream habitat indicator levels and associated game fish indicator responses.

Game Fish Indicator Responses	Stream Watershed Area (sq.mi.)	Stream Flow (typical base flow - cfs)	Stream Width Average (ft)	Average Depth (ft)	Avg. Thalweg Depth (ft)	Maximum Depth (ft)
Consistently Positive	>275	>30	>65	>1.2	>2.2	>4.4
Mixed	25-275	0.8-30	11-65	0.2-1.2	0.8-2.2	1.8-4.4
Consistently Negative	<25	<0.8	<11	<0.2	<0.8	<1.8

Iowa uses U.S. EPA's Level IV Ecoregions as a template for wadeable stream biological condition assessment. Stream flow and habitat characteristics can vary from ecoregion to ecoregion. To provide additional insight into where the area of overlap exists between Class B(LR/WW-2) and Class B(WW/WW-1) streams, a query of Iowa's bioassessment database produced 476 habitat assessment records from which a summary of habitat characteristics was prepared (Table 3a-f) (see appendix for full spreadsheet). The summary is grouped by ecoregion and former designated uses in order to illustrate the extremes and ranges of overlap in habitat characteristics.