## MONITORING WELL / PIEZOMETER CONSTRUCTION DOCUMENTATION FORM

Disposal Site Name:	Permit No.:
•	te Started: Date Completed:
Applicable Requirements <sup>1</sup> : 567 IAC 113	567 IAC 115 Site Permit
567 IAC 114 [	567 IAC 139
A. SURVEYED LOCATION <sup>2</sup> AND ELEVATION OF PO	INT
Elevations (MSL): Ground Surface:	Top of Protective Casing:
Top of Well Casing:	
Site Coordinates: Northing:	Easting:
World Coordinates: Latitude:	Longitude:
Flevation and Coordinate Systems:	
B. SOIL BORING INFORMATION	
Certified Well Contractor	
Address	City, State, Zip Code
Name of driller	Cert No.
Drilling method Drilling fl	uid Bore hole diameter
Soil sampling method	Depth of boring
C. MONITORING WELL INSTALLATION	
	Placement method:
Casing material:	<del></del>
Length of casing:	Quantity:
Casing diameter:	
Casing Joseph Light type:	Material:
Casing/screen joint type:	<del></del>
Screen material:	•
Screen opening size:	
Screen length:	Material of protective casing: Material of grout between
Depth of Well:	protective casing and well casing:
Filter Pack:	Protective cashing and well cashing.
Material:	Material:
Grain Size:	Vented?: Y N Locking?: Y N
Quantity:	Well cap:
Seal (minimum 3 ft. length above filter pack):	Material:
Material:	Vented?: Y N
D. GROUNDWATER MEASUREMENT (±0.01 foot b	•
Water level	Stabilization time
Well development method	
Average depth of frost line	

<sup>&</sup>lt;sup>1</sup> Refer to the site's permit to determine applicable requirements. Note that some sites may only be regulated by their permit versus current landfill chapters. If the permit and rule are silent regarding applicable requirements, then 567 IAC Chapter 39 shall apply, which requires use of the Well Log (Well Record) Form, not this form. If the applicable requirements have been modified and approved by the DNR, then note under Other.

<sup>&</sup>lt;sup>2</sup> The location does not need to be surveyed by a licensed surveyor. A handheld GPS reading accurate to +/- 30 feet is acceptable when an aerial photograph showing the location (pin) is included with this form. The site coordinates should be the same coordinate system currently used for survey control and mapping of the site.

## **DRILLER'S CERTIFICATION**


I certify under penalty of law I believe the information reported above is true, accurate, and complete.

Signature Certification # Date

Note: Attach well log, boring log, and map showing new monitoring well/piezometer location in relation to existing wells or piezometers.

Complete one form for each well plugged and submit within 30 days to the local county agent, DNR project officer, and Erik Day with the DNR's Water Supply Section at <a href="mailto:erik.day@dnr.iowa.gov">erik.day@dnr.iowa.gov</a>. DNR prefers that the forms be completed and submitted electronically.

## Elevations: ±0.01 ft. MSL



## **Required Data:**

- Elevations for A, B, and C shall be surveyed.
- Depths for W, X, Y, and Z shall be field measured following completion of each item.
- Lengths of the Protective Casing (PC), Screen (S), and Well Point (WP) shall be field measured prior to installation of each item.
- The total Depth (TD) from the Top of Well Casing to the Bottom of Well Point shall be field measured following installation.

PC:	S:	
WP:	TD:	