



ASBESTOS NOTIFICATION OF DEMOLITION AND RENOVATION

DNR USE ONLY			
CON 10-15	County #:		
Date:		Initials:	
<input type="checkbox"/> Check/Money Order <input type="checkbox"/> Credit Card <input type="checkbox"/> Cash			

This notice must be postmarked at least ten (10) working days before beginning the activity. All applicable information must be included.

Notification Fee: Effective beginning January 15, 2016, each required **Original** or **Annual** notification must be accompanied by the fee required by 567 IAC 30.3(1).

567 IAC 30.3(1) Payment of fees established. Beginning on January 15, 2016, the owner or operator of a site subject to the national emission standard for hazardous air pollutants (NESHAP) for asbestos notifications adopted by reference in paragraph 23.1(3)"a," shall submit a fee with each required original or each annual notification for each demolition or renovation, including abatement.

Fees are **not** required for the following:

- a. Notifications when the total amount of asbestos to be removed or disturbed is less than 260 linear feet, less than 160 square feet, and less than 35 cubic feet of facility components and is below the reporting thresholds as defined in 40 CFR 61.145 as amended on January 16, 1991;
- b. Notifications of training fires as required in 567—paragraph 23.2(3)"g";
- c. Controlled burning of demolished buildings as required in 567—paragraph 23.2(3)"j";
- d. Revised, canceled, and courtesy notifications. A revision to a previously submitted courtesy notification due to applicability of the notification requirements in 567—paragraph 23.1(3)"a" is considered an original notification and is subject to the fee requirements of subrule 30.3(1).

Each required fee is \$100 payable to "Iowa Department of Natural Resources" in the form of a check, money order, credit card or cash. Please do not send cash in the mail.

Owner or Operator Name Paying Fee: _____ Phone #: _____

\$100 Fee Enclosed Contact for Credit Card Payment or State Agency

1. Type of Notification

- Original (Fee) Revised Cancelled Courtesy Annual (Fee)

2. Type of Operation

(Each Type of Operation requiring an original notification must be accompanied by a separate \$100 fee.)

- Abatement Demolition
- Renovation Ordered Demolition
- Emergency Renovation

3. Is Asbestos Present?

- Yes No – Abatement has already occurred
- No – Asbestos found is under NESHAP limits

4. Scheduled Dates asbestos removal (MM/DD/YY) Start: _____ Stop: _____

5. Scheduled Dates Demo/Renovation (MM/DD/YY) Start: _____ Stop: _____

6. Facility Description (Include building name, number and floor or room number.)

Building Name: _____

Address: _____ County: _____

City: _____ State: _____ Zip: _____

Site Location (floor or room number(s)): _____

Building Size: _____ No of floors: _____ Year Constructed: _____

Present Use: _____ Prior Use: _____

7. Facility Information (Identify owner, and operator)

Owner Name: _____

Address: _____

City: _____ State: _____ Zip: _____

Contact: _____ Phone: _____

Operator (if different from owner): _____
Address: _____
City: _____ **State:** _____ **Zip:** _____
Contact: _____ **Phone:** _____

8. Asbestos Abatement Contractor (if applicable)

Contractor Name: _____ **IA Permit Number:** _____
Address: _____
City: _____ **State:** _____ **Zip:** _____
Contact: _____ **Phone:** _____

9. Demolition Contractor (if applicable)

(if ordered demolition)

Contractor Name: _____ **IA Permit Number:** _____
Address: _____
City: _____ **State:** _____ **Zip:** _____
Contact: _____ **Phone:** _____

10. Asbestos Inspector (required unless an Ordered Demolition or Emergency Renovation)

Name of Inspector: _____ **IA License Number:** _____
Date Inspected: _____ **Phone:** _____

11a. Approximate Amount of Asbestos (for Abatement purposes only)	Regulated Asbestos-Containing Material (RACM) to be Removed	Nonfriable Asbestos-Containing Material Not To Be Removed (Category I and II)
Total Surface Area (Sq. Ft.) (Also see 11b.)		
Facility Component(s) (Cu. Ft.)		
Pipes (Linear Ft.)		

11b. Quantity in Sq. Ft. the Total Surface Area of RACM to be removed from 11a (check all that apply)

Do not include Pipes or Facility Components

- Floor Materials _____ Ceiling Materials _____ Roofing Materials _____
 Interior Wall Systems _____ Spray-on Materials _____ Asbestos Cement Board _____
 Window Glaze/Caulk _____ Other: _____

12. Procedure, including analytical method, if appropriate, used to detect the presence of asbestos materials.

- Polarized Light Microscopy (PLM) Other: _____

13. Description of work practices and engineering controls to be used to prevent asbestos emissions

(check all that apply)

- Adequately Wet Materials Glove Bag Seal in Leak Tight Containers Encapsulate
 Negative Air Containment Seal in Leak Tight Wrapping Mini-enclosure
 Lined Containers Other: _____

14. Description of planned demolition or renovation work (check all that apply)

- Backhoe Bulldozer Hand Removal
 Implosion Other: _____

15. Waste Transporter #1

Name: _____
Address: _____
City: _____ **State:** _____ **Zip:** _____
Contact: _____ **Phone:** _____

Waste Transporter #2 (if applicable)

Name: _____

Address: _____
City: _____ State: _____ Zip: _____
Contact: _____ Phone: _____

16. Waste Disposal Site #1

Name: _____
Address: _____
City: _____ State: _____ Zip: _____
Phone: _____

Waste Disposal Site #2 (if applicable)

Name: _____
Address: _____
City: _____ State: _____ Zip: _____
Phone: _____

17. If Demolition Ordered by a Government Agency, Identify the Agency and Attach a Copy of the Order

Name of Responsible Official: _____
Title: _____ Phone: _____
Authority: _____
Date of Order (MM/DD/YY): _____

18. If Emergency Renovation, Please Complete this Section

Date Emergency (MM/DD/YY): _____ Time of Emergency: _____
Description of the emergency of sudden event: _____

Explanation of how the event caused unsafe conditions or would cause equipment damage or an unreasonable financial burden:

19. Description of procedures to be followed if there is an unexpected asbestos fiber release:

STOP WORK AND CALL A CERTIFIED ASBESTOS CONTRACTOR AND THE DNR I agree

20. Certification (required if asbestos is present)

I certify that an individual trained in the provisions of regulation 40 CFR Part 61, Subpart M (Asbestos NESHAP) will be onsite during the demolition or renovation and evidence that the required training has been accomplished by this person will be available for inspection during normal business hours.

_____ Name (Print)	_____ Title	_____ Date
_____ Signature of Owner/Operator	_____ Company/Organization	

21. I certify to the best of my knowledge that the above information is true and correct

_____ Name (Print)	_____ Title	_____ Date
_____ Signature of Owner/Operator	_____ Company/Organization	

MAIL TO: Iowa DNR- Air Quality
502 E 9th St
Des Moines IA 50319
515-725-8200

INSTRUCTIONS
ASBESTOS NOTIFICATION OF DEMOLITION AND RENOVATION FORM

GENERAL INFORMATION

The Asbestos NESHAP, 40 CFR 61.145 and 567 IAC 23.1(3), requires written notification of demolition or renovation activities in facilities. In most cases, a facility includes all types of structures except single family homes and apartment buildings having no more than four units. The enclosed form must be used to fulfill this requirement. Only complete notification forms will be accepted.

The notification should be typewritten or neatly printed and postmarked or delivered no later than ten days prior to the beginning of either the asbestos removal activity (Section IV) or demolition activity (in Section V) whichever is applicable.

INSTRUCTIONS

1. **Type of Notification:** Check "Original" if the notification is a first time or original notification, "Revised" if the notification is a revision of a prior notification, or "Canceled" if the activity has been canceled. Check "Courtesy" if you would like to make DNR aware of a non-regulated project. Check "Annual" for projects in accordance with 40 CFR Part 61, Subpart M 61.145(a)(4)(iii).
2. **Type of Operation:** Check as appropriate for facility abatement, demolition, renovation, ordered demolitions, or emergency renovations. A notification for renovation is required only if asbestos was removed or still present but not being disturbed. However, if asbestos has been or will be removed, then a separate abatement notification form should be submitted by the appropriate part.
3. **Is Asbestos Present?** Answer "Yes," "No – Abatement has already occurred," or "No – Asbestos found is under NESHAP limits."
4. **Scheduled Dates of Asbestos Removal (MM-DD-YY):** Enter scheduled dates (month/day/year) for asbestos removal work. Asbestos removal work includes any activity, including site preparation, which may break up, dislodge or disturb asbestos material.
5. **Scheduled Dates of Demolition/Renovation (MM-DD-YY):** Enter scheduled dates (month/day/year) for beginning and ending the planned demolition or renovation project.
6. **Facility Description:** Provide the following information on the areas being renovated or demolished:

Building Address :	Physical location of site
Site Location (floor or room number)	Enter specific location
Building Size:	The building size in square feet.
No. of Floors:	Enter the number of floors including basement, if applicable.
Year Constructed:	Enter year the facility was originally constructed.
Present Use/Prior Use:	Describe the primary use of the facility or enter the following codes: AC – Apartment Complex, B – Boat/Ship, BR – Bridge, CH – Church, C – Commercial, F – Fire Damaged, G – Government, H – Hospital, I – Industrial, M – Miscellaneous, MG – Manufacturing, N – Nursing Home, O – Office, P – Public Building, R – Residence, S - School, U – University/College, V - Vacant
7. **Facility Information:** Enter the names, addresses, contact persons and telephone numbers of the following:
 - Owner:** Legal owner of the site at which asbestos is being removed or demolition planned.
 - Operator:** General contractor, or any other person who leases, operates, controls or supervises the site.

If known, the name of the site supervisor should be entered as the contact person for the notification. If additional parties share responsibility for the site, demolition activity, renovation or ACM removal, include complete information (including name, address, contact person and telephone number) on additional sheets submitted with the form.
8. **Asbestos Abatement Contractor:** If notification is being submitted for asbestos removal enter the name of contractor hired to remove asbestos, contractor permit number, address, contact, and phone number.
9. **Demolition Contractor:** If notification is being submitted for demolition or renovation enter the name of contractor hired, permit number, address, contact, and phone number.
10. **Asbestos Inspector:** Enter the individual who conducted the asbestos inspection prior to demolition/renovation, the inspector license number, date inspected and telephone number.
11. **a) Approximate Amount of Asbestos Including:** (1) Regulated ACM to be removed (including nonfriable ACM to be sanded, ground or abraded); and (2) Category I and Category II nonfriable asbestos containing material not to be removed. For both renovations and demolitions, enter the amount of RACM to be removed by entering a number in the appropriate box. If applicable, enter the amount of nonfriable ACM not to be removed during a demolition or renovation.

Category I nonfriable material includes packing, gaskets, resilient floor covering and asphalt roofing materials. Category II nonfriable material includes any material, excluding Category I materials, that when dry, cannot be crumbled, pulverized or reduced to powder by hand pressure, or mechanical forces expected to operate on the material during the demolition or renovation activity. All Category II materials must be removed prior to demolition.

Complete the volume from facility component(s) if asbestos-containing materials have been removed from facility components and the volume is known.

b) Quantify in Sq. Ft. the Total Surface Area of RACM to be removed from 11a. Check the type of RACM to be removed and enter the square feet for each material. (Total 11b square feet should equal 11a square feet of RACM to be removed.) **Facility Components and Pipes are not included in 11b.**

12. **Asbestos Testing Procedure:** Check the appropriate box for the procedure that was used to determine asbestos content.
13. **Description of Work Practices and Engineering Controls to Prevent Asbestos Emissions:** Check the appropriate box(s) for work practices that will be employed to prevent asbestos emissions.
14. **Description of Planned Demolition or Renovation Work:** Check the appropriate box(s) that describe the renovation/ demolition technique(s) to be used.
15. **Waste Transporter(s):** Enter the name(s), addresses(s), contact person(s) and telephone number(s) of the person(s) or company(ies) responsible for transporting ACM from the removal site to the waste disposal site. If the removal contractor or owner is the waste transporter, state "same as owner" or "same as removal contractor."
16. **Waste Disposal Site:** Identify the waste disposal site, including the complete name, location, and telephone number of the facility. If ACM is to be disposed of at more than one site, provide complete information on an additional sheet submitted with the form.
17. **If Demolition Ordered by a Government Agency, Please Identify the Agency below:** Provide the name of the responsible official, title and agency, authority under which the order was issued and the date of the order. A copy of the order from the government agency must be attached to this form.
18. **Emergency Renovation Information:** Provide the date and time of the emergency, a description of the event and a description of unsafe conditions, equipment damage or financial burden resulting from the event. The information should be detailed enough to evaluate whether a renovation falls within the emergency exemption.
19. **Description of Procedures to be Followed in the Event that Unexpected Asbestos Fiber Release:** Provide adequate information to demonstrate that appropriate actions have been considered and can be implemented to control asbestos emissions adequately, including at a minimum, conformance with applicable work practice standards. Attach an additional sheet of paper if needed and submit with this form.
20. **Certification:** This is required if asbestos is present, i.e. abatements and ordered demolitions. Include signature, date, printed name, title, and company to certify that training provisions required by the asbestos NESHAP regulation will be followed.
21. **Information provided in notification is true and correct:** This is required for all notifications. Include signature, date, printed name, title, and company to certify the information provided is true and correct to the best of your knowledge.