

Lab Comments -- 4th Quarter 2001

4th Quarter 2001

Page 1 of 37

ACKLEY

WELL 2

Lab No.: 200110119 Upon receipt at the UHL sample meets standard acceptance criteria.

Lab No.: 200110119 on labels 8:38.

WELL 3

Lab No.: 200110120 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 7

Lab No.: 200110121 Upon receipt at the UHL sample meets standard acceptance criteria.

AKRON

WELL 4

Lab No.: 200110104 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110104 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 5

Lab No.: 200110105 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110105 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 6

Lab No.: 200110106 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110106 EXCEPT:sample temperature exceeds 6 degrees celsius.

ALBURNETT

WELL 2

Lab No.: 200110225 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110225 EXCEPT:sample temperature exceeds 6 degrees celsius.

Lab No.: 200110225 Seperate times listed on liters.

Lab No.: 200110225 Seperate times listed on vials.

ALDEN

WELL 2

Lab No.: 200109835 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 3

Lab No.: 200109836 Upon receipt at the UHL sample meets standard acceptance criteria.

ALGONA

WELL 1

Lab No.: 200109868 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200109868 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200109869 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200109869 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 5

Lab No.: 200109870 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200109870 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 6

Lab No.: 200109871 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200109871 EXCEPT:sample temperature exceeds 6 degrees celsius.

Lab No.: 200109871 time on labels 11:15.

ALGONA

WELL 7

Lab No.: 200109872 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200109872 EXCEPT:sample temperature exceeds 6 degrees celsius.

AMANA

WELL 3

Lab No.: 200110179 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200110179 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 5

Lab No.: 200110180 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200110180 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 6

Lab No.: 200110181 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200110181 EXCEPT:sample temperature exceeds 6 degrees celsius.

ANAMOSA

WELL 1

Lab No.: 200109951 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200109952 Upon receipt at the UHL sample meets standard acceptance criteria.
Lab No.: 200109952 on labels 7:55.

WELL 4

Lab No.: 200112277 Upon receipt at the UHL sample meets standard acceptance criteria.

ANDREW

WELL 1

Lab No.: 200109929 Upon receipt at the UHL sample meets standard acceptance criteria.
Lab No.: 200109929 on labels 7:28.

WELL 2

Lab No.: 200109930 Upon receipt at the UHL sample meets standard acceptance criteria.
Lab No.: 200109930 on labels 7:01.

APLINGTON

WELL 2

Lab No.: 200109832 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200109832 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200109833 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200109833 EXCEPT:sample temperature exceeds 6 degrees celsius.

ARLINGTON

WELL 3

Lab No.: 200109849 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 4

Lab No.: 200109850 Upon receipt at the UHL sample meets standard acceptance criteria.

ASBURY

WELL 5

Lab No.: 200111861 Upon receipt at the UHL sample meets standard acceptance criteria

ASBURY

WELL 5

Lab No.: 200111861 EXCEPT: sample temperature exceeds 6 degrees celsius.

ATKINS

WELL 1

Lab No.: 200109856 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200109856 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200109857 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200109857 EXCEPT:sample temperature exceeds 6 degrees celsius.

ATLANTIC

WELL 10

Lab No.: 200109841 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 11

Lab No.: 200109842 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 12

Lab No.: 200109843 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 6

Lab No.: 200109838 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 7

Lab No.: 200109839 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 8

Lab No.: 200109840 Upon receipt at the UHL sample meets standard acceptance criteria.

AUBURN

WELL 4

Lab No.: 200109964 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200109964 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 5

Lab No.: 200109965 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200109965 EXCEPT:sample temperature exceeds 6 degrees celsius.

BALDWIN

WELL 1

Lab No.: 200109945 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200109946 Upon receipt at the UHL sample meets standard acceptance criteria.

BANCROFT

WELL 2

Lab No.: 200112022 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200112022 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200112023 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200112023 EXCEPT: sample temperature exceeds 6 degrees celsius.

BAYARD

WELL 1

BAYARD

WELL 1

Lab No.: 200109846 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200109847 Upon receipt at the UHL sample meets standard acceptance criteria.

BENNETT

WELL 1

Lab No.: 200109935 Upon receipt at the UHL sample meets standard acceptance criteria.

BETTENDORF

WELL 1

Lab No.: 200110100 Upon receipt at the UHL sample meets standard acceptance criteria.

BRIGHTON

WELL 2

Lab No.: 200110005 Upon receipt at the UHL sample meets standard acceptance criteria.

BRITT

WELL 1

Lab No.: 200109942 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200109943 Upon receipt at the UHL sample meets standard acceptance criteria.

BUFFALO

WELL 1

Lab No.: 200109932 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200109933 Upon receipt at the UHL sample meets standard acceptance criteria.

BURLINGTON

WELL 1

Lab No.: 200110697 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110697 EXCEPT:sample temperature exceeds 6 degrees celsius.

Lab No.: 200110903 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110903 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200110904 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110904 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200110905 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110905 EXCEPT:sample temperature exceeds 6 degrees celsius.

CALAMUS

WELL 1

Lab No.: 200109937 Upon receipt at the UHL sample meets standard acceptance criteria.

CALMAR

WELL 2

Lab No.: 200109939 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 3

CALMAR

WELL 3

Lab No.: 200109940 Upon receipt at the UHL sample meets standard acceptance criteria.

CASCADE

WELL 4

Lab No.: 200110253 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 5

Lab No.: 200110254 Upon receipt at the UHL sample meets standard acceptance criteria.

Lab No.: 200110468 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110468 EXCEPT:sample temperature exceeds 6 degrees celsius.

CEDAR FALLS

WELL 10

Lab No.: 200109865 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 11

Lab No.: 200109866 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 3

Lab No.: 200109861 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 6

Lab No.: 200109862 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 7

Lab No.: 200109863 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 8

Lab No.: 200109864 Upon receipt at the UHL sample meets standard acceptance criteria.

CEDAR RAPIDS

WELL E1

Lab No.: 200111988 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL E10

Lab No.: 200111994 Upon receipt at the UHL sample meets standard acceptance criteria.

Lab No.: 200112144 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL E11

Lab No.: 200111995 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL E12

Lab No.: 200111996 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL E13

Lab No.: 200111997 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL E15

Lab No.: 200111998 Upon receipt at the UHL sample meets standard acceptance criteria.

Lab No.: 200111998 have been marked Well E15.

Lab No.: 200112145 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL E16

Lab No.: 200111999 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL E17

Lab No.: 200112000 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL E18

Lab No.: 200112001 Upon receipt at the UHL sample meets standard acceptance criteria.

Lab No.: 200112146 Upon receipt at the UHL sample meets standard acceptance criteria.

CEDAR RAPIDS

WELL E19

Lab No.: 200112002 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL E2

Lab No.: 200111989 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL E20

Lab No.: 200112003 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL E4

Lab No.: 200111990 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL E5

Lab No.: 200111991 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL E8

Lab No.: 200111992 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL E9

Lab No.: 200111993 Upon receipt at the UHL sample meets standard acceptance criteria.

Lab No.: 200111993 should have been marked Well E9.

Lab No.: 200112143 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL SEM11

Lab No.: 200111987 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL SEM2

Lab No.: 200111982 Upon receipt at the UHL sample meets standard acceptance criteria.

Lab No.: 200112241 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL SEM4

Lab No.: 200111983 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL SEM6

Lab No.: 200111984 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL SEM7

Lab No.: 200111985 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL SEM8

Lab No.: 200111986 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL W1

Lab No.: 200112136 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL W2

Lab No.: 200112137 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL W3

Lab No.: 200112138 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL W4

Lab No.: 200112139 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL W6

Lab No.: 200112140 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL W7

Lab No.: 200112141 Upon receipt at the UHL sample meets standard acceptance criteria.

CENTRAL CITY

WELL 2

Lab No.: 200109948 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200109948 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200109949 Upon receipt at the UHL sample meets standard acceptance criteria

CENTRAL CITY

WELL 3

Lab No.: 200109949 EXCEPT:sample temperature exceeds 6 degrees celsius.

CHARLES CITY

WELL 4

Lab No.: 200110500 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110500 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 7

Lab No.: 200110501 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110501 EXCEPT:sample temperature exceeds 6 degrees celsius.

CHARLOTTE

WELL 2

Lab No.: 200110011 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 3

Lab No.: 200110012 Upon receipt at the UHL sample meets standard acceptance criteria.

CLARENCE

WELL 2

Lab No.: 200109852 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200109852 EXCEPT:sample temperature exceeds 6 degrees celsius.

Lab No.: 200109852 on labels 7:35.

WELL 4

Lab No.: 200109853 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200109853 EXCEPT:sample temperature exceeds 6 degrees celsius.

Lab No.: 200109853 on labels 7:53.

CLEAR LAKE

WELL 1

Lab No.: 200109926 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200109859 Upon receipt at the UHL sample meets standard acceptance criteria.

Lab No.: 200109927 Upon receipt at the UHL sample meets standard acceptance criteria.

CLINTON

WELL 10

Lab No.: 200110393 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110393 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 11

Lab No.: 200110394 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110394 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200110388 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110388 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 6

Lab No.: 200110389 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110389 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 7

Lab No.: 200110390 Upon receipt at the UHL sample meets standard acceptance criteria

CLINTON

WELL 7

Lab No.: 200110390 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 8

Lab No.: 200110391 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110391 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 9

Lab No.: 200110392 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110392 EXCEPT:sample temperature exceeds 6 degrees celsius.

COGGON

WELL 1

Lab No.: 200110002 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200110003 Upon receipt at the UHL sample meets standard acceptance criteria.

COLESBURG

WELL 2

Lab No.: 200110212 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 4

Lab No.: 200110213 Upon receipt at the UHL sample meets standard acceptance criteria.

COLUMBUS JUNCTION

WELL 4

Lab No.: 200110192 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 5

Lab No.: 200110193 Upon receipt at the UHL sample meets standard acceptance criteria.

CONRAD

WELL 3

Lab No.: 200110230 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 4

Lab No.: 200110231 Upon receipt at the UHL sample meets standard acceptance criteria.

COON RAPIDS

WELL 1

Lab No.: 200110240 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110240 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 5

Lab No.: 200110241 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110241 EXCEPT:sample temperature exceeds 6 degrees celsius.

CORALVILLE

WELL 1

Lab No.: 200110086 Upon receipt at the UHL sample meets standard acceptance criteria.

Lab No.: 200111583 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 10

Lab No.: 200110090 Upon receipt at the UHL sample meets standard acceptance criteria.

Lab No.: 200110090 time 13:54.

WELL 2

CORALVILLE

WELL 2

Lab No.: 200111584 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 6

Lab No.: 200110087 Upon receipt at the UHL sample meets standard acceptance criteria.

Lab No.: 200110087 time 13:35.

WELL 7

Lab No.: 200110088 Upon receipt at the UHL sample meets standard acceptance criteria.

Lab No.: 200110088 time 13:02.

WELL 8

Lab No.: 200110089 Upon receipt at the UHL sample meets standard acceptance criteria.

Lab No.: 200110089 time 13:20.

CRESCO

WELL 3

Lab No.: 200110215 Upon receipt at the UHL sample meets standard acceptance criteria.

DAKOTA CITY

WELL 2

Lab No.: 200111868 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111868 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200111869 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111869 EXCEPT: sample temperature exceeds 6 degrees celsius.

DE WITT

WELL 5

Lab No.: 200110467 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110467 EXCEPT:sample temperature exceeds 6 degrees celsius.

DECORAH

WELL 1

Lab No.: 200110233 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200110234 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 3

Lab No.: 200110235 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 5

Lab No.: 200110236 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 6

Lab No.: 200110237 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 7

Lab No.: 200110238 Upon receipt at the UHL sample meets standard acceptance criteria.

DELHI

WELL 1

Lab No.: 200110222 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200110223 Upon receipt at the UHL sample meets standard acceptance criteria.

DELMAR

WELL 1

Lab No.: 200110071 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110071 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200110072 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110072 EXCEPT:sample temperature exceeds 6 degrees celsius.

DEWITT

WELL 3

Lab No.: 200110288 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110288 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 5

Lab No.: 200110289 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110289 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 6

Lab No.: 200110290 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110290 EXCEPT:sample temperature exceeds 6 degrees celsius.

DONNELSON

WELL 6

Lab No.: 200110195 Upon receipt at the UHL sample meets standard acceptance criteria.

DOW CITY

WELL 3

Lab No.: 200110210 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110210 EXCEPT:sample temperature exceeds 6 degrees celsius.

DOWS

WELL 4

Lab No.: 200110227 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 5

Lab No.: 200110228 Upon receipt at the UHL sample meets standard acceptance criteria.

DUBUQUE

WELL 1

Lab No.: 200111385 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111385 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111386 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111386 EXCEPT:sample temperature exceeds 6 degrees celsius.

DUNLAP

WELL 1

Lab No.: 200110218 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200110219 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 3

Lab No.: 200110220 Upon receipt at the UHL sample meets standard acceptance criteria.

DYERSVILLE

WELL 2

Lab No.: 200110203 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 4

Lab No.: 200110204 Upon receipt at the UHL sample meets standard acceptance criteria.

EAGLE GROVE

WELL 3

Lab No.: 200110096 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 4

Lab No.: 200110097 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 5

Lab No.: 200110098 Upon receipt at the UHL sample meets standard acceptance criteria.

EARLVILLE

WELL 2

Lab No.: 200110299 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110299 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200110300 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110300 EXCEPT:sample temperature exceeds 6 degrees celsius.

EAST AMANA

WELL 2

Lab No.: 200110185 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110185 EXCEPT:sample temperature exceeds 6 degrees celsius.

EDDYVILLE

WELL 3

Lab No.: 200110302 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 4

Lab No.: 200110303 Upon receipt at the UHL sample meets standard acceptance criteria.

EDGEWOOD

WELL 1

Lab No.: 200110206 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200110207 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 3

Lab No.: 200110208 Upon receipt at the UHL sample meets standard acceptance criteria.

ELDRIDGE

WELL 2

Lab No.: 200110093 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 3

Lab No.: 200110094 Upon receipt at the UHL sample meets standard acceptance criteria.

ELKADER

WELL 2

Lab No.: 200110766 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110766 EXCEPT:sample temperature exceeds 6 degrees celsius.

ELKADER

WELL 2

Lab No.: 200110766 time on label 11:41.

WELL 3

Lab No.: 200110767 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110767 EXCEPT:sample temperature exceeds 6 degrees celsius.

Lab No.: 200110767 time on label 11:28.

ELMA

WELL 1

Lab No.: 200112238 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200112238 EXCEPT: sample temperature exceeds 6 degrees celsius.

ELY

WELL 1

Lab No.: 200110739 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110739 EXCEPT:sample temperature exceeds 6 degrees celsius.

EPWORTH

WELL 2

Lab No.: 200110199 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 3

Lab No.: 200110200 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 4

Lab No.: 200110201 Upon receipt at the UHL sample meets standard acceptance criteria.

EVANSDALE

WELL 1

Lab No.: 200110108 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 3

Lab No.: 200110109 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 4

Lab No.: 200110110 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 5

Lab No.: 200110111 Upon receipt at the UHL sample meets standard acceptance criteria.

FAIRBANK

WELL 3

Lab No.: 200110292 Upon receipt at the UHL sample meets standard acceptance criteria.

Lab No.: 200110292 Time on paper work 9:00; per label 10:30.

WELL 4

Lab No.: 200110293 Upon receipt at the UHL sample meets standard acceptance criteria.

Lab No.: 200110293 Time on paper work 9:00; per label 10:30.

FARLEY

WELL 1

Lab No.: 200110295 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110295 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200110296 Upon receipt at the UHL sample meets standard acceptance criteria

FARLEY

WELL 2

Lab No.: 200110296 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200110297 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110297 EXCEPT:sample temperature exceeds 6 degrees celsius.

FARMERSBURG

WELL 1

Lab No.: 200110197 Upon receipt at the UHL sample meets standard acceptance criteria.

FARMINGTON

WELL 1

Lab No.: 200110113 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110113 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200110114 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110114 EXCEPT:sample temperature exceeds 6 degrees celsius.

FAYETTE

WELL 2

Lab No.: 200110422 Upon receipt at the UHL sample meets standard acceptance criteria.

Lab No.: 200110422 time on labels 11:01.

WELL 3

Lab No.: 200110423 Upon receipt at the UHL sample meets standard acceptance criteria.

Lab No.: 200110423 time on labels 10:45.

FERTILE

WELL 1

Lab No.: 200110769 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110769 EXCEPT:sample temperature exceeds 6 degrees celsius.

FLOYD

WELL 1

Lab No.: 200110116 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200110117 Upon receipt at the UHL sample meets standard acceptance criteria.

FORT ATKINSON

WELL 1

Lab No.: 200110102 Upon receipt at the UHL sample meets standard acceptance criteria.

FORT DODGE

WELL 14

Lab No.: 200110451 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 15

Lab No.: 200110452 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 16

Lab No.: 200110453 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 17

FORT DODGE

WELL 17

Lab No.: 200110454 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 9

Lab No.: 200110450 Upon receipt at the UHL sample meets standard acceptance criteria.

FREEPORT

WELL 1

Lab No.: 200110411 Upon receipt at the UHL sample meets standard acceptance criteria.

GARNAVILLO

WELL 1

Lab No.: 200110396 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110396 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200110397 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110397 EXCEPT:sample temperature exceeds 6 degrees celsius.

GARNER

WELL 1

Lab No.: 200110494 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200110495 Upon receipt at the UHL sample meets standard acceptance criteria.

GARRISON

WELL 3

Lab No.: 200110409 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110409 EXCEPT:sample temperature exceeds 6 degrees celsius.

GILMORE CITY

WELL 2

Lab No.: 200110402 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 3

Lab No.: 200110403 Upon receipt at the UHL sample meets standard acceptance criteria.

GLIDDEN

WELL 5

Lab No.: 200110582 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110582 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 6

Lab No.: 200110583 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110583 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 7

Lab No.: 200110584 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110584 EXCEPT:sample temperature exceeds 6 degrees celsius.

GOODELL

WELL 1

Lab No.: 200110447 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

GOODELL

WELL 2

Lab No.: 200110448 Upon receipt at the UHL sample meets standard acceptance criteria.

GRAFTON

WELL 1

Lab No.: 200110444 Upon receipt at the UHL sample meets standard acceptance criteria.

Lab No.: 200110444 time on labels 8:45.

WELL 2

Lab No.: 200110445 Upon receipt at the UHL sample meets standard acceptance criteria.

Lab No.: 200110445 time on labels 8:52.

GRAND MOUND

WELL 1

Lab No.: 200110586 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110586 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200110587 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110587 EXCEPT:sample temperature exceeds 6 degrees celsius.

GREENE

WELL 1

Lab No.: 200110416 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200110779 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110779 EXCEPT:sample temperature exceeds 6 degrees celsius.

GRISWOLD

WELL 3

Lab No.: 200110418 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 4

Lab No.: 200110419 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 5

Lab No.: 200110420 Upon receipt at the UHL sample meets standard acceptance criteria.

GUTHRIE CENTER

WELL 1

Lab No.: 200111122 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111122 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111123 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111123 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200111124 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111124 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 4

Lab No.: 200111125 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111125 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 5

Lab No.: 200111126 Upon receipt at the UHL sample meets standard acceptance criteria

GUTHRIE CENTER

WELL 5

Lab No.: 200111126 EXCEPT:sample temperature exceeds 6 degrees celsius.

HANLONTOWN

WELL 1

Lab No.: 200110580 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110580 EXCEPT:sample temperature exceeds 6 degrees celsius.

HAWARDEN

WELL 1

Lab No.: 200110640 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110640 EXCEPT:sample temperature exceeds 6 degrees celsius.

Lab No.: 200110640 Paper work lists time as 11:00; per label earliest itme is 10:30.

WELL 2

Lab No.: 200110641 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110641 EXCEPT:sample temperature exceeds 6 degrees celsius.

Lab No.: 200110641 Paper work lists time as 11:00; per label earliest itme is 10:30.

WELL 3

Lab No.: 200110642 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110642 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 4

Lab No.: 200110643 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110643 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 5

Lab No.: 200110644 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110644 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 6

Lab No.: 200110645 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110645 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 7

Lab No.: 200110646 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110646 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 8

Lab No.: 200110647 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110647 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 9

Lab No.: 200110648 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110648 EXCEPT:sample temperature exceeds 6 degrees celsius.

HAWKEYE

WELL 3

Lab No.: 200110413 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 4

Lab No.: 200110414 Upon receipt at the UHL sample meets standard acceptance criteria.

HAZELTON

WELL 1

Lab No.: 200110486 Upon receipt at the UHL sample meets standard acceptance criteria

HAZELTON

WELL 1

Lab No.: 200110486 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200110487 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110487 EXCEPT:sample temperature exceeds 6 degrees celsius.

HIAWATHA

WELL 4

Lab No.: 200110399 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 5

Lab No.: 200110400 Upon receipt at the UHL sample meets standard acceptance criteria.

HOPKINTON

WELL 2

Lab No.: 200110430 ypon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110430 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200110431 ypon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110431 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 4

Lab No.: 200110432 ypon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110432 EXCEPT:sample temperature exceeds 6 degrees celsius.

HUMBOLT

SPRING 1

Lab No.: 200110498 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110498 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 1

Lab No.: 200110497 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110497 EXCEPT:sample temperature exceeds 6 degrees celsius.

INDEPENDENCE

WELL 3

Lab No.: 200110425 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 4

Lab No.: 200110426 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 6

Lab No.: 200110427 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 7

Lab No.: 200110428 Upon receipt at the UHL sample meets standard acceptance criteria.

IOWA CITY

WELL 1

Lab No.: 200111261 Upon receipt at the UHL sample meets standard acceptance criteria.

Lab No.: 200111411 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200111262 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 3

Lab No.: 200111263 Upon receipt at the UHL sample meets standard acceptance criteria.

IOWA FALLS

WELL ER1

Lab No.: 200111718 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111718 EXCEPT:sample temperature exceeds 6 degrees celsius.
Lab No.: 200111718 Per phone call to Francis Janssen; changed paperwork to read Well
Lab No.: 200111718 ER #1 instead or #4. SLM 11-28-01
Lab No.: 200111768 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111768 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL ER2

Lab No.: 200111719 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111719 EXCEPT:sample temperature exceeds 6 degrees celsius.
Lab No.: 200111719 Per phone call to Francis Janssen; changed paperwork to read Well
Lab No.: 200111719 ER #2 instead or #5. SLM 11-28-01
Lab No.: 200111766 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111766 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL ER3

Lab No.: 200111720 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111720 EXCEPT:sample temperature exceeds 6 degrees celsius.
Lab No.: 200111720 Per phone call to Francis Janssen; changed paperwork to read Well
Lab No.: 200111720 ER #3 instead or #4. SLM 11-28-01
Lab No.: 200111767 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111767 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL PS1

Lab No.: 200111715 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111715 EXCEPT:sample temperature exceeds 6 degrees celsius.
Lab No.: 200111769 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111769 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL PS2

Lab No.: 200111716 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111716 EXCEPT:sample temperature exceeds 6 degrees celsius.
Lab No.: 200111770 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111770 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL PS3

Lab No.: 200111717 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111717 EXCEPT:sample temperature exceeds 6 degrees celsius.
Lab No.: 200111771 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111771 EXCEPT:sample temperature exceeds 6 degrees celsius.

IRETON

WELL D-1

Lab No.: 200111590 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111590 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL D-2

Lab No.: 200111591 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111591 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL S-1

Lab No.: 200111592 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111592 EXCEPT:sample temperature exceeds 6 degrees celsius.

IRETON

WELL S-2

Lab No.: 200111593 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111593 EXCEPT:sample temperature exceeds 6 degrees celsius.

JANESVILLE

WELL 3

Lab No.: 200110489 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110489 EXCEPT:sample temperature exceeds 6 degrees celsius.

JESUP

WELL 2

Lab No.: 200110504 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 3

Lab No.: 200110505 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 4

Lab No.: 200110506 Upon receipt at the UHL sample meets standard acceptance criteria.

KELLOGG

WELL 1

Lab No.: 200110932 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200110933 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 3

Lab No.: 200110934 Upon receipt at the UHL sample meets standard acceptance criteria.

KENSETT

WELL 1

Lab No.: 200110491 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200110492 Upon receipt at the UHL sample meets standard acceptance criteria.

KLEMME

WELL 1

Lab No.: 200110441 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200110442 Upon receipt at the UHL sample meets standard acceptance criteria.

LA PORTE CITY

WELL 2

Lab No.: 200110405 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 3

Lab No.: 200110406 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 4

Lab No.: 200110407 Upon receipt at the UHL sample meets standard acceptance criteria.

LAKE CITY

WELL 3

Lab No.: 200110577 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110577 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 4

LAKE CITY

WELL 4

- Lab No.: 200110578 Upon receipt at the UHL sample meets standard acceptance criteria
- Lab No.: 200110578 EXCEPT:sample temperature exceeds 6 degrees celsius.

LAKOTA

WELL 2

- Lab No.: 200112043 Upon receipt at the UHL sample meets standard acceptance criteria
- Lab No.: 200112043 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 4

- Lab No.: 200112044 Upon receipt at the UHL sample meets standard acceptance criteria
- Lab No.: 200112044 EXCEPT: sample temperature exceeds 6 degrees celsius.

LAMONT

WELL 1

- Lab No.: 200110763 Upon receipt at the UHL sample meets standard acceptance criteria
- Lab No.: 200110763 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

- Lab No.: 200110764 Upon receipt at the UHL sample meets standard acceptance criteria
- Lab No.: 200110764 EXCEPT:sample temperature exceeds 6 degrees celsius.

LAMOTTE

WELL 1

- Lab No.: 200110438 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

- Lab No.: 200110439 Upon receipt at the UHL sample meets standard acceptance criteria.

LANSING

WELL 1

- Lab No.: 200111458 Upon receipt at the UHL sample meets standard acceptance criteria
- Lab No.: 200111458 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

- Lab No.: 200111459 Upon receipt at the UHL sample meets standard acceptance criteria
- Lab No.: 200111459 EXCEPT:sample temperature exceeds 6 degrees celsius.

LE CLAIRE

WELL 2

- Lab No.: 200110723 Upon receipt at the UHL sample meets standard acceptance criteria
- Lab No.: 200110723 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 4

- Lab No.: 200110724 Upon receipt at the UHL sample meets standard acceptance criteria
- Lab No.: 200110724 EXCEPT:sample temperature exceeds 6 degrees celsius.

LEDYARD

WELL 1

- Lab No.: 200112028 Upon receipt at the UHL sample meets standard acceptance criteria
- Lab No.: 200112028 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 2

- Lab No.: 200112029 Upon receipt at the UHL sample meets standard acceptance criteria
 - Lab No.: 200112029 EXCEPT: sample temperature exceeds 6 degrees celsius.
-

LEMARS

WELL 6

Lab No.: 200110805 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110805 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 7

Lab No.: 200110806 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110806 EXCEPT:sample temperature exceeds 6 degrees celsius.

LIME SPRINGS

WELL 1

Lab No.: 200110706 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110706 EXCEPT:sample temperature exceeds 6 degrees celsius.

Lab No.: 200110706 No time listed on paperwork; per label 9:00.

WELL 2

Lab No.: 200110707 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110707 EXCEPT:sample temperature exceeds 6 degrees celsius.

Lab No.: 200110707 No time listed on paperwork; per label 9:00.

LISBON

WELL 1

Lab No.: 200110659 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200110660 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 3

Lab No.: 200110661 Upon receipt at the UHL sample meets standard acceptance criteria.

LIVERMORE

WELL 2

Lab No.: 200110702 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110702 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200110703 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110703 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 4

Lab No.: 200110704 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110704 EXCEPT:sample temperature exceeds 6 degrees celsius.

LONG GROVE

WELL 1

Lab No.: 200110761 Upon receipt at the UHL sample meets standard acceptance criteria.

LOST NATION

WELL 1

Lab No.: 200110699 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110699 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200110700 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110700 EXCEPT:sample temperature exceeds 6 degrees celsius.

LOW MOOR

LOW MOOR

WELL 1

Lab No.: 200111134 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111134 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111135 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111135 EXCEPT:sample temperature exceeds 6 degrees celsius.

MANCHESTER

WELL 4

Lab No.: 200110709 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110709 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 5

Lab No.: 200110710 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110710 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 6

Lab No.: 200110711 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110711 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 7

Lab No.: 200110712 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110712 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 8

Lab No.: 200110713 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110713 EXCEPT:sample temperature exceeds 6 degrees celsius.

MANLY

WELL 2

Lab No.: 200110720 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110720 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 4

Lab No.: 200110721 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110721 EXCEPT:sample temperature exceeds 6 degrees celsius.

MAQUOKETA

WELL 3

Lab No.: 200110715 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110715 EXCEPT:sample temperature exceeds 6 degrees celsius.

Lab No.: 200110715 7:45.

WELL 4

Lab No.: 200110716 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110716 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 5

Lab No.: 200110717 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110717 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 6

Lab No.: 200110718 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110718 EXCEPT:sample temperature exceeds 6 degrees celsius.

MARBLE ROCK

MARBLE ROCK

WELL 1

Lab No.: 200110726 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110726 EXCEPT:sample temperature exceeds 6 degrees celsius.

MARION

WELL 1

Lab No.: 200110691 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200110692 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 3

Lab No.: 200110693 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 4

Lab No.: 200110694 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 5

Lab No.: 200110695 Upon receipt at the UHL sample meets standard acceptance criteria.

MARQUETTE

WELL 2

Lab No.: 200110940 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110940 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200110941 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110941 EXCEPT:sample temperature exceeds 6 degrees celsius.

MARSHALLTOWN

WELL 14

Lab No.: 200110897 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110897 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 6

Lab No.: 200110893 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110893 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 7

Lab No.: 200110894 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110894 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 8

Lab No.: 200110895 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110895 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 9

Lab No.: 200110896 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110896 EXCEPT:sample temperature exceeds 6 degrees celsius.

MARTELLE

WELL 1

Lab No.: 200110886 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200110887 Upon receipt at the UHL sample meets standard acceptance criteria.

MASON CITY

WELL 10

MASON CITY

WELL 10

Lab No.: 200111003 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111003 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 12

Lab No.: 200111004 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111004 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 16

Lab No.: 200111005 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111005 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 8

Lab No.: 200111002 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111002 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL A3

Lab No.: 200111001 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111001 EXCEPT:sample temperature exceeds 6 degrees celsius.

MC GREGOR

WELL 6

Lab No.: 200110901 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200110901 EXCEPT:sample temperature exceeds 6 degrees celsius.

MECHANICSVILLE

WELL 2

Lab No.: 200111009 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111009 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200111010 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111010 EXCEPT:sample temperature exceeds 6 degrees celsius.

MEDIAPOLIS

WELL 1

Lab No.: 200111461 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111461 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200111465 no sample

WELL 4

Lab No.: 200111466 no sample

WELL 5

Lab No.: 200111462 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111462 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 6

Lab No.: 200111463 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200111463 EXCEPT:sample temperature exceeds 6 degrees celsius.

MERRILL

WELL 4

Lab No.: 200110899 Upon receipt at the UHL sample meets standard acceptance criteria
Lab No.: 200110899 EXCEPT:sample temperature exceeds 6 degrees celsius.

MIDDLE AMANA

WELL 8

Lab No.: 200110183 Upon receipt at the UHL sample meets standard acceptance criteria.

MILES

WELL 1

Lab No.: 200110948 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110948 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200110949 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110949 EXCEPT:sample temperature exceeds 6 degrees celsius.

MONONA

WELL 2

Lab No.: 200111147 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111147 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200111148 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111148 EXCEPT:sample temperature exceeds 6 degrees celsius.

MONTICELLO

WELL 2

Lab No.: 200111435 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111435 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200111436 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111436 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 4

Lab No.: 200111437 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111437 EXCEPT:sample temperature exceeds 6 degrees celsius.

MONTOUR

WELL 1

Lab No.: 200111776 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111776 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111777 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111777 EXCEPT:sample temperature exceeds 6 degrees celsius.

MONTROSE

WELL 1

Lab No.: 200110943 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110943 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200110944 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110944 EXCEPT:sample temperature exceeds 6 degrees celsius.

MORNING SUN

WELL 1

Lab No.: 200110945 Upon receipt at the UHL sample meets standard acceptance criteria

MORNING SUN

WELL 1

Lab No.: 200110945 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200110946 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110946 EXCEPT:sample temperature exceeds 6 degrees celsius.

MOUNT PLEASANT

WELL 4

Lab No.: 200110936 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110936 EXCEPT:sample temperature exceeds 6 degrees celsius.

MOUNT VERNON

WELL 3

Lab No.: 200111811 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111811 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 4

Lab No.: 200111812 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111812 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 5

Lab No.: 200111813 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111813 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 6

Lab No.: 200111814 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111814 EXCEPT: sample temperature exceeds 6 degrees celsius.

NASHUA

WELL 2

Lab No.: 200111137 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111137 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200111138 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111138 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 4

Lab No.: 200111139 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111139 EXCEPT:sample temperature exceeds 6 degrees celsius.

NEW HARTFORD

WELL 1

Lab No.: 200111131 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111131 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111132 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111132 EXCEPT:sample temperature exceeds 6 degrees celsius.

NORTH LIBERTY

WELL 1

Lab No.: 200111093 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200111094 Upon receipt at the UHL sample meets standard acceptance criteria.

NORTHWOOD

WELL NORTH

Lab No.: 200111232 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111232 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL SOUTH

Lab No.: 200111231 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111231 EXCEPT:sample temperature exceeds 6 degrees celsius.

OELWEIN

WELL 42

Lab No.: 200111116 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 59

Lab No.: 200111115 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 80

Lab No.: 200111117 Upon receipt at the UHL sample meets standard acceptance criteria.

OLIN

WELL 1

Lab No.: 200112040 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200112040 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200112041 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200112041 EXCEPT: sample temperature exceeds 6 degrees celsius.

OSAGE

WELL 2

Lab No.: 200111216 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111216 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 4

Lab No.: 200111217 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111217 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 5

Lab No.: 200111218 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111218 EXCEPT: sample temperature exceeds 6 degrees celsius.

PARKERSBURG

WELL 1

Lab No.: 200111150 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111150 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111151 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111151 EXCEPT:sample temperature exceeds 6 degrees celsius.

PEOSTA

WELL 1

Lab No.: 200110808 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200110808 EXCEPT:sample temperature exceeds 6 degrees celsius.

PERRY

WELL 12

PERRY

WELL 12

Lab No.: 200111206 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111206 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 13

Lab No.: 200111207 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111207 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 14

Lab No.: 200111208 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111208 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 18

Lab No.: 200111209 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111209 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 19

Lab No.: 200111210 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111210 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 20

Lab No.: 200111211 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111211 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 21

Lab No.: 200111212 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111212 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 9

Lab No.: 200111205 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111205 EXCEPT: sample temperature exceeds 6 degrees celsius.

POSTVILLE

WELL 3

Lab No.: 200112031 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200112031 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 4

Lab No.: 200112032 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200112032 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 5

Lab No.: 200112033 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200112033 EXCEPT: sample temperature exceeds 6 degrees celsius.

PRESTON

WELL 1

Lab No.: 200111119 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111119 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111120 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111120 EXCEPT: sample temperature exceeds 6 degrees celsius.

PRINCETON

WELL 1

Lab No.: 200112019 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

PRINCETON

WELL 2

Lab No.: 200112020 Upon receipt at the UHL sample meets standard acceptance criteria.

PROTIVIN

WELL 1

Lab No.: 200111523 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111523 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111524 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111524 EXCEPT:sample temperature exceeds 6 degrees celsius.

RENWICK

WELL 1

Lab No.: 200111237 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111237 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111238 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111238 EXCEPT:sample temperature exceeds 6 degrees celsius.

RIDGEWAY

WELL 1

Lab No.: 200111224 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111224 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111225 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111225 EXCEPT:sample temperature exceeds 6 degrees celsius.

ROCKFORD

WELL 1

Lab No.: 200111141 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111141 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111142 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111142 EXCEPT:sample temperature exceeds 6 degrees celsius.

ROCKWELL

WELL 1

Lab No.: 200112154 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200112154 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200112152 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200112152 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200112153 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200112153 EXCEPT: sample temperature exceeds 6 degrees celsius.

ROLAND

WELL 1

Lab No.: 200111455 Upon receipt at the UHL sample meets standard acceptance criteria

ROLAND

WELL 1

Lab No.: 200111455 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111456 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111456 EXCEPT:sample temperature exceeds 6 degrees celsius.

ROLFE

WELL 1

Lab No.: 200111128 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200111129 Upon receipt at the UHL sample meets standard acceptance criteria.

ROWAN

WELL 1

Lab No.: 200111214 Upon receipt at the UHL sample meets standard acceptance criteria.

RUDD

WELL 1

Lab No.: 200111144 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111144 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111145 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111145 EXCEPT:sample temperature exceeds 6 degrees celsius.

SAINT ANSGAR

WELL 1

Lab No.: 200112264 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200112264 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200112265 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200112265 EXCEPT: sample temperature exceeds 6 degrees celsius.

SALEM

WELL 3

Lab No.: 200111449 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111449 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 4

Lab No.: 200111450 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111450 EXCEPT:sample temperature exceeds 6 degrees celsius.

SHEFFIELD

WELL 1

Lab No.: 200111220 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111220 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111221 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111221 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 4

Lab No.: 200111222 Upon receipt at the UHL sample meets standard acceptance criteria

SHEFFIELD

WELL 4

Lab No.: 200111222 EXCEPT:sample temperature exceeds 6 degrees celsius.

SHELL ROCK

WELL 1

Lab No.: 200111234 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111234 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111235 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111235 EXCEPT:sample temperature exceeds 6 degrees celsius.

SHELLSBURG

WELL 1

Lab No.: 200111228 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111228 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111229 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111229 EXCEPT:sample temperature exceeds 6 degrees celsius.

SIOUX CITY

WELL 19

Lab No.: 200111433 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 21A

Lab No.: 200111432 Upon receipt at the UHL sample meets standard acceptance criteria.

SOLON

WELL 1

Lab No.: 200111189 Lake View Knoll HOA

Lab No.: 200111189 Upon receipt at the UHL sample meets standard acceptance criteria.

Lab No.: 200111189 Galen Mehmen.

WELL 2

Lab No.: 200112246 Upon receipt at the UHL sample meets standard acceptance criteria.

SPRINGVILLE

WELL 1

Lab No.: 200111447 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111447 EXCEPT:sample temperature exceeds 6 degrees celsius.

STACYVILLE

WELL 1

Lab No.: 200111610 Upon receipt at the UHL sample meets standard acceptance criteria.

STOCKTON

WELL 1

Lab No.: 200111378 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111378 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111379 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111379 EXCEPT:sample temperature exceeds 6 degrees celsius.

STORY CITY

WELL 1

Lab No.: 200111519 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111519 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111520 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111520 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200111521 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111521 EXCEPT:sample temperature exceeds 6 degrees celsius.

STRAWBERRY POINT

WELL 3

Lab No.: 200111452 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111452 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 4

Lab No.: 200111453 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111453 EXCEPT:sample temperature exceeds 6 degrees celsius.

TAMA

WELL 1

Lab No.: 200112035 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200112035 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200112036 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200112036 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200111443 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111443 EXCEPT:sample temperature exceeds 6 degrees celsius.

Lab No.: 200112037 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200112037 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 4

Lab No.: 200111444 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111444 EXCEPT:sample temperature exceeds 6 degrees celsius.

Lab No.: 200112038 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200112038 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 5

Lab No.: 200111445 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111445 EXCEPT:sample temperature exceeds 6 degrees celsius.

THORNTON

WELL 1

Lab No.: 200111382 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111382 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111383 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111383 EXCEPT:sample temperature exceeds 6 degrees celsius.

TIFFIN

TIFFIN

WELL 2

Lab No.: 200112196 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 3

Lab No.: 200112197 Upon receipt at the UHL sample meets standard acceptance criteria.

UNION

WELL 1

Lab No.: 200111764 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111764 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200111763 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111763 EXCEPT:sample temperature exceeds 6 degrees celsius.

VINCENT

WELL 1

Lab No.: 200111375 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111375 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111376 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111376 EXCEPT:sample temperature exceeds 6 degrees celsius.

VINTON

WELL 2

Lab No.: 200111526 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111526 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200111527 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111527 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 4

Lab No.: 200111528 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111528 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 5

Lab No.: 200111529 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111529 EXCEPT:sample temperature exceeds 6 degrees celsius.

WALCOTT

WELL 3

Lab No.: 200111603 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111603 EXCEPT:sample temperature exceeds 6 degrees celsius.

Lab No.: 200111603 Liters and vials at seperate times.

WATERLOO

WELL 10

Lab No.: 200111647 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111647 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 11

Lab No.: 200111648 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111648 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 12

WATERLOO

WELL 12

Lab No.: 200111649 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111649 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 13

Lab No.: 200111650 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111650 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 15

Lab No.: 200111651 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111651 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 17

Lab No.: 200111652 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111652 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 18

Lab No.: 200111653 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111653 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 19

Lab No.: 200111655 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111655 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 22

Lab No.: 200111654 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111654 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 7

Lab No.: 200111646 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111646 EXCEPT:sample temperature exceeds 6 degrees celsius.

WAUCOMA

WELL 1

Lab No.: 200111866 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111866 EXCEPT: sample temperature exceeds 6 degrees celsius.

WAUKON

WELL 2

Lab No.: 200111439 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111439 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 3

Lab No.: 200111440 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111440 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 4

Lab No.: 200111441 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111441 EXCEPT:sample temperature exceeds 6 degrees celsius.

WAVERLY

WELL 5

Lab No.: 200111642 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111642 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 6

Lab No.: 200111643 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111643 EXCEPT:sample temperature exceeds 6 degrees celsius.

WAVERLY

WELL 7

- Lab No.: 200111644 Upon receipt at the UHL sample meets standard acceptance criteria
- Lab No.: 200111644 EXCEPT:sample temperature exceeds 6 degrees celsius.

WAYLAND

WELL 2

- Lab No.: 200111638 Upon receipt at the UHL sample meets standard acceptance criteria
- Lab No.: 200111638 EXCEPT:sample temperature exceeds 6 degrees celsius.

WEBSTER CITY

WELL 5

- Lab No.: 200111722 Purchase Order #: Verbal-Bill Conaway
- Lab No.: 200111722 Upon receipt at the UHL sample meets standard acceptance criteria
- Lab No.: 200111722 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 6

- Lab No.: 200111723 Purchase order #: Verbal Bill Conaway
- Lab No.: 200111723 Upon receipt at the UHL sample meets standard acceptance criteria
- Lab No.: 200111723 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELLMAN

WELL 1

- Lab No.: 200111737 Upon receipt at the UHL sample meets standard acceptance criteria
- Lab No.: 200111737 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

- Lab No.: 200111738 Upon receipt at the UHL sample meets standard acceptance criteria
- Lab No.: 200111738 EXCEPT:sample temperature exceeds 6 degrees celsius.

WEST BEND

WELL 1

- Lab No.: 200112212 Upon receipt at the UHL sample meets standard acceptance criteria
- Lab No.: 200112212 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 3

- Lab No.: 200112213 Upon receipt at the UHL sample meets standard acceptance criteria
- Lab No.: 200112213 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 5

- Lab No.: 200112214 Upon receipt at the UHL sample meets standard acceptance criteria
- Lab No.: 200112214 EXCEPT: sample temperature exceeds 6 degrees celsius.

WEST BURLINGTON

WELL 4

- Lab No.: 200112293 Upon receipt at the UHL sample meets standard acceptance criteria
- Lab No.: 200112293 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 5

- Lab No.: 200112294 Upon receipt at the UHL sample meets standard acceptance criteria
- Lab No.: 200112294 EXCEPT: sample temperature exceeds 6 degrees celsius.

WEST LIBERTY

WELL 2

- Lab No.: 200111631 Upon receipt at the UHL sample meets standard acceptance criteria.
-

WEST LIBERTY

WELL 3

Lab No.: 200111632 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 4

Lab No.: 200111633 Upon receipt at the UHL sample meets standard acceptance criteria.

WEST UNION

WELL 3

Lab No.: 200111595 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111595 EXCEPT:sample temperature exceeds 6 degrees celsius.

Lab No.: 200111595 Water Dept.

WELL 4

Lab No.: 200111596 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111596 EXCEPT:sample temperature exceeds 6 degrees celsius.

Lab No.: 200111596 Water Dept.

WELL 5

Lab No.: 200111597 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111597 EXCEPT:sample temperature exceeds 6 degrees celsius.

Lab No.: 200111597 Water Dept.

WELL 6

Lab No.: 200111598 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111598 EXCEPT:sample temperature exceeds 6 degrees celsius.

Lab No.: 200111598 Water Dept.

WESTFIELD

WELL 3

Lab No.: 200111640 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111640 EXCEPT:sample temperature exceeds 6 degrees celsius.

WHEATLAND

WELL 2

Lab No.: 200111713 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111713 EXCEPT:sample temperature exceeds 6 degrees celsius.

Lab No.: 200111713 WL01, SS

WINFIELD

WELL 1

Lab No.: 200111600 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111600 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111601 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111601 EXCEPT:sample temperature exceeds 6 degrees celsius.

WINTHROP

WELL 1

Lab No.: 200111606 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111606 EXCEPT:sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111607 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111607 EXCEPT:sample temperature exceeds 6 degrees celsius.

WINTHROP

WELL 3

Lab No.: 200111608 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111608 EXCEPT:sample temperature exceeds 6 degrees celsius.

WOODBINE

WELL 1

Lab No.: 200111788 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 2

Lab No.: 200111789 Upon receipt at the UHL sample meets standard acceptance criteria.

WELL 3

Lab No.: 200111790 Upon receipt at the UHL sample meets standard acceptance criteria.

WORTHINGTON

WELL 1

Lab No.: 200111761 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111761 EXCEPT:sample temperature exceeds 6 degrees celsius.

WYOMING

WELL 1

Lab No.: 200111873 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111873 EXCEPT: sample temperature exceeds 6 degrees celsius.

WELL 2

Lab No.: 200111874 Upon receipt at the UHL sample meets standard acceptance criteria

Lab No.: 200111874 EXCEPT: sample temperature exceeds 6 degrees celsius.
